

**ACID REDUCER- ranitidine tablet**  
**Ohm Laboratories Inc.**

-----  
***Drug Facts***

***ACTIVE INGREDIENT (IN EACH TABLET)***

Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

***PURPOSE***

Acid reducer

***USES***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

***WARNINGS***

**Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers

***Do not use***

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- lightheadedness

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***DIRECTIONS***

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

***OTHER INFORMATION***

- **TAMPER EVIDENT: DO NOT USE IF THE CARTON OR PRINTED FOIL UNDER CAP IS OPEN OR TORN.**
- store at 20° - 25° C (68° - 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

***INACTIVE INGREDIENTS***

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, talc, titanium dioxide

***QUESTIONS?***

Call **1-800-406-7984**

**PRINCIPAL DISPLAY PANEL**

†**Compare To the active ingredient of Zantac 150<sup>®</sup>**

**NDC 51660-351-60**

***Maximum Strength***

**ohm<sup>®</sup>**

**Ranitidine Tablets, USP 150 mg**

**Acid Reducer**

- **Prevents & Relieves Heartburn Associated with Acid Indigestion & Sour Stomach**

**60 TABLETS**



<b>ACID REDUCER</b>			
ranitidine tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51660-351
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	150 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>	<b>Strength</b>	
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
	HYPROMELLOSES (UNII: 3NXW29V3WO)		
	MAGNESIUM STEARATE (UNII: 70097M6I30)		
	CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
	TALC (UNII: 7SEV7J4R1U)		
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
	FERRIC OXIDE RED (UNII: 1K09F3G675)		
	POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)		
<b>Product Characteristics</b>			

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	9R
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-351-24	24 in 1 CARTON	03/30/2012	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:51660-351-50	1 in 1 CARTON	03/30/2012	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:51660-351-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2012	
4	NDC:51660-351-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	10/16/2014	
5	NDC:51660-351-66	65 in 1 BOTTLE; Type 0: Not a Combination Product	04/23/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA200536	06/28/2011	

**Labeler** - Ohm Laboratories Inc. (184769029)

**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)

### Establishment

Name	Address	ID/FEI	Business Operations
Shasun Pharmaceuticals Limited		915786829	MANUFACTURE(51660-351)

Revised: 1/2016

Ohm Laboratories Inc.