

AIR - air gas
Nordan Smith Welding Supply

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Air

AIR, COMPRESSED
(MEDICAL AIR, USP)

UN1002

DO NOT REMOVE THIS PRODUCT LABEL.

NON-FLAMMABLE GAS 2


Medipure

WARNING: For breathing support when used by properly trained personnel. For medical applications. RX only. Administration of Medical Air may be hazardous or contraindicated. For medical use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects, and the precautions to be taken.

CAUTION: HIGH PRESSURE GAS. MAY ACCELERATE COMBUSTION. Keep oil and grease away. Use equipment rated for cylinder pressure. Cylinder temperature should not exceed 52°C (125°F). Close Valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). CAS: 132259-10-0

N/S NORDAN SMITH HATTIESBURG, MS. 38303L (03/03)

**AIR,
COMPRESSED**
(MEDICAL AIR, USP)
UN1002
DO NOT REMOVE THIS PRODUCT LABEL.



38349L (03/03)

Medipure

WARNING: For breathing support when used by properly trained personnel. For medical applications, **Rx only**. Administration of Medical Air may be hazardous or contraindicated. For medical use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Medical Air and is familiar with the indications, effects, dosages, methods, and frequency of administration and with the hazards, contraindications and side effects, and the precautions to be taken. **CAUTION:** HIGH PRESSURE GAS. MAY ACCELERATE COMBUSTION. Keep oil and grease away. Use equipment rated for cylinder pressure. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). CAS: 132259-10-0

NS
NORDAN SMITH
HATTIESBURG, MS

air gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54416-004
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Air (UNII: K21NZZ5Y0B) (Air - UNII:K21NZZ5Y0B)	Air	215 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54416-004-01	1096 L in 1 CYLINDER		
2	NDC:54416-004-02	1644 L in 1 CYLINDER		
3	NDC:54416-004-03	2192 L in 1 CYLINDER		
4	NDC:54416-004-04	3341 L in 1 CYLINDER		
5	NDC:54416-004-05	6683 L in 1 CYLINDER		
6	NDC:54416-004-06	8138 L in 1 CYLINDER		
7	NDC:54416-004-07	396 L in 1 CYLINDER		
8	NDC:54416-004-08	651 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		11/18/1993	

Labeler - Nordan Smith Welding Supply (062456215)

Establishment

Name	Address	ID/FEI	Business Operations
Nordan Smith Welding Supply		062187120	manufacture

Revised: 8/2010

Nordan Smith Welding Supply