FOSTER AND THRIVE ADULT TUSSIN DM MAX- dextromethorphan hbr, guaifenesin solution Strategic Sourcing Services LLC

McKesson Adult Tussin DM Max Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 400 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- · keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children under 12 years	do not use	

Other information

- each 20 mL contains: sodium 13 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

Package/Label Principal Display Panel

COMPARE TO ROBITUSSIN® MAXIMUM STRENGTH COUGH + CHEST CONGESTION DM ACTIVE INGREDIENTS

Foster & Thrive™

MAXIMUM STRENGTH

Adult Tussin

DM MAX

Dextromethorphan HBr

Guaifenesin

COUGH SUPPRESSANT

EXPECTORANT

Cough & Chest Congestion DM

For Ages 12 & Over

Non-Drowsy**

Relieves:

- Cough
- Mucus

SEE NEW DOSING

RASPBERRY& MENTHOL FLAVOR

DOSAGE CUP INCLUDED

**WHEN TAKEN AS DIRECTED

4 FL OZ (118 mL)





EXPECTORANT COUGH SUPPRESSANT Guaff enesin Dextromethorphan HBr

XAM MU Adult Tussin

МАХІМОМ STRENGTH ™oster \$ Thrive™

Purposes



MAXIMUM STRENGTH
COUGH + CHEST CONGESTION DM ACTIVE INGREDIENTS

Foster & Thrive™ MAXIMUM STRENGTH

Adult Tussin DM MAX

Dextromethorphan HBr Guaifenesin **COUGH SUPPRESSANT EXPECTORANT**

Cough & Chest Congestion DM

For Ages 12 & Over Non-Drowsy**

Relieves:

- Cough
- Mucus

SEE NEW DOSING



4 FLOZ (118 mL)

Foster & Thrive™

√ For Ages 12 & Over

Non-Drowsy**

Relieves:

- · Cough
- Mucus
- Alcohol-Free
- √ Gluten Free

©2023 McKesson Corporation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com

REV. 07/2

Drug Facts

Active ingredients

(in each 20 mL)
Dextromethorphan HBr, USP 20 mg......Cough suppressant
Gualfenesin, USP 400 mg......Expectorant

Uses

- USE'S
 temporarily relieves cough due to minor throat and
 bronchial irritation as may occur with a cold
 helps loosen phlegm (mucus) and thin bronchial
 secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription
monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- Ask a doctor before use if you have
 cough that occurs with too much phlegm (mucus)
 cough that lasts or is chronic such as occurs with
 smoking, asthma, chronic bronchitis, or emphysema
- Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

be a sign of a senous condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period measure only with dosing cup provided
 keep dosing cup with product
 mL = milliliter

- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children under 12 years	do not use	

Other information
■ each 20 mL contains: sodium 13 mg
■ store at 20-25°C (68-77°F). Do not refrigerate.

Drug Facts (continued)

Inactive ingredients acetic acid, anhydrous ITTACTIVE INGREDIENTS acetic acid, anhydrous citric acid, carboxymethycellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium berzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Maximum Strength Cough + Chest Congestion DM.

> DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE VARNINGS AND PRODUCT INFORMATION



www.StopMedicineAbuse.org







FOSTER AND THRIVE ADULT TUSSIN DM MAX

dextromethorphan hbr, quaifenesin solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-1036 **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K6790BS311)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

Packaging						
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:70677- 1036-1	1 in 1 CARTON	11/27/2023		
	1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	11/27/2023		

Revised: 12/2023 Strategic Sourcing Services LLC