

ACETAMINOPHEN FOR CHILDREN- acetaminophen suppository
NuCare Pharmaceuticals, Inc.

Perrigo Acetaminophen Suppositories USP, 120 mg Drug Facts

Active ingredient (in each rectal suppository)

Acetaminophen 120 mg

Purposes

Pain reliever/fever reducer

Uses

temporarily

- reduces fever
- relieves minor aches, pains, and headache

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

For rectal use only

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- your child has liver disease
- your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- fever lasts more than 3 days (72 hours), or recurs.

- pain lasts more than 5 days or gets worse.
- new symptoms occur.
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

Keep out of reach of children.

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or warnings for adult use
- do not use more than directed
- remove wrapper
- carefully insert suppository well up into the rectum

Dosing Chart	
Age	Dose
under 3 years	Do not use unless directed by a doctor
3 to 6 years	Use 1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)

Other information

- store at 20-25 °C (68-77 °F) or in a cool place
- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.

Inactive ingredient

hydrogenated vegetable oil

Questions or comments?

1-800-719-9260

Principal Display Panel

NuCare Pharmaceuticals, Inc.

NDC: 68071-4172-6
Acetaminophen 120mg
#6 Supp.

Acetaminophen 120mg
 Lot: 000000 NDC: 68071-4172-06
 MFR NDC: 45802-732-30 Exp.: 00-00
 Serial# 00000000002

Acetaminophen 120mg
 Lot: 000000 NDC: 68071-4172-06
 MFR NDC: 45802-732-30 Exp.: 00-00
 Serial# 00000000002



GTIN 00368071417265
 Serial# 00000000002
 Exp. Date 00-00
 LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Each suppository contains Acetaminophen USP, 120mg. Pain reliever/fever reducer
 Warnings: For rectal use only. Liver Warning: This product contains Acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount, with other drugs containing Acetaminophen. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use if you are allergic to Acetaminophen, with any other drug containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains Acetaminophen, ask a doctor or pharmacist. Bullet-Shaped Supp. Wrapped in Silver Foil Printed "ACETAMINOPHEN 120mg"

Product #: P1235006

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 68-77°F.

Packaged By:
 NuCare Pharmaceuticals, Inc.
 Orange, CA 92867

Distributed by:
 Perrigo Allergan, MI 49010

Use only as directed
 by your physician.

68071417206-6-000000-000000

Rev 01/01/19

ACETAMINOPHEN FOR CHILDREN

acetaminophen suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4172(NDC:45802-732)
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	120 mg

Inactive Ingredients

Ingredient Name	Strength
COTTONSEED OIL (UNII: H3E878020N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-4172-6	6 in 1 BLISTER PACK; Type 0: Not a Combination Product	12/04/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA070607	12/14/2010	

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals,Inc.		010632300	repack(68071-4172)

Revised: 2/2021

NuCare Pharmaceuticals,Inc.