

**TOLNAFTATE- tolnaftate jock itch powder spray talc free aerosol, spray
Topco Associates LLC**

TopcareTolnaftate Jock Itch Powder Spray

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning and crusting associated with jock itch

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

When using this product

- do not get into eyes or mouth, if products get into eyes, rinse eyes thoroughly with water
- use only as directed

Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

Stop use and ask a doctor if

- irritation occurs
- no improvement within 2 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age unless directed by a doctor.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if conditions persist, consult a doctor

- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68°F and 86°F)

Inactive ingredients

BHT, Isobutane, Kaolin, PPG-12-Buteth-16, SD Alcohol 40-B, Zea Mays (Corn) Starch

Questions?

call 1-866-964-0939

Principal Display Panel

TopCare health

MEDICATED

Jock Itch

Powder Spray

TOLNAFTATE 1% ANTIFUNGAL

- **Cures Most Jock Itch**
- **Relieves Itching, Chafing and Burning**
- **Talc- Free**

NET WT 4.6 OZ (130 g)

NDC 36800-877-4E



COMPARE TO TINACTIN® JOCK ITCH POWDER SPRAY ACTIVE INGREDIENT*

MEDICATED

Jock Itch

Powder Spray

TOLNAFTATE 1% • ANTIFUNGAL

- Cures Most Jock Itch
- Relieves Itching, Chafing & Burning
- Talc-Free



NET WT 4.6 OZ (130 g)

Drug Facts

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

Uses ■ cures most jock itch (tinea cruris)
■ relieves itching, burning and chafing associated with jock itch

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product ■ avoid contact with eyes
■ use only as directed

Stop use and ask a doctor if ■ irritation occurs
■ no improvement within 2 weeks

Do not use on children under 2 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists, consult a doctor
- if nozzle clogs, clean with a pin

Other information

store between 20° and 30°C (68° and 86°F)

Inactive ingredients

BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zea mays (corn) starch

Questions? Call 1-888-423-0139

* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PBAA0818 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
MADE IN USA WITH U.S. AND IMPORTED PARTS

✓ QUALITY GUARANTEED



Scan here for more information



0 36800 10673 4

50-061TC-02

TOLNAFTATE

tolnaftate jock itch powder spray talc free aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-877
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
KAOLIN (UNII: 24H4NWX5CO)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	

ZEA MAYS SUBSP. MAYS WHOLE (UNII: 1G5HNE09V8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-877-46	130 g in 1 CAN; Type 0: Not a Combination Product	10/31/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	10/31/2017	

Labeler - Topco Associates LLC (006935977)

Revised: 2/2024

Topco Associates LLC