

SINUS AND ALLERGY- chlorpheniramine maleate, phenylephrine hcl tablet EQUALINE (SuperValu)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg

Phenylephrine HCl 10 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - nasal congestion
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- glaucoma
- diabetes
- trouble urinating due to an enlarged prostate gland
- thyroid disease
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- excitability may occur especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by a fever

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away:

Directions

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and older	take 1 tablet
children 6 to under 12 years of age	take 1/2 tablet
children under 6 years of age	consult a doctor
children under 4 years of age	do not use

Other information

- each tablet contains: **calcium 10 mg/tablet**
- store at 15°-30°C (59°-86°F)

Inactive ingredients

colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized starch, sodium starch glycolate and stearic acid

Questions or comments?

Call toll free **1-877-932-7948**

Principal Display Panel

Compare to Maximum Strength Sudafed PE® Sinus & Allergy active ingredients*

Sinus & Allergy PE

Chlorpheniramine Maleate / Phenylephrine HCl

antihistamine / nasal congestion

tablets

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc. owner of the registered trademark Sudafed PE® Sinus & Allergy

DISTRIBUTED BY SUPERVALU INC.

EDEN PRAIRIE, MN 55344 USA

PRODUCT OF USA

Product Label

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



sinus & allergy PE

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



sinus & allergy PE

24 tablets

pseudoephedrine free

Actual Size

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

compare to Maximum Strength Sudafed PE® Sinus & Allergy active ingredients*

NDC 41163-810-24

sinus & allergy PE

chlorpheniramine maleate / phenylephrine HCl

antihistamine/nasal decongestant

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY SUPERVALU INC.
EDEN PRAIRIE, MN 55344 USA
PRODUCT OF USA

PLD-E
F81AL24



We're committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.supervalu-ourownbrands.com. Please have package available.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



0 41163 43874 3

<p>Drug Facts (continued)</p> <p>Active ingredients (in each tablet) Chlorpheniramine Maleate 4 mg Phenylephrine HCl 10 mg Nasal decongestant</p> <p>Purpose Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: runny nose sneezing itchy, watery eyes nasal congestion itching of the nose or throat</p> <p>temporarily relieves these symptoms due to the common cold: runny nose sneezing nasal congestion</p> <p>Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have high blood pressure heart disease glaucoma diabetes trouble urinating due to an enlarged prostate gland thyroid disease a breathing problem such as emphysema or chronic bronchitis</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product do not use more than directed drowsiness may occur avoid alcoholic drinks</p>	<p>Drug Facts</p> <p>Other information each tablet contains: calcium 10 mg/tablet store at 15°-30°C (59°-86°F) * This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., owner of the registered trademark Sudafed PE® Sinus & Allergy.</p> <p>Inactive ingredients colloidal silicon dioxide, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized starch, sodium starch glycolate and stearic acid.</p> <p>Questions or comments? Call toll free 1-877-932-7948</p>
<p>Directions take every 4 hours do not take more than 6 doses in 24 hours adults and children 12 years of age and older take 1 tablet children 6 to under 12 years of age take 1/2 tablet children under 6 years of age consult a doctor do not use</p> <p>Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have high blood pressure heart disease glaucoma diabetes trouble urinating due to an enlarged prostate gland thyroid disease a breathing problem such as emphysema or chronic bronchitis</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product do not use more than directed drowsiness may occur avoid alcoholic drinks</p>	<p>Directions take every 4 hours do not take more than 6 doses in 24 hours adults and children 12 years of age and older take 1 tablet children 6 to under 12 years of age take 1/2 tablet children under 6 years of age consult a doctor do not use</p> <p>Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have high blood pressure heart disease glaucoma diabetes trouble urinating due to an enlarged prostate gland thyroid disease a breathing problem such as emphysema or chronic bronchitis</p> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product do not use more than directed drowsiness may occur avoid alcoholic drinks</p>

Equaline Sinus & Allergy PE Tablet

SINUS AND ALLERGY

chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-810
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	7mm
Flavor		Imprint Code	T127
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-810-24	1 in 1 CARTON		
1		24 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	12/07/2011	

Labeler - EQUALINE (SuperValu) (006961411)**Registrant** - P and L Development of New York Corporation (800014821)