

TINACTIN ANTIFUNGAL- tolnaftate aerosol, powder
Bayer HealthCare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tinactin ®

Antifungal

Drug Facts

Active ingredients

(To Deliver) Tolnaftate 1%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- contents under pressure. do not puncture or incinerate. Do not store at temperatures above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information

- store between 20° to 25°C (68° to 77° F)

Inactive Ingredients

Butylated Hydroxytoluene, Fragrance, Isobutane, PPG-12-Buteth-16, SD Alcohol 40-B (10.5% v/v), Talc

Questions?

1-866-360-3266

PRINCIPAL DISPLAY PANEL - 133 g Can Label

NDC 11523-4162-1

TOUGH ACTIN'®

Tinactin®

ANTIFUNGAL

tolnaftate

Cures and

prevents most

athlete's foot

DEODORANT

POWDER SPRAY

fights odor all day

Relieves itching & burning

NET WT 133g (4.6 oz)

TOUGH ACTIN'

Tinactin
tolnaftate ANTIFUNGAL

CURES AND PREVENTS MOST ATHLETE'S FOOT

Relieves itching & burning

DEODORANT POWDER SPRAY
fights odor all day

BAYER

NET WT 133g (4.6 oz)

Drug Facts

Active ingredient (To Deliver) Tolnaftate 1%..... **Purpose** Antifungal

Uses ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ helps prevent most athlete's foot with daily use ■ for effective relief of itching, burning and cracking

Warnings
For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

When using this product ■ avoid contact with the eyes ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. ■ do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information store between 20° to 25°C (68° to 77°F)

Inactive Ingredients Butylated Hydroxytoluene, Fragrance, Isobutane, PPG-12-Buteth-16, SD Alcohol 40-B (10.5% v/v), Talc

Questions? 1-866-360-3226

Visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.
© 2015 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Ireland.

Bayer

26825-09

3 11017-410-00 4

5.508" Color Limit

TINACTIN ANTIFUNGAL

tolnaftate aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-4162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
TALC (UNII: 7SEV7J4R1U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Product Characteristics

Color	white (white to off-white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-4162-1	133 g in 1 CAN; Type 0: Not a Combination Product	02/28/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	02/28/2014	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 9/2023

Bayer HealthCare LLC.