

**MILK OF MAGNESIA- magnesium hydroxide suspension
WALGREEN COMPANY**

WALgreens mom

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL contains:** magnesium 500 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

purified water, sodium hypochlorite

Questions or comments?

1-800-540-3765

package Label

Walgreens
free+pure⁺

Milk of Magnesia

Magnesium hydroxide, saline laxative

Compare to the active ingredient
in Phillips[®] Milk of Magnesia[™]

Sugar free | Stimulant free | Cramp free

Comfortable, dependable overnight relief

Free + Pure is:

- No artificial flavors
- No synthetic colors
- Gluten free*
- Non-GMO
- Original Flavor**

12 FL OZ (355 mL)

222-19112-8
REV GC-1123

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Active ingredient (in each 15 mL)
Magnesium hydroxide 1200 mg **Purpose**
Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

adults and children 12 years and older 30 mL to 60 mL

children 6 to 11 years 15 mL to 30 mL

children under 6 years ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765

3



922-19112-10 REV GC-0324
WFPORG0224-F
ITEM 221698 W1 0093-0324-D

Walgreens Pharmacist Recommended

*Contains less than 20ppm of gluten

We invite you to compare to national brands.

This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Phillips[®] Milk of Magnesia.

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED walgreens.com

©2023 Walgreen Co.

NDC 0363-0649-12



MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0649
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)

SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0649-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	
2	NDC:0363-0649-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2017	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(0363-0649) , manufacture(0363-0649)

Revised: 5/2024

WALGREEN COMPANY