

LIDOCAINE- burn relief aerosol, spray
Topco Associates LLC

TopCare Burn Relief Spray

Active Ingredients

Lidocaine 0.5%

Purpose

External analgesic

Uses

for temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- insect bites
- scrapes
- minor skin irritations

Warnings

For external use only.

Flammable:

Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face, spray in palm of hand and gently apply

Other information

store between 20° and 25°C (68° and 77°F)

Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions?

Call 1-888-423-0139

Principal Display Panel

Top Care health

Burn Relief Spray

LIDOCAINE 0.5%

EXTERNAL ANALGESIC

- Relieves Pain & Itching from Sunburn, Minor Burns & Insect Bites
- Cools, Moisturizes & Soothes Sunburned Skin

NET WT 4.5 OZ (127 g)

NDC 36800-031-45



COMPARE TO SOLARCAINE® BURN RELIEF SPRAY ACTIVE INGREDIENT*

Burn Relief Spray

LIDOCAINE 0.5%
EXTERNAL ANALGESIC



- Relieves Pain & Itching from Sunburn, Minor Burns & Insect Bites
- Cools, Moisturizes & Soothes Sunburned Skin

NET WT 4.5 OZ (127 g)

Drug Facts

Active ingredient Purpose
Lidocaine 0.5%.....External analgesic

Uses for temporary relief of pain and itching associated with:
 ■ sunburn ■ minor burns
 ■ minor cuts ■ insect bites
 ■ scrapes ■ minor skin irritations

Warnings

For external use only.

Flammable: Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcaine®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
 ELK GROVE VILLAGE, IL 60007
 ©TOPCO PBAA0818 QUESTIONS? 1-888-423-0139
 topcare@topco.com www.topcarebrand.com
 MADE IN USA WITH U.S. AND IMPORTED PARTS

Drug Facts (continued)

Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face, spray in palm of hand and gently apply

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions? Call 1-888-423-0139



Scan here for more information

This TopCare® product laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



3/16 INCH OVERWRAP (NO TEXT)

50-022TC-02

LIDOCAINE

burn relief aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER 940 (UNII: 4Q93RCW27E)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-031-45	127 g in 1 CAN; Type 0: Not a Combination Product	01/03/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/03/2012	

Labeler - Topco Associates LLC (006935977)

Revised: 2/2024

Topco Associates LLC