

MILK OF MAGNESIA- magnesium hydroxide suspension
WALGREEN COMPANY

WALgreens mom mnt

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
 - do not exceed the maximum recommended daily dose in a 24 hour period
 - dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
 - follow each dosage with a full glass (8 oz) of liquid
-

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- **each 15 mL contains:** magnesium 500 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments?

1-800-540-3765

package Label

Walgreens

Compare to the active ingredient in Phillips[®] Milk of Magnesia[®]

Milk of Magnesia

MAGNESIUM HYDROXIDE / SALINE LAXATIVE

Stimulant Free

Cramp Free

- Comfortable, dependable overnight relief



Mint flavor

12 FL OZ (355 mL)

222-19212-7
REV GC-0222

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN

Active ingredient (in each 15 mL)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

Use

- relieves occasional constipation (irregularity)
- usually produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- stomach pain, nausea, or vomiting
- a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature tightly closed
- do not freeze

Inactive ingredients flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments? 1-800-540-3765

922-19212-7 REV GC-0721
W3ORG0821-F
ITEM 221696 W# 0071-0821-F



3 1 9 1 7 1 1 5 1 7 9 3

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. 

[†]This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips[®] Milk of Magnesia. DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0647
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0647-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2014	
2	NDC:0363-0647-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/01/2014	

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(0363-0647) , manufacture(0363-0647)

Revised: 11/2023

WALGREEN COMPANY