

MYHEPHRON DIALYSIS AND STRESS SUPPLEMENT- ascorbic acid, folate, niacin, thiamine, riboflavin, pyridoxine, cyanocobalamin, pantothenic acid, biotin capsule

Martin Ekwealor Pharmaceu

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Mynephron - 185

Supplemental Facts

Serving Size: 1 capsule daily

Each capsule contains:

	Amount Per Serving
Vitamin C (ascorbic acid)	100 mg
Folate (as Vitamin B9)	1 mg
Niacin (as Vitamin B3)	20 mg
Thiamine (as Vitamin B1)	1.5 mg
Riboflavin (as Vitamin B2)	1.7 mg
Pyridoxine HCL (as Vitamin B6)	10 mg
Cyanocobalamin (as Vitamin B12)	6 mcg
Pantothenic Acid (as Vitamin B5)	5 mg
Biotin (as Vitamin B7)	150 mcg

DESCRIPTION:

Mynephron capsules are opaque black capsules imprinted with "ME 185". Mynephron capsules are formulated with water-soluble vitamins intended to replace specific vitamin loss during dialysis.

INDICATIONS AND USAGE:

Mynephron capsule is indicated in the wasting syndrome of chronic renal failure, uremia and impaired metabolic functions of the kidney, and to maintain levels when the dietary intake of vitamins is inadequate or excretion (loss) is excessive. Mynephron is also highly effective as a stress vitamin.

OTHER INGREDIENTS:

FD&C Blue 1 Lake, FD&C Red 40 Lake, Gelatin, Sodium Lauryl Sulfate, Maltodextrin.

PRECAUTIONS:

Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive. Pernicious anemia should be excluded before using this product since folic acid may mask the symptoms of pernicious anemia.

DOSAGE AND ADMINISTRATION:

One capsule daily, or as directed by a physician. If on dialysis, take after treatment.

STORAGE:

Store at room temperature 15-30°C (59-86°F). Keep container tightly closed and protected from heat and moisture.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Mynephron product label

M.E.

PHARMACEUTICALS, INC.

☐☐58607-185-10

Mynephron™

CAPSULES

Dialysis and Stress Vitamin Supplement

100 Capsules

Rx Only

M.E. Pharmaceuticals, Inc.

Richmond, IN 47374 USA

Supplement Facts	
Serving Size: 1 capsule daily	
Amount Per Serving	% Daily Value
Each capsule contains:	
Vitamin C (ascorbic acid)	100mg
Folate (as Vitamin B9)	1mg
Nicotin (as Vitamin B3)	20mg
Thiamine (as Vitamin B1)	1.5mg
Riboflavin (as Vitamin B2)	1.7mg
Pyridoxine HCL (as Vitamin B6)	10mg
Cyanocobalamin (as Vitamin B12)	6mcg
Pantothenic Acid (as Vitamin B5)	5mg
Biotin (as Vitamin B7)	150mcg

OTHER INGREDIENTS: FD&C Blue 1 Lake, FD&C Red 40 Lake, Gelatin, Sodium Lauryl Sulfate, Maltodextrin.

DESCRIPTION: Mynephron capsules are opaque black capsules imprinted with "ME 185". Mynephron capsules are formulated with water-soluble vitamins intended to replace specific vitamin loss during dialysis.

INDICATIONS AND USAGE: Mynephron capsule is indicated in the wasting syndrome of chronic renal failure, uremia and impaired metabolic functions of the kidney, and to maintain levels when the dietary intake of vitamins is inadequate or excretion (loss) is excessive. Mynephron is also highly effective as a stress vitamin.

M.E. PHARMACEUTICALS, Inc.
58607-185-10
Mynephron™
CAPSULES
Dialysis and Stress Vitamin Supplement
100 Capsules
Rx Only


PRECAUTIONS: Folic acid in doses above 1.0mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations remain progressive. Pernicious anemia should be excluded before using this product since folic acid may mask the symptoms of pernicious anemia.

DOSAGE AND ADMINISTRATION: One capsule daily, or as directed by a physician. If on dialysis, take after treatment.

STORAGE: Store at controlled room temperature 15-30°C (59-86°F). Keep container tightly closed and protected from heat and moisture.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

Mfg. by M. E. Pharmaceuticals, Inc.
Richmond, IN 47374 USA



MYHEPHRON DIALYSIS AND STRESS SUPPLEMENT

ascorbic acid, folate, niacin, thiamine, riboflavin, pyridoxine, cyanocobalamin, pantothenic acid, biotin capsule

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58607-185
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	100 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
NIACIN (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	20 mg
THIAMINE (UNII: X66NSO3N35) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.5 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	1.7 mg
PYRIDOXINE (UNII: KV2JZ1B16Z) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE	10 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	6 ug
PANTOTHENIC ACID (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	5 mg
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	150 ug

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
SODIUM LAURETH-3 SULFATE (UNII: BPV390UAP0)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	black	Score	no score
Shape	capsule	Size	18mm
Flavor		Imprint Code	MYNEPHRON;ME185
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58607-185-10	100 in 1 BOX; Type 0: Not a Combination Product	08/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2016	

Labeler - Martin Ekwealor Pharmaceu (010759905)

Registrant - Martin Ekwealor Pharmaceu (010759905)

Establishment

Name	Address	ID/FEI	Business Operations
Martin Ekwealor Pharmaceu		010759905	manufacture(58607-185)

Revised: 8/2016

Martin Ekwealor Pharmaceu