

**VITAMIN E-300- tocopherol injection**  
**Agri Laboratories, Ltd.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**VITAMIN E-300**

**INJECTABLE TOCOPHEROL**

**(300 IU vitamin E per mL)**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INTRAMUSCULAR OR SUBCUTANEOUS ONLY**

**ADMINISTRATION AND DOSAGE**

Intramuscular or subcutaneous administration only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

<b>SUGGESTED DOSAGE</b>	<b>International</b>	
	<b>mL</b>	<b>Units</b>
<b>SWINE</b>		
Sows and Gilts		
2 wks pre-partum	4-6	1200-1800
2 wks pre-breeding	4-6	1200-1800
Pigs		
At birth	1-2	300-600
At weaning	2-3	600-900
<b>CATTLE (Dairy and Beef)</b>		
Cows and Heifers		
2-3 wks pre -partum	8-10	2400-3000
At calving	8-10	2400-3000
Calves		
At birth	4-6	1200-1800
At weaning	4-6	1200-1800
Yearlings	5-6	1500-1800
<b>SHEEP</b>		
Ewes		
2-3 wks pre-partum	4-5	1200-1500
At lambing	4-5	1200-1500
Lambs		
At birth	2-3	600-900
At weaning	2-3	600-900
Finishing Lambs	3-4	900-1200

Natural tocopherols in feedstuffs can be destroyed through process, ensiling and storage. A reduced vitamin E intake can result in marginal deficiencies that may not be visible. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin E status of animals.

**INDICATIONS**

Vitamin E-300 Injectable Tocopherol (natural-source vitamin E) is a clear, sterile, water emulsifiable solution of d-alpha-tocopherol for use as an aid in the prevention and treatment of vitamin E deficiencies in swine, cattle and sheep. This product is intended as a supplemental source of natural vitamin E.

### Each mL contains

300 I.U. of vitamin E (as d-alpha-tocopherol, a natural source of vitamin E) compounded with 2% benzyl alcohol (preservative) in a water emulsifiable base.

### CAUTION





Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines.

### WARNING

Do not add water to solution. Not for human use. Keep out of reach of children.

☐Store between 15° and 30°C (59°-86°F) in a dark place.

### TAKE TIME OBSERVE LABEL DIRECTIONS

<p><b>ADMINISTRATION AND DOSAGE:</b> Intramuscular or subcutaneous administration only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.</p>			<p>NDC 57561-412-05</p>		<p>Natural tocopherols in feedstuffs can be destroyed through processing, ensiling and storage. A reduced vitamin E intake can result in marginal deficiencies that may not be visible. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin E status of animals.</p>																																																																								
<p><b>SUGGESTED DOSAGE:</b></p> <table border="1"> <thead> <tr> <th></th> <th>mL</th> <th>International Units (IU)</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>SWINE</b></td> </tr> <tr> <td>Sows and Gilts</td> <td></td> <td></td> </tr> <tr> <td>  2 wks pre-partum</td> <td>4-6</td> <td>1200-1800</td> </tr> <tr> <td>  2 wks pre-breeding</td> <td>4-6</td> <td>1200-1800</td> </tr> <tr> <td>Pigs</td> <td></td> <td></td> </tr> <tr> <td>  At birth</td> <td>1-2</td> <td>300-600</td> </tr> <tr> <td>  At weaning</td> <td>2-3</td> <td>600-900</td> </tr> <tr> <td colspan="3"><b>CATTLE (Dairy and Beef)</b></td> </tr> <tr> <td>Cows and Heifers</td> <td></td> <td></td> </tr> <tr> <td>  2-3 wks pre-partum</td> <td>8-10</td> <td>2400-3000</td> </tr> <tr> <td>  At calving</td> <td>8-10</td> <td>2400-3000</td> </tr> <tr> <td>Calves</td> <td></td> <td></td> </tr> <tr> <td>  At birth</td> <td>4-6</td> <td>1200-1800</td> </tr> <tr> <td>  At weaning</td> <td>4-6</td> <td>1200-1800</td> </tr> <tr> <td>Yearlings</td> <td>5-6</td> <td>1500-1800</td> </tr> <tr> <td colspan="3"><b>SHEEP</b></td> </tr> <tr> <td>Ewes</td> <td></td> <td></td> </tr> <tr> <td>  2-3 wks pre-partum</td> <td>4-5</td> <td>1200-1500</td> </tr> <tr> <td>  At lambing</td> <td>4-5</td> <td>1200-1500</td> </tr> <tr> <td>Lambs</td> <td></td> <td></td> </tr> <tr> <td>  At birth</td> <td>2-3</td> <td>600-900</td> </tr> <tr> <td>  At weaning</td> <td>2-3</td> <td>600-900</td> </tr> <tr> <td>Finishing Lambs</td> <td>3-4</td> <td>900-1200</td> </tr> </tbody> </table>				mL		International Units (IU)	<b>SWINE</b>			Sows and Gilts			2 wks pre-partum	4-6	1200-1800	2 wks pre-breeding	4-6	1200-1800	Pigs			At birth	1-2	300-600	At weaning	2-3	600-900	<b>CATTLE (Dairy and Beef)</b>			Cows and Heifers			2-3 wks pre-partum	8-10	2400-3000	At calving	8-10	2400-3000	Calves			At birth	4-6	1200-1800	At weaning	4-6	1200-1800	Yearlings	5-6	1500-1800	<b>SHEEP</b>			Ewes			2-3 wks pre-partum	4-5	1200-1500	At lambing	4-5	1200-1500	Lambs			At birth	2-3	600-900	At weaning	2-3	600-900	Finishing Lambs	3-4	900-1200	<p><b>VITAMIN E-300</b>  <b>INJECTABLE TOCOPHEROL</b>  <b>(300 IU vitamin E per mL)</b></p>	
	mL	International Units (IU)																																																																											
<b>SWINE</b>																																																																													
Sows and Gilts																																																																													
2 wks pre-partum	4-6	1200-1800																																																																											
2 wks pre-breeding	4-6	1200-1800																																																																											
Pigs																																																																													
At birth	1-2	300-600																																																																											
At weaning	2-3	600-900																																																																											
<b>CATTLE (Dairy and Beef)</b>																																																																													
Cows and Heifers																																																																													
2-3 wks pre-partum	8-10	2400-3000																																																																											
At calving	8-10	2400-3000																																																																											
Calves																																																																													
At birth	4-6	1200-1800																																																																											
At weaning	4-6	1200-1800																																																																											
Yearlings	5-6	1500-1800																																																																											
<b>SHEEP</b>																																																																													
Ewes																																																																													
2-3 wks pre-partum	4-5	1200-1500																																																																											
At lambing	4-5	1200-1500																																																																											
Lambs																																																																													
At birth	2-3	600-900																																																																											
At weaning	2-3	600-900																																																																											
Finishing Lambs	3-4	900-1200																																																																											
<p>☐Registered Trademark of Agri Laboratories, Ltd.  <b>Manufactured for</b>  <b>Agri Laboratories, Ltd.</b>  <b>St. Joseph, MO 64503</b></p> <p>LOT NO.:                      EXP. DATE:</p>			<p><b>FOR ANIMAL USE ONLY</b>  <b>KEEP OUT OF REACH OF CHILDREN</b></p> <p><b>INTRAMUSCULAR OR SUBCUTANEOUS INJECTION ONLY</b></p> <p><b>Net Contents: 250 mL</b></p>		<p>TAKE TIME  OBSERVE LABEL DIRECTIONS</p> <p>V-4363-05                      Rev. 02-10</p>																																																																								
<p></p>			<p></p>		<p></p> <p>3 57561 01091 8</p>																																																																								

## VITAMIN E-300

tocopherol injection

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:5756 1-412
<b>Route of Administration</b>	INTRAMUSCULAR, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	ALPHA-TOCOPHEROL	201 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57561-412-05	250 mL in 1 VIAL		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/25/2007	

**Labeler** - Agri Laboratories, Ltd. (155594450)

**Registrant** - Sparhawk Laboratories, Inc. (147979082)

### Establishment

Name	Address	ID/FEI	Business Operations
Sparhawk Laboratories, Inc.		147979082	manufacture, analysis, api manufacture

Revised: 11/2017

Agri Laboratories, Ltd.