

## **IVY DRY- benzyl alcohol, camphor, menthol cream**

**Ivy Dry, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Ivy Dry Cream**

#### **Active Ingredients**

Benzyl Alcohol 10%

Camphor 0.6%

Menthol 0.4%

#### **Purpose**

External Analgesic

#### **Uses**

for the temporary relief of itching associated with insect bites and minor skin irritations.

#### **Warnings**

For external use only.

#### **Do not use**

- face or genital areas
- on areas of blistered or broken skin
- with a compress after application

#### **When using this product**

do not get into eyes if contact occurs, flush eyes with water

#### **Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

#### **If pregnant or breastfeeding**

ask a health professional before use.

#### **Keep out of reach of children.**

If swallowed, get medical help or contact Poison Control Center right away.

#### **Directions**

- Apply to affected area not more than 3 times daily.
- Children under 2 years of age: do not use, ask a doctor.
- Severe reactions to Urushiol (the chemical released by the plant, which causes the irritation) can look like chemical burns and have a thick leathery appearance. Additional applications may be necessary.
- Test product on small patch of skin before applying to the entire body.

**Other information**

- Store at room temperature.
- You may report a serious adverse reaction to Report Reaction, LLC. PO Box 22, Plainsboro, NJ 08536-0222.

**Inactive Ingredients**

Water, Structure XL, Cutina GMS, Phenoxol T, Cremaphor CO 40, Butylene Glycol, Zinc Acetate, Steareth-2, Steareth-20, Steareth 100, Proaqua ISL, Pelemol IPM, Estol 1543, Glydant Plus, Dimethicone, VE Acetate, Allantoin.

Made in the U.S.A. for:

IVY-DRY, INC.

299-B Fairfield Ave.

Fairfield, NJ 07070

©2012 Ivy-Dry, Inc.

Questions or Comments

[www.ivydry.com](http://www.ivydry.com)

If you get Poison Ivy,

you know you'll want

to use a product with

proven effectiveness

that you can trust.

Look no further than

Ivy Dry Products

known and trusted

for over 60 years.

**Product Labeling**

TEMPORARY

RELIEF

OF PAIN

AND ITCHING

Associated with Minor Skin

Irritations and Insect Bites

## External Analgesic

### Drug Facts

#### Active ingredients

Benzyl Alcohol 10%  
Camphor 0.6%  
Menthol 0.4%

#### Purpose

External Analgesic

**Uses** ■ for the temporary relief of itching associated with insect bites and minor skin irritations.

#### Warnings

For external use only.

Do not use ■ on face or genital areas ■ on areas of blistered or broken skin ■ with a compress after application.

When using this product ■ do not get into eyes ■ if contact occurs, flush eyes with water

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

#### Directions

■ Apply to affected area not more than 3 times daily.  
■ Children under 2 years of age: do not use, ask a doctor.  
■ Severe reactions to Urushiol (the chemical released by the plant, which causes the irritation) can look like chemical burns and have a thick leathery appearance. Additional applications may be necessary.  
■ Test product on small patch of skin before applying to the entire body.

#### Other information

■ Store at room temperature.  
■ You may report a serious adverse reaction to Report Reaction, LLC, PO Box 22, Plainsboro, NJ 08536-0222.


#### Inactive Ingredients

Water, Structure XL, Cutina GMS, Phenoxol T, Cremaphor CO 40, Butylene Glycol, Zinc Acetate, Steareth-2, Steareth-20, Steareth 100, Proaqua ISL, Peleamol IPM, Estol 1543, Glydant Plus, Dimethicone, VE Acetate, Allantoin.

**IVY-DRY®**  
**CREAM**

**IVY-DRY®**  
**CREAM**

**IVY-DRY®**  
**CREAM**



## TEMPORARY RELIEF OF PAIN AND ITCHING

Associated with Minor Skin  
Irritations & Insect Bites  
External Analgesic

NET WT 28 G (1 Oz.)

Made in the U.S.A. for:  
**IVY-DRY, INC.**  
299-B Fairfield Ave.  
Fairfield, NJ 07070  
©2012 Ivy-Dry, Inc.

Questions or Comments  
[www.ivydry.com](http://www.ivydry.com)

If you get Poison Ivy,  
you know you'll want  
to use a product with  
proven effectiveness  
that you can trust.

Look no further than

**IVY-DRY®**  
**PRODUCTS**

known and trusted  
for over 60 years.

Made in the U.S.A. for: **IVY-DRY, INC.** 299-B Fairfield Ave. Fairfield, NJ 07070 ©2012 Ivy-Dry, Inc.  
Questions or Comments [www.ivydry.com](http://www.ivydry.com)

### Drug Facts

**Active Ingredients** Benzyl Alcohol 10%, Camphor 0.6%, Menthol 0.4% **Purpose** External Analgesic **Uses** for the temporary relief of itching associated with insect bites and minor skin irritations. **Warnings** for external use only. Do not use ■ on face or genital areas ■ on areas of blistered or broken skin ■ with a compress after application ■ When using this product ■ do not get into eyes ■ if contact occurs, flush with water. **Stop use and ask a doctor if** ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact Poison Control Center right away. **Directions** Apply to affected area not more than 3 times daily ■ Children under 2 years of age: do not use, ask a doctor ■ Severe reactions to Urushiol (the chemical released by the plant, which causes the irritation) can look like chemical burns and have a thick leathery appearance. Additional applications may be necessary. ■ Test product on small patch of skin before applying to the entire body. **Other information** ■ Store at room temperature. ■ You may report a serious adverse reaction to Report Reaction, LLC, PO Box 22, Plainsboro, NJ 08536-0222. **Inactive Ingredients** Water, Structure XL, Cutina GMS, Phenoxol T, Cremaphor CO 40, Butylene Glycol, Zinc Acetate, Steareth-2, Steareth-20, Steareth 100, Proaqua ISL, Peleamol IPM, Estol 1543, Glydant Plus, Dimethicone, VE Acetate, Allantoin.

**IVY-DRY®**  
**CREAM**

## TEMPORARY RELIEF OF PAIN AND ITCHING

Associated with Minor Skin Irritations & Insect Bites

External Analgesic

NET WT 28 G (1 Oz.)

# IVY DRY

benzyl alcohol, camphor, menthol cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49546-201
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH) (BENZYL ALCOHOL - UNII:LKG8494WBH)	BENZYL ALCOHOL	10 g in 100 g
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.6 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ZINC ACETATE</b> (UNII: FM5526K07A)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>STEARETH-100</b> (UNII: 4OH5W9UM87)	
<b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49546-201-28	1 in 1 BOX	08/22/2012	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/22/2012	

**Labeler** - Ivy Dry, Inc. (800544590)