

**ELROEL PANG PANG SUN CUSHION PLUS- zinc oxide, titanium dioxide, octinoxate, octisalate cream**  
**MONOGLLOT HOLDINGS Inc.**

-----  
**83154-004\_ELROEL Pang Pang Sun Cushion Plus**

ZINC OXIDE 9.70%

OCTINOXATE 7.00%

OCTISALATE 3.00%

TITANIUM DIOXIDE 1.52%

Sunscreen

Helps prevent sunburn

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Aloe Barbadensis Leaf JuiceCyclopentasiloxane, Butylene Glycol, Butyloctyl Salicylate, Caprylyl Methicone, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclohexasiloxane, Niacinamide, Diphenylsiloxy Phenyl Trimethicone, Alcohol Denat., Propylene Glycol Dicaprylate, Sodium Chloride, Silica, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Hydroxyacetophenone, Synthetic Beeswax, Disteardimonium Hectorite, Triethoxycaprylylsilane, Dipropylene Glycol, Water, Fragrance, Caprylyl Glycol, Squalane, Tocopheryl Acetate, Propylene Carbonate, Ethylhexylglycerin, Glycerin, Adenosine, Butyrospermum Parkii (Shea) Butter, Xylitylglucoside, Anhydroxylitol, Disodium EDTA, Methyl Diisopropyl Propionamide, Laminaria Japonica Extract, Ulmus Davidiana Root Extract, Aloe Barbadensis Leaf Extract, Viola Mandshurica Flower Extract, Dioscorea Japonica Root Extract, Xylitol, CI 77492, 1,2-Hexanediol, Glucose, Menthyl Lactate, Beeswax, Ethyl Mentane Carboxamide, Glyceryl Stearate, Caprylic/Capric Triglyceride, Hydrogenated Phosphatidylcholine, Calcium Pantothenate, Centella Asiatica Extract, Sucrose Stearate, Stearamidopropyl Dimethylamine Lactate, Phenethyl Alcohol, PEG-100 Stearate, Sodium Ascorbyl Phosphate, Dipotassium Glycyrrhizate, Cetearyl Alcohol, Polyquaternium-67,

Pyridoxine HCl, Madecassoside, Madecassic Acid, Asiaticoside, Asiatic Acid  
Protect the product in this container from excessive heat and direct sunlight

**ELROEL**  
PANG PANG SUN CUSHION<sup>PLUS</sup>  
SUNSCREEN CUSHION SPF50+ PA++++  
Net Wt. 15g / 0.53oz

**Drug Facts**

Active Ingredients	Purposes
Titanium Dioxide 3.0%	Sunscreen
Octisalate 3.0%	Sunscreen
Zinc Oxide 9.70%	Sunscreen

**Directions**  
Apply liberally 15 minutes before sun exposure. Reapply at least every two hours.

**Warnings**  
For external use only. Do not use on damaged or broken skin.

**Other Information**  
Protect this product in this container from excessive heat and direct sun.

**ELROEL**  
PANG PANG SUN CUSHION<sup>PLUS</sup>  
SUNSCREEN CUSHION  
SPF50+ PA++++

**PANG PANG SUN CUSHION<sup>PLUS</sup>**  
SUNSCREEN CUSHION  
SPF50+ PA++++  
Net Wt. 15g / 0.53oz

**Drug Facts (continued)**

**Inactive ingredients**  
Aloe Barbadosis Leaf Juice, Cetylalcohol, Butylene Glycol, Butylacetyl Salicylate, Caprylyl Methacrylate, Carbomer, Hydroxyethyl Acrylate, Hexadecane, Cetyl PEG/PPG-18 Dimethicone, Cyclohexanediol, Niacinamide, Diphenylsilyl Ethyl Trimethylsilyl Alcohol Denat., Propylene Glycol Diacrylate, Sodium Chloride, Silica, Vinyl Dimethacrylate-Methacrylate, Stearic Acid, Dimethylsiloxane, Hydroxyethylacrylate, Synthetic Beeswax, Dibutyltinylsuccinate, Hexadecyl, Trihydroxyethylolammonium Chloride, Water, Fragrance, Caprylyl Glycol, Squalane, Tocopheryl Acetate, Propylene Carbonate, Ethylhexylglycerin, Glyceryl Stearate, Butylpropylmethyl Methacrylate, Ethylhexylglycerin, Acrylamide, Acrylate Copolymer, Ethylhexylglycerin, Propylene Glycol, Laminaria Japonica Extract, Ulmus Daibani Root Extract, Aloe Barbadosis Leaf Extract, Nektar Mandarinka Flower Extract, Dioscorea Japonica Root Extract, Salix, L2, Hesperidin, Quercetin, Menthyl Lactate, Benzoin, Ethyl Methacrylate Copolymer, Glyceryl Stearate, Caprylyl Glycol, Trihydroxyethylolammonium Chloride, Calcium Panthothenate, Centella Asiatica Extract, Sucrose Stearate, Stearoyldipropyl Dimethylammonium Lactate, Triethyl Citrate, PEG-100 Stearate, Sodium Acrylate Phosphate, Octylmethylglycolate, Cetyl Alcohol, Polyquaternium-07, Pyridoxine HCl, Madecassoside, Madecassic Acid, Asiatic Acid, Asiatic Acid, C17-19 Alkyltrimonium Chloride.

**Other Information**  
Protect this product in this container from excessive heat and direct sun.

**ELROEL**



**ELROEL**  
PANG PANG SUN CUSHION<sup>PLUS</sup>  
SUNSCREEN CUSHION SPF50+ PA++++  
Net Wt. 15g / 0.53oz

**Drug Facts**

Active Ingredients	Purposes
Titanium Dioxide 3.0%	Sunscreen
Octisalate 3.0%	Sunscreen
Zinc Oxide 9.70%	Sunscreen

**Directions**  
Apply liberally 15 minutes before sun exposure. Reapply at least every two hours.

**Warnings**  
For external use only. Do not use on damaged or broken skin.

**Other Information**  
Protect this product in this container from excessive heat and direct sun.

**Drug Facts (continued)**

**Directions**  
Apply liberally 15 minutes before sun exposure. Reapply at least every two hours.

**Warnings**  
For external use only. Do not use on damaged or broken skin.

**Other Information**  
Protect this product in this container from excessive heat and direct sun.

Distributed by MONDOL OT HOLDINGS, Inc.  
402 Hongdeok-ro 4-gil, Mapo-gu, Seoul, Republic of Korea, 04051  
MADE IN KOREA  
WWW.ELROELGLOBAL.COM

**ELROEL PANG PANG SUN CUSHION PLUS**  
zinc oxide, titanium dioxide, octinoxate, octisalate cream

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83154-004
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.52 g in 100 g
	<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	9.7 g in 100 g
	<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 g
	<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SHEA BUTTER (UNII: K49155WL9Y)	
ADENOSINE (UNII: K72T3FS567)	
XYLITYLGLUCOSIDE (UNII: 00IEZ166FB)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
METHYL DIISOPROPYL PROPIONAMIDE (UNII: 6QOP5A9489)	
LAMINARIA JAPONICA (UNII: WE98HW412B)	
ULMUS DAVIDIANA ROOT (UNII: URQ79U8261)	
VIOLA MANDSHURICA FLOWER (UNII: 46MR945M6X)	
DIOSCOREA JAPONICA TUBER (UNII: I43FCF3356)	
XYLITOL (UNII: VCQ006KQ1E)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ETHYL MENTHANE CARBOXAMIDE (UNII: 6S7S02945H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CALCIUM PANTOTHENATE (UNII: 568ET80C3D)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
SUCROSE STEARATE (UNII: 274KW0050M)	
STEARAMIDOPROPYL DIMETHYLAMINE LACTATE (UNII: 31Q9363QSX)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	
MADECASSIC ACID (UNII: M7O1N24J82)	
ASIATICOSIDE (UNII: PKO39VY215)	
ASIATIC ACID (UNII: 9PA5A687X5)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
AMILOXATE (UNII: 376KTP06K8)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL DICAPRYLATE (UNII: 581437HWX2)	

<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83154-004-02	1 in 1 CARTON	02/03/2024	
1	NDC:83154-004-01	15 g in 1 CONTAINER; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/03/2024	

**Labeler** - MONOGLOT HOLDINGS Inc. (694628175)

**Registrant** - MONOGLOT HOLDINGS Inc. (694628175)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Cit Co., Ltd.		690081646	manufacture(83154-004)

Revised: 7/2024

MONOGLOT HOLDINGS Inc.