FIRST AID ANTIBIOTIC- bacitracin zinc ointment Target Corporation

Target Up & Up First Aid Antibiotic Ointment

Drug Facts

Active Ingredient

Bacitracin 500 units

Uses

Bacitracin -First Aid Antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in or near eyes
- on large arteas of the body

Consult a doctor before use if you have

- deep puncture wounds
- animal bites
- serious burns

When using this product

• do not use longer than 1 week

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of the reach of children

If swallowed get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

Store at a controlled room temperature 20°-25°C (68° to 77°F)

Inactive ingredient

Petrolatum

Questions? 1-800-910-6874

Principal Display Panel

Target Up and Up NDC 11673-790-14

Bacitracin ointment

First aid Antibiotic Ointment

NET WT 0.50Z (14g)



Bacitracin

First Aid Antibiotic Ointment Bacitracin Zinc

Helps prevent infection in minor cuts, scrapes and burns


NET WT 0.5 OZ (14 g)

NDC 11673-790-14

Active ingredient (in each gram) Bacitracin 500 units Purpose First aid antibiotic Uses First aid to help prevent infection in minor: • cuts • scrapes • burns Warnings For external use only. Allergy alert: do not use if you are allergic to any of the ingredients Do not use • in or near eyes • on large areas of the body Consult a doctor before use if you have • deep or puncture wounds • animal bites • serious burns When using this product • do not use longer than 1 week Stop use and consult a doctor if • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately. Directions • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily • may be covered with a sterile bandage Other Information • Store at a controlled room temperature 20°-25°C (68°-77°F) Questions?1-800-910-6874 Dist. by Target Corp., Mpls., MN 55403 TM & ©2024 Target Brands, Inc.

245 07 0101 R00 C-002262-01-035





FIRST AID ANTIBIOTIC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-790
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	500 [USP'U] in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

I	Packaging					
4	t Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:11673-790- 14	1 in 1 CARTON	01/31/2024			
]		14 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	01/31/2024		

Labeler - Target Corporation (006961700)

Revised: 1/2024 Target Corporation