SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled SPIRIT PHARMACEUTICALS LLC

SLEEP AID

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCL 50 mg

Purpose

Nighttime sleep-aid

Uses

for relief of occasional sleeplessness

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. 1(800)222-1222

Directions

• adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Inactive ingredients

FD&C Blue#1, gelatin, glycerin, polyethylene glycol-400, propylene glycol, sorbitol, titanium dioxide, water

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL





CABINET: Sleep Aid Refill

COMPARE TO THE ACTIVE INGREDIENT IN: Unisom® SleepGels®*

Diphenhydramine HCI 50 mg

RELIEVES:

SLEEPLESSNESS · NON-HABIT FORMING

72 SOFTGELS



TO OPEN:

- 1. POSITION THUMBS INSIDE THE SHORT FLANGE OVER THE LOCKS.
- 2. GRIP WHILE PIVOTING THUMBS OUTWARD TO OPEN THE LOCKS.

Tamper evident: do not use if pouch is open

Drug Facts

Active Ingredient (in each softgel) Purpose

Diphenhydramine HCI 50 mg Nighttime sleep-aid

USO • for relief of occasional sleeplessness

Warnings

Do not use • for children under 12 years of age • with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

 a breathing problem such as emphysema or chronic bronchitis • glaucoma • trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product avoid alcoholic drinks

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Inactive ingredients FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol 400, propylene glycol, sorbitol, titanium dioxide, water

Questions or comments? 1-888-333-9792

Sleep sound and save 1 lb of plastic.

Thanks for helping us on our mission to eliminate single-use plastic from the medicine aisle. By purchasing this compostable refill pouch, you are saving a plastic bottle from a landfill or ocean.

- * This product is not manufactured or distributed by Chattem, Inc., owners of the registered trademark Unisom*
- † Less than the limit of detection and consistent with gluten-free diet labeling per FDA



ACC-1-10081
Distributed by: Cabinet Health P.B.C.
Question/Comments? 1-888-833-9792
www.cabinethealth.com

Lot / Expiration T









diphenhydramine hydrochloride capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-4237
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg	

Inactive Ingredients			
Ingredient Name	Strength		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
SORBITOL (UNII: 506T60A25R)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
WATER (UNII: 059QF0KO0R)			

Product Characteristics			
Color	blue	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	206
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:68210- 4237-7	72 in 1 POUCH; Type 0: Not a Combination Product	11/17/2022		

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M010	11/17/2022		