

**GOOD SENSE ANTACID- aluminum hydroxide, magnesium hydroxide,
simethicone suspension**

A-S Medication Solutions

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using
- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing


Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-719-9260

Aluminum hydroxide, Magnesium hydroxide, Simethicone



GOOD SENSE ANTACID			
aluminum hydroxide, magnesium hydroxide, simethicone suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-3401(NDC:0113-0851)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)	
BUTYLPARABEN (UNII: 3QPII3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
PEPPERMINT OIL (UNII: AV092KU4JH)	

Product Characteristics

Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-3401-0	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	02/04/2003	

Labeler - A-S Medication Solutions (830016429)**Establishment**

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-3401)

