

GENTIAN VIOLET 1%- gentian violet 1% liquid
Humco Holding Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Private Label Gentian Violet 1%

Drug facts

Active Ingredient

Gentian Violet 1%

Purpose

Antiseptic

Indications

First aid to help protect against infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

Do not apply to an ulcerative lesion as this may cause tattooing of the skin. Do not use in the eyes or over large areas of the body.

Ask a doctor before use if

redness, irritation, swelling or pain persists or increases or if infection occurs.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions

Clean the affected area and apply directly to the wound or use cotton applicator once or twice daily. Do not bandage.

Other information

will stain skin or clothing.

Inactive ingredients

Ethyl Alcohol 10% and Purified Water.

DLC 30 mL Label



| Datos Medicinales | |
|---|------------------|
| Ingrediente activo | Propósito |
| Violeta de genciana 1%..... | Antiséptico |
| Usos Primeros auxilios para ayudar a prevenir infecciones en: | |
| <ul style="list-style-type: none"> ■ cortaduras menores ■ abrasiones menores ■ quemaduras menores ■ picaduras de insectos | |

| Drug Facts | |
|---|----------------|
| Active ingredient | Purpose |
| Gentian violet 1%..... | Antiseptic |
| Uses | |
| First aid to help prevent infection in minor: | |
| <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns ■ insect bites | |

■ quemaduras menores ■ picaduras de insectos

Advertencias Para uso externo únicamente
Consulte con un médico antes de usar si tiene
■ heridas profundas o punzantes ■ mordeduras de animales ■ quemaduras graves

Cuando use este producto ■ no aplicar en los ojos ni cerca de ellos ■ no aplicar en áreas grandes del cuerpo o en grandes cantidades ■ no aplicar en superficies de carne viva o sobre áreas ampolladas ■ no aplicar a lesiones ulcerosas ya que podría tatar la piel

Deje de usar y consulte con un médico si
■ persiste o se incrementa el enrojecimiento, la irritación, la hinchazón o el dolor, o si ocurre infección o salpullido ■ los síntomas persisten por más de 7 días o desaparecen y reaparecen a los pocos días

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS.
Si se ingiere accidentalmente, pida ayuda médica o contáctese con un Centro de Control de Envenenamientos inmediatamente.

Instrucciones ■ limpie el área afectada ■ aplique este producto en cantidades pequeñas usando el aplicador incluido o un aplicador de algodón de 1 a 2 veces al día ■ no vendar

Otra información
■ el medicamento manchará la piel y la ropa

Ingredientes inactivos alcohol, agua purificada

■ cuts ■ scrapes ■ burns ■ insect bites

Warnings For external use only
Consult a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

When using this product ■ do not use in or near the eyes ■ do not apply in large quantities or over large areas of the body ■ do not apply over raw surfaces or blistered areas ■ do not apply to an ulcerative lesion as this may result in tattooing of the skin

Stop use and consult a doctor if ■ redness, irritation, swelling or pain persists or increases, or if infection or rash occurs ■ symptoms persist for more than 7 days, or clear up and occur again within a few days

KEEP OUT OF THE REACH OF CHILDREN.
If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount of this product to the area using the enclosed applicator or a cotton-tipped applicator 1 to 2 times daily ■ do not bandage

Other information
■ medication will stain skin and clothing

Inactive ingredients alcohol, purified water

GNP Label

| Drug Facts | |
|--|----------------------|
| Active ingredients | Purpose |
| Gentian Violet 1%..... | First Aid Antiseptic |
| Indications First aid to help protect against infection in minor cuts, scrapes and burns. | |
| Warnings | |
| For external use only | |
| ■ Do not apply to an ulcerated lesion as this may cause tattooing of the skin. Do not use in the eyes or over large areas of the body. | |
| Ask a doctor before use if you have ■ deep or puncture wounds ■ serious burns ■ animal bites. | |
| Stop use and ask a doctor if ■ condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor. | |
| Continued ▶ | |

Dist. by: AmerisourceBergen
1 West First Avenue, Conshohocken, PA 19428



NDC 24385-003-46

*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a shrink band around cap imprinted "Sealed For Your Protection".

Gentian Violet Topical Solution 1% USP

Antiseptic • First Aid

Anti-Infective
Alcohol 10%

2 FL OZ (59 mL)

Drug Facts (continued)

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

Directions ■ clean the affected area and apply directly to the area or use cotton applicator 1 to 3 times daily. Do not bandage.

Other information ■ will stain skin or clothing.

Inactive ingredients ■ Ethyl Alcohol 10% and Purified Water.

WARNING: Cancer - www.P65Warnings.ca.gov

Questions or Comments? ☎1-800-662-3435 • www.mygnp.com





NDC 24385-003-46

Gentian Violet Topical Solution 1% USP

Antiseptic • First Aid

Anti-Infective
Alcohol 10%

2 FL OZ (59 mL)

Drug Facts

Active Ingredients

Gentian Violet 1%.....Antiseptic
Uses

For external treatment of abrasions, minor cuts, surface injuries, and superficial fungus infections of the skin.
Warnings

■ For external use only. ■ Do not apply to an ulcerative lesion as this may result in "tattooing" of the skin. ■ Do not use in the eyes.

Ask a doctor before use if you have

■ deep or puncture wounds ■ serious burns.
Stop use and consult a doctor if
■ redness, irritation, swelling or pain persists or increases, or if infection occurs.

KEEP OUT OF THE REACH OF CHILDREN. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

Clean and apply directly to the wound or use a cotton tipped applicator once or twice daily. Do not bandage.

Inactive ingredients ■ Ethyl Alcohol 10% (Preservative), and Purified Water.


Other Information ■ Medication will stain skin and clothing.



0 87701 40073 5

ABCH 919-581 R051211RLG
Dist. by: AmersourceBergen • 1300 Morris Dr., Chesterbrook, PA 19087
Questions or Comments? © 1-800-662-3435 • www.goodneighborpharmacy.com

DLC Label Arabic



Distributed by:

De La Cruz Products
A Division of DLC Laboratories, Inc.
Paramount, CA 90723 USA

www.dlclabs.com © 2016 DLC

P0946AR-CZU



3 24286 15371 8

كمول 10% بنفسجية البصيان 1%
مطهر إصابات أولية
للاستخدام الخارجي فقط

WARNING: KEEP OUT OF REACH OF CHILDREN.
تحذير : يُحفظ بعيداً عن متناول الأطفال

Peel Here
Drug Facts
معلومات عن الدواء



معلومات عن الدواء

المكون الفعال بنفسجية البصيان 1%

الغرض: مطهر إصابات أولية

الاستخدامات

مطهر إصابات أولية للمساعدة على الشفاء من

الخدوش في الجلات البسيطة من:

■ الخدوش ■ السحجات ■ الخراش

تحذيرات

للاستخدام الخارجي فقط

استمر طويلاً قبل الاستخدام إذا كنت تعاني من

■ جروح عميقة أو خدوش ■ عدسة حيوانات

■ حروق سطحية

عند الاستخدام هذا المنتج

■ لا تستخدمه في أو بالقرب من العينين

■ لا تضعه على إصابة قرحية حيث إن هذا قد

يسبب في وشم الجلد.

أوقف الاستخدام واستشر الطبيب إذا

■ اسمر أو زاد الاحمرار أو التورم أو

■ الألم أو إذا حدثت عدوى أو طلع جلد

يُحفظ بعيداً عن متناول الأطفال

إذا تم ابتلاعه، احصل على مساعدة طبية أو اتصل

بأحد مراكز مراقبة السمية فوراً.

التعليمات

نظف المنطقة المصابة ■ ضع كمية صغيرة

من هذا المنتج على المنطقة من مرة إلى مرتين يومياً

■ لا تضع عليها ضمادة

معلومات أخرى

سوف يتبع البشرة واللباس

المكونات غير الفعالة

كحول، ماء مقطر

DLC 59 mL Label



GENTIAN VIOLET 1%

gentian violet 1% liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0395-9114 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| GENTIAN VIOLET (UNII: J4Z741D6O5) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY) | GENTIAN VIOLET | 10 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------------------|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0395-9114-92 | 59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/13/2017 | |
| 2 | NDC:0395-9114-91 | 30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/13/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A | 01/01/2008 | |

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Humco Holding Group, Inc. (825672884)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|---|
| Humco Holding Group, Inc. | | 825672884 | manufacture(0395-9114) , analysis(0395-9114) , pack(0395-9114) , label(0395-9114) |

Revised: 12/2021

Humco Holding Group, Inc.