

**HUMCO HYDROGEN PEROXIDE- hydrogen peroxide 3% liquid**  
**Humco Holding Group, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Private Label Hydrogen Peroxide 3%, USP**

Drug Facts

**Active Ingredient**

Hydrogen Peroxide 3%

**Purpose**

Antiseptic

**Uses**

As an antiseptic to help prevent infection in minor cuts, scrapes, burns.

As an oral rinse for temporary use in cleaning of minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury.

**Warnings**

For external use except when used as an oral rinse.

Do not use in the eyes.

Do not apply over large areas of the body.

Do not use longer than 1 week unless directed by a dentist or doctor.

**Ask a doctor before use if you have:**

deep or puncture wounds, animal bites, serious burns.

**Stop use consult a dentist or doctor if:**

condition persists or gets worse, sore mouth symptoms do not improve in 7 days, irritation, pain, redness or fever develop.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

For antiseptic use: Clean the affected area, apply a small amount on the area 1 to 3 times daily.

For oral rinse use: Adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or a doctor.

Children under 2 years of age: consult a doctor.

### Other information

Keep tightly closed and at controlled room temperature 15-30C (59-86F).

Do not shake.

### Inactive ingredient

Purified water

### Good Neighbor Label

<p><b>Drug Facts</b></p> <table border="1"> <tr> <td><b>Active ingredient</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Hydrogen Peroxide 3%.....</td> <td>Antiseptic</td> </tr> </table> <p><b>Indications</b> As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns</p> <p>As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury</p> <p><b>Warnings</b> For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor</p> <p>Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</p> <p>Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop</p> <p>Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p> <p style="text-align: right;"><i>Continued ▶</i></p>	<b>Active ingredient</b>	<b>Purpose</b>	Hydrogen Peroxide 3%.....	Antiseptic	<p style="text-align: center;"> <b>GOOD NEIGHBOR PHARMACY®</b></p> <p style="text-align: right;">NDC 46122-334-43 <i>*Safety Sealed</i></p> <div style="background-color: #00a68a; color: white; padding: 10px; text-align: center;"> <h2 style="margin: 0;">Hydrogen Peroxide Solution 3% USP</h2> <p style="background-color: red; color: white; padding: 2px; margin: 5px 0;"><b>First Aid Antiseptic</b></p> <ul style="list-style-type: none"> <li>• Oral liquid agent</li> <li>• Oral wound cleanser</li> </ul> <p style="font-size: 1.2em; margin-top: 10px;"><b>16 fl oz (1 pt) 473 mL</b></p> </div>	<p><b>*Warning:</b> Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.</p> <p><b>(Drug Facts continued)</b></p> <p><b>Directions</b> For antiseptic use ■ clean the affected area. apply a small amount on the area 1 to 3 times daily</p> <p>For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor</p> <p>Children under 2 years of age ■ consult a doctor</p> <p><b>Other information</b> ■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake</p> <p><b>Inactive ingredient</b> ■ purified water</p>
<b>Active ingredient</b>	<b>Purpose</b>					
Hydrogen Peroxide 3%.....	Antiseptic					
<p> Distributed by: AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or concerns? Visit us at <a href="http://www.mygnp.com">www.mygnp.com</a></p>	<p style="text-align: right;">R071015DL      ABC# 470-346 10158333</p> <div style="text-align: center;">   <span style="font-size: 1.2em;">0 87701 42732 9</span>              Made in U.S.A.         </div>					

### Sunmark Label

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
<b>Indications</b>	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
<b>Warnings</b>	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

**sunmark** NDC 49348-179-38  
\*Safety Sealed

# hydrogen peroxide

## Solution 3% USP

**First aid antiseptic  
Oral debriding agent  
Oral wound cleanser**

**16 FL OZ (1 PT) 473 mL**

\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A BREAK AWAY CAP RING.

(Drug Facts continued)
<b>Directions</b>
For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor
Children under 2 years of age ■ consult a doctor
<b>Other information</b>
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)
■ do not shake
<b>Inactive ingredient</b> ■ purified water

**MEKESON**

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)

A45979  
03 2023

R092115DL



0 10939 76244 3  
Made in U.S.A.

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
<b>Indications</b>	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
<b>Warnings</b>	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

**sunmark** NDC 49348-179-38  
\*Safety Sealed

# hydrogen peroxide

## Solution 3% USP

**First aid antiseptic  
Oral debriding agent  
Oral wound cleanser**

**16 FL OZ (1 PT) 473 mL**

\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR A BREAK AWAY CAP RING.

(Drug Facts continued)
<b>Directions</b>
For antiseptic use ■ clean the affected area, apply a small amount on the area 1 to 3 times daily
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor
Children under 2 years of age ■ consult a doctor
<b>Other information</b>
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)
■ do not shake
<b>Inactive ingredient</b> ■ purified water

**MEKESON**

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)

R092115DL




0 10939 76244 3  
Made in U.S.A.

Health Mart Label

Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns.	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury.	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor.	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

A46039  
04 2023

NDC 62011-0267-3  
\* Safety Sealed



Health Mart.

# Hydrogen Peroxide

## Topical Solution 3% USP

Wound cleanser

- First aid antiseptic
- Oral debriding agent
- Oral wound cleanser

16 Fl oz (473 mL) 1 pt

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

(Drug Facts continued)
Directions
For antiseptic use ■ clean the affected area. Apply a small amount on the area 1 to 3 times daily.
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor.
Children under 2 years of age ■ consult a doctor.
Other information
■ keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F).
■ do not shake.
Inactive ingredient ■ purified water.

**McKesson**

Another Quality Product  
Distributed by McKesson  
6555 State Highway 161, Los Colinas, TX 75039  
Money Back Guarantee  
healthmart.com



Drug Facts	
Active ingredient	Purpose
Hydrogen Peroxide 3%.....	Antiseptic
Indications	
As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns	
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury	
Warnings	
For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Cont. ▶	

NDC 62011-0267-1  
\* Safety Sealed



hydrogen peroxide

3% solution usp

first aid antiseptic  
oral debriding agent  
oral wound cleanser

wound cleanser

4 fl oz (118 mL)

\*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring or foil seal under cap.

(Drug Facts continued)
Directions
For antiseptic use ■ clean the affected area. apply a small amount on the area 1 to 3 times daily
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor
Children under 2 years of age ■ consult a doctor
Other information
■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F)
■ do not shake
Inactive ingredient ■ purified water

**McKesson** R092115DL Made in U.S.A.

Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmartbrand

## HUMCO HYDROGEN PEROXIDE

hydrogen peroxide 3% liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-9116
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-9116-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2017	
2	NDC:0395-9116-94	113 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2017	
3	NDC:0395-9116-98	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/30/2015	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/25/1998	

**Labeler** - Humco Holding Group, Inc. (825672884)**Registrant** - Humco Holding Group, Inc. (825672884)**Establishment**

Name	Address	ID/FEI	Business Operations
Humco Holding Group, Inc.		825672884	label(0395-9116) , manufacture(0395-9116) , pack(0395-9116) , analysis(0395-9116)

Revised: 6/2020

Humco Holding Group, Inc.