IODINE TINCTURE MILD- iodine and sodium iodide and alcohol liquid Humco Holding Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Private Label Iodine Ticture Mild, USP

Drug Facts

Active ingredient

Iodine 2%

Purpose

First Aid Antiseptic

Active ingredient

Sodium Iodide 2.4%

Purpose

First Aid Antiseptic

Active ingredient

Alcohol 47%

Purpose

First Aid Antiseptic

Indications

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

deep or puncture wounds

- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

Stop use and consult doctor if

• the condition persists or gets worse, or if using for longer than one week

When using this product

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

Other information

• will stain skin and clothing

Inactive ingredient

Purified Water

Good Neighbor Label



Leader Label

Drug Facts	LEADER?	Drug Facts (continued)	8 0
Active ingredients Purpose lodine 2%, Sodium Iodide 2.4% First Aid Antseptic	NDC 70000-0401-1	Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.	EV. TU
Indications First aid to help prevent infection in minor cuts, scrapes and burns Warnings	2% Mild lodine Tincture	Directions is clean the affected area. apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile	95 13
For external use only	USP	bandage. If bandaged let dry first.	455
Flammable: Keep away from spark, heat or flame	Alcohol 47%	Other information will stain skin or clothing.	1
Do not use in the eyes or apply over large areas of he body	First Aid Antiseptic	Inactive ingredients Acohol 47%, Purified Water	
Ask a doctor before use if you have deep or oundure wounds, animal bites, or serious burns		Questions or Comments? 1-800-662-3435	52
Stop use and ask a doctor if the condition persists or gets worse. Do not use longer than one week unless directed by a doctor Cont.	For external use only 1 FL OZ (30 ML)	Dist. by CAH, Dublin, OH 43017 1-800-200-5313 ©2018 Cardinal Health 100% Money Back Guarantee Return to place of purchase if not satisfied.	A38874 06 2022

NDC 37205-022-10 LEADER 2% Mild Dodine Tincture DSP Alcohol 47% FIRST AID ANTISEPTIC FOR External Use Only All Leader® Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund. Seg Dod Seg Dod	2%, Sodium lodide 2.4%, 47%Anti and burns. and burns. <i>ings: For external use only.</i> ctor before use if you have a deep or pu animal bites a serious burns.	a unctor r a me conduct or longer than ing this product for longer than is product a do not use in the lush with large amounts of water wi lush with large amounts of water wi lush with large amounts of water wi lush with large a starch solution i spoonfuls of cornstarch or flour to a Poison Control Center imm	Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first. Inactive ingredient: Purified Water. Other information: Will stain skin and clothing. CIN 3324571 R072111LSI CIN 3324571 R072111LSI Dist. by: 0 9 6 2 9 5 1 1 1 0 1 9 Cardinal Health, Dublin, Ohio 43017 1-800-200-6313 • www.myleader.com
--	--	--	--

Quality Choice Label




Sunmark Label



Premier Value Label

IODINE TINCTURE USP	lodine 2%, Sodium lodice 2.4% Alcohol 47%	te 101 • Boca Raton, FL 33431
FIRST AID ANTISEPTIC Alcohol 47% Helps prevent infection in minor cuts, scrapes and burns Flammable: Keep away from sparks, heat & flame NET WE 1 FL OZ. (30ml)		301 NW Boca Raton Blvd., Sur
Premier Value IODINE	96 cuts, scra cuts, scra ss = seniou drint me e in the ey of the bod olution ma our to a p phy a sm day be co	d clothing. REV. 050412.RLG
TINCTURE USP FIRST AID ANTISEPTIC Alcohol 47% Helps prevent infection in minor cuts, scrapes and burns Flammable: Keep away from sparks, heat & flame NET WT. 1 FL OZ. (30mL)	Drug Facts Active ingredients Purpose Indrive ingredients Active ingredients Active ingredients Alcohol 47%. Antiseptic Uses: To help prevent infection in minor cuts, scrapes and burns. Warnings: For external use only. Ask a doctor before use if you have adoctor before use if you have adoctor before use if you have adoctor before use if you have a doctor before use if you have adoctor before use if you have a doctor before use if the body. When using this product of on the event if the body. Keep out of the reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing two tablespoonfuls of comstarch or flour to a pint of water. Contact a Poison Control Center immediately. Directions: Clean the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.	Other Information: Will stain skin and clothing.
	Drace and Action	5

DDM Label



Boca Raton Blvd., Suite 101 • Boca Raton, FL 33431

Consortium,

by: Chain Drug


Distributed b 3301 NW B

 ∞

ο

8

De La Cruz Label



Drug Facts Active ingredients Purpose Instaid Iodine 2%, Sodium Iodide 2.4%antiseptic Uses First aid antiseptic to help prevent infection Uses First aid antiseptic to help prevent infection in minor: = cuts = scrapes = bums Warnings For external use only Flammable. Keep away from sparks, heat and fire. Consult a doctor before use if you have a deep or puncture wounds = animal bites serious bums	When using this product When using this product a do not use in or near the eyes. If eye contact occurs, flush with large amounts of water while lifting upper and lower lids. a do not apply over large areas of the body Stop use and consult a doctor if the condition persists or gets worse. Do not use this product longer than 1 week unless directed by a doctor.	Keep out of reach of children. If swallowed, give milk then give a starch solution made by mixing 2 tablespoons of corn starch or flour to a pint of water. Contact a Poison Control Center immediately.	 Urrections clean the affected area apply a small amount of this product to the area to 3 times daily may be covered with a sterile bandage. If bandaged, let dry first. 	utitier Information will stain skin and clothing store at room emperature
Drug Fac Active ingre odine 2%, Sodiu Uses First aid n minor: = cuts Marnings Fou Marnings Fou elammable. Kee Consult a doctor consult a doctor serious bums	When using when using the course of the single stress of the single stress of the single stress of the condition of the condition of the condition of the condition of the stress of the condition of the stress of the condition of the stress	swallowe swallowe ade by m our to a pi enter imm	ULTECTIONS clean the affi apply a smal to 3 times da bandage. If ban	 will stain skin and clothing temperature Inactive ingredients

ies
Ingredientes activos Propósito Antiséptico para
Yodo 2%, Yoduro de sodio 2.4% primeros auxilios
USOS Antiséptico para primeros auxilios; ayuda a prevenir infecciones en: Cortaduras menores abrasiones menores quemaduras menores
Advertencias Para uso externo únicamente
Inflamable. Manténgase alejado de chispas, calor y fuego.
Consulte con un médico antes de usar si tiene heridas profundas o punzantes mordeduras de animales mordeduras graves
Cuando use este producto e no usar en los ojos ni cerca de ellos. En caso de contacto con los ojos, enjuague con abundante agua mientras levanta los para pados supeniores e inferiores. e no aplicar en
 De je de usar y consulte con un médico si la condición persiste o empeora. No usar por más de 1 semana a menos que sea recomendado por un médico.
Manténgase fuera del alcance de los niños. En caso de ingestión, se debe tomar leche y luego una solución de 2 cucharadas de fécula de maíz o hanna en medio litro de agua. Comuniquese con un Centro de Control de Envenenamientos inmediatamente.
Instrucciones — limpie el área afectada — aplique este producto en cantidades pequeñas de 1 a 3 veces al día — puede cubrir el área afectada con una venda esterilizada. Antes de vendar, deje que el producto se seque.
<i>Otra información</i> = manchará la piel y la ropa = manténgase a temperatura ambiente <i>Ingredientes inactivos</i> alcohol, agua purificada

CVS Label

Drug Facts	Health.	Drug Facts (continued)
Active ingredients Purpose lodine 2%, Sodium lodide 2.4% Alcohol 47%Antiseptic	Iodine	Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of
Uses : To help prevent infection in minor cuts, scrapes and burns.	Tincture USP	cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	FIRST AID ANTISEPTIC For external use only Helps prevent infection	Directions ■ clean the affected area ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first
Stop use and ask a doctor if I the condition persists or gets worse, or if using for longer than one week	in minor cuts, scrapes and burns	Other information ■ will stain skin or clothing Inactive ingredients ■ Purified Water
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids ■ do not apply over large areas of the body Continued ►	POISON Image: Second space of the space	#602441 0 50428 36118 4



CVS pharmacy IODINE FINCTURE USP FINCTURE USP PRESTAID ANTISEPTIC Alcohol 47% By Vol. FOR EXTERNAL USE ONLY • Helps prevent infection in minor cuts, scrapes and burns IFLOZ (30 mL) Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02895 e 2010 CVS/pharmacy	Drug Facts Active ingredients Purpose Iodine 2%, Sodium Iodide 2.4%, Antisentic) help prevent infection in mi burns.	ings: For external use only. ctor before use if you have ■ deep or pur ■ animal bites ■ serious burns. and ask a doctor if ■ the condition persists of or if using this product for longer than 1 v sing this product ■ do not use in the ev	occurs, flush with large amounts of water wh nd lower lids. I do not apply over large a <u>W</u> . ut of the reach of children. In case of ac u. Give milk, then give a starch solution n wo tablespoortfuls of comstarch or flour to Contact a Poison Control Center imme	Directions: Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first. <i>Inactive ingredient</i> : Purified Water. 602441 0ther information: Will stain skin and clothing. 602441 0 \$602441 0 \$602428 10677 8
	Dru Activ Alcoho	Use scrap	Warn Ask a do wounds Stop use worse, o	contact upper a the bod Keep o ingestio mixing t water.	Diffe coverent Other Other

Harris Teeter Label



Kroger Label

Iodine Tincture USP First Aid Antiseptic For External Use Only CAUTION & POISON 1 FL OZ (30ML)	Drug Facts Active ingredient Purpose locine 2% First aid antiseptic Use first aid to help prevent skin infection in minor cuts a scrapes a burns Warnings For external use only Ast a doctor before use if you have deep or puncture wounds, animal bites or senous burns When using this product an do not use in eyes or apply over large areas of the body an do not use longer than 1 week unless directed by a doctor	Drug Facts (continued) Step use and ast a dector it condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions = clean the affected area = apply a small amount on the area 1 to 3 times daily = may be covered with a sterile bandage = if bandaged, let dry first Other information product will stain skin and clothing Inactive ingredients alcohol (47% viv), purfied water, sodium indide	DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202 QUALITY GUARANTEE www.kroger.com LO0134925B
---	---	--	---

FROM OUR FAMILY FROM OUR FAMILY TO YOURS FOR External Use Only For External Use Only IFL OZ (30 mL)

Safeway Label



Vida Mia Label





FOR EXTERNAL USE ONLY






Good Sense Label

GOODSENSE. Iodine Tincture U.S.R. First Aid Antiseptic For External Use Only CAUTION POISON 1 FL OZ (30 mL)	Urug Facts Active ingredient Notine thoture U.S.P. 100% (2% lotine)	For external use only For external use only Ask a doctor before use if you have deep or puncture wounds, annial bites or serious hums When using this product = do not use in eyes or apply over large areas of the body = do not use longer than 1 week unless directed by a doctor Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions = clean the affected area = anoty a small	so daily = may daged, let dry f uct will stain skin by. GA 30269	° 0 ° 79068 ° 00086 ° 4
NDC 0869-0088- GOODSENSE Disconse Tincture U.S.P. First Aid Antiseptic For External Use Only CAUTION De Poison I FL OZ (30 mL)	Drug Facts Active ingredient Purpose Indine tincture U.S.P. 100% Erest aid antication	went skin infect mal use only e if you have d serious burns body \blacksquare do no body \blacksquare do no	 week unless directed by a doctor Stop use and ask a doctor if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions = clean the affected area = apply a small amount on the area 1 to 3 times daily = may be covered with a sterile bandage = if bandaged, let dry first 	Other information product will stain skin and clothing Distributed by: Distributed by: CUMBERLAND SWAN Smyma, TN 37167 TO 00866

Walgreen Label



TUalgreens Iodine Tincture USP FIRST AID ANTISEPTIC	Drug Facts Active ingredient Purpose lodine 2%First aid antiseptic Use first aid to help prevent skin infection in minor cuts scrapes burns Warnings For external use only Ask a doctor helpre use if you have deep	Drug Facts (continued) Stop use and ask a dector if condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions unclean the affected area u apply a small amount on the area 1 to 3 times drake may be covered with a	mments? 1-800-925-4733 K0. 2004 MOT 40. DEFFELD.IL 60015 SEACTION GUMANTED cm 02019 Wayren 0 FIEV-0319 LOP 19-F FIEV-0319 LOP 201505 17 13 11 1 5
• For external use only	or puncture wounds, animal bites or serious burns	times daily m may be covered with a sterile bandage m if bandaged, let dry first	ns or compared and an and an and an and an and an and an
(CAUTION 🛠 POISON	When using this product m do not use in eves or apply over large areas of the	Other information product will stain skin and clothing	Orections of TEM OPPOSITE
1 FL OZ (30 mL)	eyes or apply over large areas of the body in do not use longer than 1 week unless directed by a doctor	Inactive ingredients alcohol (47% vV), purfied water, sodium iodide	CITIER C



Health Mart Label



Equaline Label



IODINE TINCTURE MILD

iodine and sodium iodide and alcohol liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-9118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL
Inactive Ingredients		

 Ingredient Name
 Strength

 WATER (UNII: 059QF0K00R)

Packaging						
# Item Co	de	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:0395-9 91		0 mL in 1 BOTTLE; Type 0: Not a Combination roduct	11/14/2017			
51						
	ng In	nformation				
	ng	formation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Humco Holding Group, Inc. (825672884)

Establishment					
Name	Address	ID/FEI	Business Operations		
Humco Holding Group, Inc.		825672884	manufacture(0395-9118) , analysis(0395-9118) , pack(0395-9118) , label(0395-9118)		

Revised: 12/2021

Humco Holding Group, Inc.