

MERTHIOLATE- benzalkonium chloride liquid

Humco Holding Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Private Label Merthiolate

Drug Facts

Active Ingredient

Benzalkonium chloride 0.13%

Purpose

Antiseptic

Uses

first aid to help prevent skin infection in minor cuts, scrapes, burns and insect bites.

Warnings

For external use only

Ask a doctor before use if you have

deep or puncture wounds, animal bites, serious burns.

When using this product

do not get into eyes. If contact occurs, rinse eyes thoroughly with water. do not apply over large areas of the body. do not use over raw surfaces or blistered areas. do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if

condition persists or gets worse. symptoms clear up and occur again within a few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

adults and children 2 years and older. clean the affected area. apply a small amount on the area 1 to 3 times daily. may be covered with a sterile bandage. if bandaged, let it dry first. children under 2 years of age, do not use, consult a doctor.

Inactive ingredients

Alcohol 10%, Acetone, FD&C Red No 4, purified water

Quality Choice Label

| Drug Facts | |
|--|------------------------------|
| Active ingredient Benzalkonium chloride 0.13%..... | Purpose Antiseptic |
| Uses First aid antiseptic to help prevent skin infection in minor ■ cuts ■ scrapes ■ burns | |
| Warnings For external use only Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns | |
| When using this product do not ■ get into the eyes ■ apply over large areas of the body ■ over raw surfaces or blistered areas ■ use longer than one week unless directed by a doctor | |
| Stop use and consult a doctor if the condition persists or gets worse. | |
| Continued ► | |

The Symbol Indicator displayed on the primary display panel is a registered trade mark of HHG.

MADE IN USA

NDC 63868-493-02

QC
QUALITY
CHOICE

**Antiseptic
Merthiolate**

Mercury-Free Formula

Helps Prevent Infection
In Minor Cuts, Scrapes
And Burns

2 fl OZ (59mL)

**100% SATISFACTION
GUARANTEED**

Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

| (Drug Facts continued) | |
|--|--|
| Do not use longer than 1 week unless directed by a doctor | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Soap will deactivate the effects of this product. | |
| Directions ■ Clean the affected area apply a small amount on the area 1 to 3 times daily may be covered with a sterile bandage. If bandaged, let dry first. | |
| Inactive ingredients Alcohol 10%, Acetone, FD&C Red No. 4, Purified water. | |
| R121313RLG | |



Premier Value

| Drug Facts | |
|--|------------------------------|
| Active ingredient Benzalkonium chloride 0.13%..... | Purpose Antiseptic |
| Uses First aid antiseptic to help prevent skin infection in minor ■ cuts ■ scrapes ■ burns | |
| Warnings For external use only Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns | |
| When using this product do not ■ get into the eyes ■ apply over large areas of the body ■ over raw surfaces or blistered areas ■ use longer than one week unless directed by a doctor | |
| Stop use and consult a doctor if the condition persists or gets worse. | |
| Continued ► | |

MADE IN USA

NDC 68016-437-00

**Premier
Value**

**Antiseptic
MERTHIOLATE**

Mercury-Free Formula

• Helps prevent infection in minor cuts, scrapes and burns

NET WT. 2 FL OZ (59 mL)


**100% SATISFACTION
GUARANTEED**


DISTRIBUTED BY: CHAIN DRUG CONSORTIUM
3301 NW BOCA RATON BLVD
SUITE 101, BOCA RATON, FL 33431
MADE IN U.S.A.

| (Drug Facts continued) | |
|--|--|
| Do not use longer than 1 week unless directed by a doctor | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Soap will deactivate the effects of this product. | |
| Directions ■ Clean the affected area apply a small amount on the area 1 to 3 times daily may be covered with a sterile bandage. If bandaged, let dry first. | |
| Inactive ingredients Alcohol 10%, Acetone, FD&C Red No. 4, Purified water. | |
| R120313RLG | |



DDM


| <p>Drug Facts</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">Active ingredient</th> <th style="text-align: left;">Purpose</th> </tr> <tr> <td>Benzalkonium chloride 0.13%</td> <td>Antiseptic</td> </tr> </table> <p>Uses First aid antiseptic to help prevent skin infection in minor ■ cuts ■ scrapes ■ burns</p> <p>Warnings For external use only Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</p> <p>When using this product do not ■ get into the eyes ■ apply over large areas of the body ■ over raw surfaces or blistered areas ■ use longer than one week unless directed by a doctor</p> <p>Stop use and consult a doctor if the condition persists or gets worse. Continued ►</p> | Active ingredient | Purpose | Benzalkonium chloride 0.13% | Antiseptic |  <p>MERTHIOLATE Mercury-Free Formula! <i>First Aid Antiseptic</i></p> <p style="background-color: blue; color: white; padding: 5px; text-align: center;">Helps prevent infection in minor cuts, scrapes & burns</p> <p style="text-align: center;">2 FL OZ (59mL)</p> | <p>(Drug Facts continued)</p> <p>Do not use longer than 1 week unless directed by a doctor</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Soap will deactivate the effects of this product.</p> <p>Directions ■ Clean the affected area apply a small amount on the area 1 to 3 times daily may be covered with a sterile bandage. If bandaged, let dry first.</p> <p>Inactive ingredients Alcohol 10%, Acetone, FD&C Red No. 4, Purified water.</p> <p>DISTRIBUTED BY: DRUG MART-FOOD FAIR 211 Commerce Dr. MEDINA, OHIO Zip 44256 Questions or Comments? 1-800-833-6278 www.DISCOUNT-DRUGMART.COM</p> |
|--|-------------------|---------|-----------------------------|------------|--|--|
| Active ingredient | Purpose | | | | | |
| Benzalkonium chloride 0.13% | Antiseptic | | | | | |




0 93351 01326 3

MADE IN USA

CVS Label

| <p>Drug Facts</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">Active ingredient</th> <th style="text-align: left;">Purpose</th> </tr> <tr> <td>Benzalkonium chloride 0.13%</td> <td>Antiseptic</td> </tr> </table> <p>Indications First aid antiseptic to help prevent skin infection in minor ■ cuts ■ scrapes ■ burns ■ insect bites</p> <p>Warnings For external use only Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</p> <p>When using this product do not ■ get into the eyes ■ apply over large areas of the body ■ apply over raw surfaces or blistered areas ■ use longer than one week unless directed by a doctor</p> <p>Stop use and ask a doctor if redness, swelling or pain persists or increases. Continued ►</p> | Active ingredient | Purpose | Benzalkonium chloride 0.13% | Antiseptic |  <p>Merthiolate BENZALKONIUM CHLORIDE 0.13% First aid antiseptic Helps prevent infection in minor cuts, scrapes, insect bites & burns</p> <p style="color: green; font-weight: bold;">Mercury free</p> <p style="background-color: yellow; padding: 5px; text-align: center;">2 FL OZ (59 mL)</p> | <p>Drug Facts (continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. Soap will deactivate the effects of this product.</p> <p>Directions ■ adults and children 2 years and older: clean the affected area; apply a small amount on the area 1 to 3 times daily; may be covered with a sterile bandage. If bandaged, let dry first.</p> <p>■ children under 2 years of age: consult a doctor.</p> <p>Inactive ingredients Alcohol, Acetone, FD&C Red No. 4, Purified water.</p> <p>Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2015 CVS/pharmacy CVS.com® 1-800-SHOP CVS Made in the U.S.A. V-17624</p> |
|---|-------------------|---------|-----------------------------|------------|--|--|
| Active ingredient | Purpose | | | | | |
| Benzalkonium chloride 0.13% | Antiseptic | | | | | |



#311533
0 50428 26673 1

RD43015.RLG

Vida Mia Label

Drug Facts

Active ingredients
Benzalkonium chloride 0.13%.....Antiseptic

Purpose
First aid antiseptic to help prevent skin infection in minor cuts scrapes burns insect bites

Warnings
For external use only
Ask a doctor before use if you have deep or puncture wounds animal bites serious burns


When using this product do not get into the eyes apply over large areas of the body over raw surfaces or blistered areas use longer than one week unless directed by a doctor

Stop use and ask a doctor if redness, swelling or pain persists or increases.

Continued

Distributed by/Distribuido por: MAGELLAN DISTRIBUTION SOLUTIONS
Medley, Florida 33178

New Mercury Free Formula!



MERTHIOLATE

Antiséptico

- Helps prevent infection in minor cuts, scrapes & burns
- Ayuda a prevenir infección en cortadas, raspaduras y quemaduras leves

2 FL. OZ. (59 mL) • 2 ONZAS FL. (59 mL)

(Drug Facts c
Keep out of reach swallowed, get medi
Poison Control Cente
will deactivate the effi
Directions :
2 years and older:
area. Apply a small a
to 3 times daily. May
sterile bandage. If ba
children und
consult a doctor.
Inactive ingr
Acetone, FD&C Red
water.
Questions or Commen

Información sobre el Medicamento

Ingrediente activo
Cloruro de benzalconio 0.13%Antiséptico

Propósito
Antiséptico para primeros auxilios que ayuda a prevenir la infección de la piel en cortadas leves raspaduras leves quemaduras leves picaduras de insectos

Usos
Antiséptico para primeros auxilios que ayuda a prevenir la infección de la piel en cortadas leves raspaduras leves quemaduras leves picaduras de insectos

Advertencias
Para uso externo únicamente
Consulte un médico antes de usar este producto si usted tiene heridas o punciones profundas mordeduras de animales quemaduras graves

Al utilizar este producto no lo coloque en los ojos no lo aplique sobre áreas extensas del cuerpo no lo use sobre superficies en carne viva o con ampollas no lo use más de una semana a menos de que sea ordenado por un médico

Continuación

Distribuido por: MAGELLAN DISTRIBUTION SOLUTIONS
Medley, Florida 33178

Fórmula Nueva sin Mercurio



MERTHIOLATE

Antiséptico

- Ayuda a prevenir infección en cortadas, raspaduras y quemaduras leves

2 ONZAS FL. (59 mL)

Distribuido por: MAGELLAN DISTRIBUTION SOLUTIONS
Medley, Florida 33178

¿Preguntas o Comentarios?
1-800-662-3435

Información (Continuación)
Suspenda el uso médico si se el persiste o aument
Mantener fuera de obtenga ayuda m
Centro de Control Javón desactiva lo
Instruccione:
mayores: Limpie e pequeña en el área con un vendaje es
Menores de 2
Ingredientes
Rojo N° 4 Agua Pt

MERTHIOLATE

benzalkonium chloride liquid

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0395-9122 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------|----------------|
| BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | | | | |
|----------------------------|------------------|--|----------------------|--------------------|
| WATER (UNII: 059QF0KO0R) | | | | |
| ALCOHOL (UNII: 3K9958V90M) | | | | |
| ACETONE (UNII: 1364PS73AF) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:0395-9122-92 | 59 mL in 1 BOTTLE; Type 0: Not a Combination Product | 11/14/2017 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | | part333A | 03/25/1998 | |

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Humco Holding Group, Inc. (825672884)

| Establishment | | | |
|---------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Humco Holding Group, Inc. | | 825672884 | manufacture(0395-9122) , analysis(0395-9122) , pack(0395-9122) , label(0395-9122) |