

MEDIQUE ALCALAK- calcium carbonate tablet, chewable
MEDI-FIRST ANTACID- calcium carbonate tablet, chewable
MEDI-FIRST PLUS ANTACID- calcium carbonate tablet, chewable
Unifirst First Aid Corporation

Unifirst First Aid Antacid

Drug Facts

Active ingredient (in each tablet)

Calcium Carbonate 420 mg

Purpose

Antacid

Uses

relieves

- acid indigestion
- sour stomach
- heartburn
- upset stomach associated with these symptoms

Warnings

Do not use

■ the maximum dosage of this product for more than 2 weeks except under the advice and supervision of a

doctor

Ask a doctor or pharmacists before use if you

- are taking a prescription drug. Antacids may interact with certain prescription drugs.
- have kidney disease

When using this product

- do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor.

If pregnant or breast feeding, ask a health professional before use.

Keep out of the reach of children.

Directions

Adults and children: (12 years and older) Chew 2 tablets every 2 - 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours.

Children under 12 years: Ask a doctor

Other information

- calcium content per tablet: 168 mg
- **phenylketonurics:** each tablet may contain 1.5 mg phenylalanine

- store at room temperature 59-86°F (15-30°C) in a dry place
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

aspartame*, croscarmellose sodium*, gum acacia*, magnesium stearate, maltodextrin, mint flavor, sorbitol*, sucrose*

*may contain

Questions or comments? Call 1-800-634-7680

Medique Alcalak

Medique ®

Alcalak

Calcium Rich Chewable Tablets

Tabletas Masticables, Ricas en Calcio

Pull to Open

Tire Para Abrir

Heartburn, Indigestion • Calcium Carbonate 420 mg

las agruras, la indigestion • Carbonato de Calcio 420 mg

Mint Flavor

200

Tablets

(100 x 2)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Purpose Calcium Carbonate 420 mg Antacid</p> <p>Uses relieves ■ acid indigestion ■ sour stomach ■ heartburn ■ upset stomach associated with these symptoms</p> <p>Warnings Do not use ■ the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor Ask a doctor or pharmacist before use if you ■ are taking a prescription drug. Antacids may interact with certain prescription drugs. ■ have kidney disease</p> <p>When using this product ■ do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor.</p> <p>If pregnant or breastfeeding, ask a health professional before use. Keep out of the reach of children.</p>	<p>Drug Facts (continued)</p> <p>Directions Adults and children (12 years and older) Chew 2 tablets every 2 – 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours. Children under 12 years: Ask a doctor</p> <p>Other information ■ calcium content per tablet: 168 mg ■ phenyltolonamide, each tablet may contain 1.5 mg ■ store at room temperature 59°-86°F (15°-30°C) in a dry place ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p> <p>Inactive ingredients aspartame, croscarmellose sodium, magnesium stearate, maltodextrin, mint flavor, sorbitol</p> <p>Questions or comments Call 1-800-634-7680</p>	<p>Medique®</p> <p>Alcalak</p> <p>Calcium Rich Chewable Tablets Tabletas Masticables, Ricas en Calcio</p> <p>Pull to Open Tire Para Abrir</p> <p>Heartburn, Indigestion • Calcium Carbonate 420 mg las agruras, la indigestion • Carbonato de Calcio 420 mg</p> <p>Mint Flavor Sabor a Menta</p> <p>100 Tablets (50 x 2)</p>	<p>Información del Medicamento</p> <p>Ingrediente activo (en cada tableta) Propiedad Carbonato de Calcio 420 mg Anticídico</p> <p>Usos alivia ■ la indigestión por acidez ■ la acidez estomacal ■ las agruras ■ malestar estomacal asociado a estos síntomas</p> <p>Advertencias No consuma ■ la dosis máxima de este producto por más de 2 semanas excepto bajo indicaciones y supervisión de un médico</p> <p>Consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted ■ está actualmente tomando un medicamento recetado. Los anticídicos pueden interactuar con ciertos medicamentos recetados. ■ tiene enfermedad renal</p> <p>Cuando está usando este producto ■ no tomar más de 19 tabletas en un periodo de 24 horas ■ si los síntomas persisten por más de dos semanas, deje de tomar este producto y consulte a un médico.</p> <p>Si está embarazada o en período de lactancia, consulte a un médico antes de consumir este producto.</p>	<p>Información del Medicamento (continuación)</p> <p>Mantenga este producto fuera del alcance de los niños.</p> <p>Instrucciones Adultos y niños (para 12 años y mayores) Mastique 2 tabletas cada 2 o 3 horas o como se presenten los síntomas, repita cada una hora si es necesario. No consuma más de 19 tabletas en 24 horas. Niños menores de 12 años: Consultar al médico</p> <p>Otra información ■ cada tableta contiene 168 mg de calcio elemental ■ feniltolonamida: puede contener 1.5 mg de feniltolonamida por tableta ■ almacenamiento: consérvase a temperatura ambiente 59°-86°F (15°-30°C) y en un lugar seco ■ empaquetado con sellado evidente ■ no use ningún paquete abierto o roto</p> <p>Ingredientes inactivos aspartame, croscarmellose sódica, estearato de magnesio, maltodextrina, sabor de la menta, sorbitol</p> <p>¿Tiene alguna pregunta o comentario? Lláme al 1-800-634-7680</p>	<p>Medique®</p> <p>Alcalak</p> <p>Calcium Rich Chewable Tablets Tabletas Masticables, Ricas en Calcio</p> <p>Reorder #10133 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com</p> <p>3 47682 10133 6</p>
<p>Retain carton for complete product information</p>		<p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p>Conserve la caja para obtener la información completa del producto</p>		<p></p>

Medi-First Antacid Label

100

Tablets
(50 x 2)

MEDI-FIRST®

Antacid Calcium Carbonate

Compare active ingredient to:

Compare el ingrediente activo con:

Tums®

Registered Trademark of Smithkline-Beecham

Marca Registrada de Smithkline-Beecham

Pull to Open

Tire Para Abrir

Heartburn, Indigestion • Calcium Carbonate 420mg

las agruras, la indigestion • Antiácido Carbonato de Calcio 420mg

Antiácido Carbonato de Calcio

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

Drug Facts Active ingredient (in each tablet) Purpose Calcium Carbonate 420 mg Antacid Uses relieves ■ acid indigestion ■ sour stomach ■ heartburn ■ upset stomach associated with these symptoms Warnings Do not use ■ the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor Ask a doctor or pharmacist before use if you ■ are taking a prescription drug. Antacids may interact with certain prescription drugs. ■ have kidney disease When using this product ■ do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor. If pregnant or breastfeeding, ask a health professional before use. Keep out of the reach of children.	Drug Facts (continued) Directions Adults and children (12 years and older) Chew 2 tablets every 2 - 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours. Children under 12 years: Ask a doctor Other information ■ calcium content per tablet: 168 mg ■ phenylethanolic: each tablet may contain 1.5 mg phenylalanine ■ store at room temperature 59°-86°F (15°-30°C) in a dry place ■ tamper-evident sealed packets ■ do not use any opened or torn packets Inactive ingredients aspartame, croscarmellose sodium, magnesium stearate, maltodextrin, mint flavor, sorbitol Questions or comments Call 1-800-634-7680	MEDI-FIRST® Antacid Calcium Carbonate Compare active ingredient to: TUMS® Registered Trademark of Smithkline-Beecham Marca Registrada de Smithkline-Beecham Pull to Open Tire Para Abrir ✓ Heartburn, Indigestion • Calcium Carbonate 420 mg las agruras, la indigestion • Carbonato de Calcio 420 mg Antiácido Carbonato de Calcio Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias	Información del Medicamento Ingrediente activo (en cada tableta) Propiedad Carbonato de Calcio 420 mg Antiácido Usos alivia ■ la indigestión por acidez ■ la acidez estomacal ■ las agruras ■ malestar estomacal asociado a estos síntomas Advertencias No consuma ■ la dosis máxima de este producto por más de 2 semanas, excepto bajo indicaciones y supervisión de un médico Consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted ■ está actualmente tomando un medicamento recetado. Los antiácidos pudieran interactuar con ciertos medicamentos recetados. ■ tiene enfermedad renal Cuando esté usando este producto ■ no tomar más de 19 tabletas en un periodo de 24 horas. Si los síntomas persisten por más de dos semanas, deje de tomar este producto y consulte a un médico. Si está embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.	Información del Medicamento (continuación) Mantenga este producto fuera del alcance de los niños. Instrucciones Adultos y niños (para mayores de 12 años) ■ Mastique 2 tabletas cada 2 o 3 horas ó como se presenten los síntomas, repete cada una hora si es necesario. No consuma más de 19 tabletas en 24 horas. Niños menores de 12 años: Consultar al médico Otra información ■ cada tableta contiene: 168 mg de calcio elemental ■ fenilalanina: puede contener 1.5 mg de fenilalanina por tableta ■ almacenamiento: consérvese a temperatura ambiente 59°-86°F (15°-30°C) y en un lugar seco ■ empaquetado con sellado evidente ■ no use ningún paquete abierto o roto Ingredientes inactivos aspartamo, croscarmelosa sódica, estearato de magnesio, maltodextrina, sabor de la menta, sorbitol ¿Tiene alguna pregunta o comentario? Llame al 1-800-634-7680	MEDI-FIRST® Antacid Calcium Carbonate Antiácido Carbonato de Calcio Reorder #80133 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com 47682180233
---	---	--	---	---	--

Medi-First Plus Antacid Label

100
Tablets
(50 x 2)

MEDI-FIRST®

Plus

Antacid

Calcium Carbonate 420 mg

Carbonato de Calcio 420mg

Pull to Open

Tire Para Abrir
 Calcium Rich
 Chewable Tablets
 Tabletas Masticables, Ricas en Calcio
 Compare active ingredient to:
 Tums®
 Registered Trademark of Smithkline-Beecham
 Tamper Evident
 Unit Dose Packets
 Empaquetado con Sellado
 Evidente en Dosis Unitarias

Drug Facts
Active ingredient (in each tablet) Purpose
 Calcium Carbonate 420 mg Antacid

Uses
 relieves
 ■ acid indigestion ■ sour stomach ■ heartburn
 ■ upset stomach associated with these symptoms

Warnings
 Do not use
 ■ the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor
 ■ ask a doctor or pharmacist before use if you
 ■ are taking a prescription drug. Antacids may interact with certain prescription drugs.
 ■ have kidney disease
 When using this product
 ■ do not take more than 19 tablets in a 24-hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor.
 ■ If pregnant or breastfeeding, ask a health professional before use.
 Keep out of the reach of children.

Drug Facts (continued)
Directions
 Adults and children (12 years and older) Chew 2 tablets every 2 – 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours.
 Children under 12 years: Ask a doctor.

Other information
 ■ calcium content per tablet: 168 mg
 ■ phenylketonurics: each tablet may contain 1.5 mg phenylalanine
 ■ store at room temperature 59°-86°F (15°-30°C) in a dry place
 ■ tamper-evident sealed packets
 ■ do not use any opened or torn packets.

Inactive ingredients
 aspartame, croscarmellose sodium, magnesium stearate, malodolwin, mint flavor, sorbitol

Questions or comments
 Call 1-800-634-7580

Información del Medicamento
Ingrediente activo (en cada tableta) Propiedad
 Carbonato de Calcio 420 mg Anticídico

Usos
 alivia
 ■ la indigestión por acidez ■ la acidez estomacal
 ■ las agruras
 ■ malestar estomacal asociado a estos síntomas

Advertencias
 No consuma
 ■ la dosis máxima de este producto por más de 2 semanas, excepto bajo indicaciones y supervisión de un médico
 ■ consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted
 ■ está actualmente tomando un medicamento recetado. Los anticídicos pueden interactuar con ciertos medicamentos recetados.
 ■ tiene enfermedad renal
 Cuando esté usando este producto
 ■ no tomar más de 19 tabletas en un periodo de 24 horas. Si los síntomas persisten por más de dos semanas, deje de tomar este producto y consulte a un médico.
 Si está embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.

Información del Medicamento (continuación)
 Mantenga este producto fuera del alcance de los niños.

Instrucciones
 Adultos y niños (para mayores de 12 años) Mastique 2 tabletas cada 2 ó 3 horas ó como se presenten los síntomas, repítalo cada una hora si es necesario. No consuma más de 19 tabletas en 24 horas.
 Niños menores de 12 años: Consulte al médico.

Otra información
 ■ cada tableta contiene: 168 mg de calcio elemental
 ■ fenilalanina: cada tableta puede contener 1.5 mg de fenilalanina por tableta
 ■ almacenamiento: consérvese a temperatura ambiente 59°-86°F (15°-30°C) y en un lugar seco
 ■ empaquetado con sellado evidente
 ■ no use ningún paquete abierto o roto

Ingredientes inactivos
 aspartamo, croscarmelosa sódica, estearato de magnesio, malodolwin, sabor de la menta, sorbitol

¿Tiene alguna pregunta o comentario?
 Llame al 1-800-634-7580

Retain carton for complete product information

Compare active ingredient to:
TUMS®
 Registered Trademark of Smithkline-Beecham

Tamper Evident Unit Dose Packets
 Empaquetado con sellado evidente en dosis unitarias

Conservar la caja para obtener la información completa del producto

MEDIQUE ALCALAK

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	11mm
Flavor		Imprint Code	AZ;036
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-201-69	3 in 1 BOX	06/15/2014	
1	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-201-64	12 in 1 BOX	06/15/2014	
2	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-201-33	50 in 1 BOX	06/15/2014	
3	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-201-47	100 in 1 BOX	06/15/2014	
4	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-201-13	250 in 1 BOX	06/15/2014	
5	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/15/2014	

MEDI-FIRST ANTACID

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-820
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	11mm
Flavor		Imprint Code	AZ;036
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-820-13	250 in 1 BOX	06/15/2014	
1	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-820-48	125 in 1 BOX	06/15/2014	
2	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-820-33	50 in 1 BOX	06/15/2014	
3	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-820-50	25 in 1 BOX	04/01/2019	
4	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/15/2014	

MEDI-FIRST PLUS ANTACID

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-920
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	11mm
Flavor		Imprint Code	AZ;036
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-920-33	50 in 1 BOX	06/15/2014	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-920-48	125 in 1 BOX	06/15/2014	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/15/2014	

Revised: 3/2024

Unifirst First Aid Corporation