

NEW SKIN BANDAGE- benzethonium chloride liquid
Advantice Health, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

New Skin® Bandage

Drug Facts

Active ingredient

Benzethonium chloride 0.2%

Purpose

First aid antiseptic

Use

first aid to help prevent bacterial contamination in minor cuts and scrapes

Warnings

For external use only

Flammable

keep away from fire or flame

Do not use

- in the eyes
- over large areas of the body
- longer than one week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not store at temperatures above 120°F
- intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions

- clean affected area
- apply small amount on the area 1–3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more New-Skin[®] Liquid Bandage and quickly wipe off

Other information

- store at 20-25°C (68-77°F), away from heat
- may temporarily sting upon application
- keep carton for full drug facts
- do not allow to come into contact with floors, countertops or other finished surfaces – will stain

Inactive ingredients

amyl acetate, butyl acetate, camphor, ethyl acetate, nitrocellulose, SD alcohol 3-C (7.2% v/v)

Questions?

1-800-345-0032

Distributed by
Advantice Health, LLC
Cedar Knolls, NJ 07927

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Box

new-
Skin[®]

Benzethonium Chloride 0.2%/First Aid Antiseptic

LIQUID BANDAGE

Brush

ALL-IN-ONE PROTECTION

Prevents
Infection

Seals Out Water,
Dirt & Germs

Helps
Heal Cuts

#1
pharmacist
recommended

Works
Where
Bandages
Can't

1.0 FL OZ (30 mL)

new-Skin®

Benzethonium Chloride 0.2%/First Aid Antiseptic

LIQUID BANDAGE



Brush

ALL-IN-ONE PROTECTION

*Prevents
Infection*

*Seals Out Water,
Dirt & Germs*

*Helps
Heal Cuts*



prevent



seal



heal



new-Skin®

LIQUID BANDAGE

1.0 FL OZ (30 mL)



Works Where Bandages Can't



©2019 Distributed by
Advantice Health, LLC
Cedar Knolls, NJ 07927
MADE IN CANADA

Questions? 1-800-345-0032
www.NewSkinProducts.com
82-4401-03

VARNISH • NON VERNI • NO VARNISH
SH • NON VERNI • NO VARNISH • NON

NO VARNISH • NON VERNI

NO VARNISH • NON VERNI

NO VARNISH • NON VERNI

Drug Facts

Active Ingredient
Benzethonium chloride 0.2% First aid antiseptic

Purpose
Use first aid to help prevent bacterial contamination in minor cuts and scrapes

Warnings
For external use only
Flammable keep away from fire or flame

Do not use • in the eyes • over large areas of the body
• longer than one week unless directed by a doctor • on infected areas or wounds that are draining
• with other first aid products such as lotions and creams • over sutures • on mucous membranes

Ask a doctor before use if you have • deep or puncture wounds • deep cuts • animal bites
• serious bleeding • diabetes • poor circulation • serious burns

When using this product • do not store at temperatures above 120°F
• intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use and ask a doctor if • condition persists or gets worse • infection occurs

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Directions • clean affected area • apply small amount on the area 1-3 times daily
• let dry • a second coating may be applied for extra protection
• to remove, apply more New-Skin® Liquid Bandage and quickly wipe off

Other Information • store at 20-25°C (68-77°F), away from heat
• may temporarily sting upon application • keep carton for full drug facts
• do not allow to come into contact with floors, countertops or other finished surfaces – will stain

Inactive Ingredients amylic acetate, butyl acetate, camphor, ethyl acetate, nitrocellulose, SD alcohol 3-C (7.2% v/v)

NO VARNISH • NON VERNI

NO VARNISH • NON VERNI

NO VARNISH • NON VERNI



Where to use:
New-Skin® provides antiseptic treatment for hard-to-cover cuts, wounds, scrapes, calluses, and dry, cracked skin.
Great on fingers, hands, face and other hard-to-cover places.

is ideal for:
New-Skin®



NEW SKIN BANDAGE

benzethonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16864-440
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzethonium Chloride (UNII: PH41D05744) (Benzethonium - UNII:1VU15B70BP)	Benzethonium Chloride	1.8 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ETHYL ACETATE (UNII: 7684508NMZ)	
ACETONE (UNII: 1364PS73AF)	
BUTYL ACETATE (UNII: 464P5N1905)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
ALCOHOL (UNII: 3K9958V90M)	
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16864-440-02	1 in 1 BOX	03/01/2011	
1		10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:16864-440-01	1 in 1 BOX	03/01/2011	
2		30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
3	NDC:16864-440-03	1 in 1 BOX	03/01/2011	
3		13 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part333A	03/01/2011	

Labeler - Advantice Health, LLC (192527062)