

MAR-COF CG EXPECTORANT- codeine phosphate and guaifenesin syrup
Marnel Pharmaceuticals, LLC

MAR-COF[®] CG

Expectorant

Drug Facts

<i>Active ingredients (in each teaspoonful (5 mL))</i>	<i>Purpose</i>
Codeine Phosphate 7.5 mg	Antitussive
Guaifenesin 225 mg	Expectorant

Uses

- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
 - your cough to help you sleep
 - helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes cough more productive.

Warnings

Ask your doctor before use if

- you have a persistent cough, this may be a sign of a serious condition
- you have a persistent cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- you have a cough that is accompanied by excessive phlegm (mucus)
- you have chronic pulmonary disease or shortness of breath
- giving to a child who is taking other drugs

When using this product

- giving a higher dose than recommended by a doctor could result in serious side effects for your child. A special measuring device should be used to give an accurate dose of this product to children under 6 years of age
- may cause or aggravate constipation

Stop use and ask a doctor if

- symptoms do not improve within 7 days, tend to recur or are accompanied by fever and rash or persistent headache. These may be symptoms of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact

a Poison Control Center right away.

Directions

- **do not exceed 6 doses in 24 hours.**

Adults and children 12 years of age and over	1 ½ tsp (7.5 mL) every 4-6 hours
Children 6 to under 12 years of age	¾ tsp (3.75 mL) every 4-6 hours
Children under 6 years of age	Consult a doctor

Other information

Each teaspoonful contains 6 mg of sodium. Store at controlled room temperature 15°-30°C (59°-86°F).

Inactive ingredients

Citric Acid, Flavors, Glycerin, Polyethylene Glycol, Povidone, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, and Sorbitol

Distributed and Marketed By:

Allegis Pharmaceuticals, LLC
276 Nissan Parkway, F100
Canton, MS 39046

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

MARNEL

NDC 0682-0475-16

MAR-COF® CG

EXPECTORANT

ANTITUSSIVE

(cough suppressant)

EXPECTORANT

Each 5mL (one teaspoonful) for oral

administration contains:

Codeine Phosphate 7.5 mg

Guaifenesin 225 mg

Alcohol-Free / Sugar-Free

TAMPER EVIDENT:

Do not use if imprinted safety seal under cap is broken or missing.

16 fl. oz. (473 mL)

MARNEL

NDC 0682-0475-16

**MAR-COF[®]CG
EXPECTORANT**

**ANTITUSSIVE
(cough suppressant)
EXPECTORANT**

Each 5mL (one teaspoonful) for oral administration contains:

Codeine Phosphate.....7.5 mg
Guaifenesin.....225 mg

Alcohol-Free / Sugar-Free

**TAMPER EVIDENT:
Do not use if imprinted safety seal under cap is broken or missing.**

16 fl. oz. (473 mL)



Drug Facts

Active ingredients Purpose (in each teaspoonful (5 mL))

Codeine Phosphate 7.5 mg....Antitussive
Guaifenesin 225 mg.....Expectorant

Uses • temporarily relieves
• cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants
• your cough to help you sleep
• helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes cough more productive.

Warnings

Ask your doctor before use if
• you have a persistent cough, this may be a sign of a serious condition
• you have a persistent cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
• you have a cough that is accompanied by excessive phlegm (mucus)
• you have chronic pulmonary disease or shortness of breath
• giving to a child who is taking other drugs

When using this product

• giving a higher dose than recommended by a doctor could result in serious side effects for your child. A special measuring device should be used to give an accurate dose of this product to children under 6 years of age
• may cause or aggravate constipation ▶

Drug Facts (continued)

Stop use and ask a doctor if
• symptoms do not improve within 7 days, tend to recur or are accompanied by fever and rash or persistent headache. These may be symptoms of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• **do not exceed 6 doses in 24 hours.**
Adults and children 12 years of age and over 1 ½ tsp (7.5 mL) every 4-6 hours

Children 6 to under 12 years of age ¾ tsp (3.75 mL) every 4-6 hours

Children under 6 years of age Consult a doctor

Other information Each teaspoonful contains 6 mg of sodium. Store at controlled room temperature 15°-30°C (59°-86°F).

Inactive ingredients Citric Acid, Flavors, Glycerin, Polyethylene Glycol, Povidone, Propylene Glycol, Purified Water, Sodium Benzoate, Sodium Citrate, Sodium Saccharin, and Sorbitol

Distributed and Marketed by:

Allegis Pharmaceuticals, LLC
276 Nissan Parkway, F100
Canton, MS 39046

NON VARNISH AREA

9418 Rev. 01/17

MAR-COF CG EXPECTORANT

codeine phosphate and guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0682-0475
Route of Administration	ORAL	DEA Schedule	CV

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CODEINE PHOSPHATE (UNII: G5L05Y1MN6) (CODEINE ANHYDROUS - UNII:UX6OWY2V7J)	CODEINE PHOSPHATE	7.5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	225 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	COTTON CANDY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0682-0475-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2008	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2008	

Labeler - Marnel Pharmaceuticals, LLC (080161449)

Revised: 3/2024

Marnel Pharmaceuticals, LLC