

**PAMPRIN MULTI-SYMPTOM MAXIMUM STRENGTH- acetaminophen,
pamabrom, pyrilamine maleate tablet
Focus Consumer Healthcare, LLC**

Pamprin MultiSymptom

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg
Pamabrom 25 mg
Pyrilamine maleate 15 mg

Purposes

Pain reliever
Diuretic
Antihistamine

Uses for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- headache
- bloating
- backache
- water-weight gain
- muscular aches
- irritability

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take • more than 8 caplets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have • liver disease • glaucoma • a breathing problem such as emphysema or chronic bronchitis • difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are • taking the blood thinning drug warfarin • taking sedatives or tranquilizers

When using this product • you may get drowsy, avoid alcoholic beverages • alcohol, sedatives and tranquilizers may increase drowsiness • use caution when driving or operating machinery • excitability may occur, especially in children

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over:

- take 2 caplets with water every 6 hours as needed
- do not exceed 8 caplets in a 24 hour period or as directed by a doctor
- do not use more than directed (see warnings)

children under 12 years:ask a doctor

blue 2, candelilla wax, corn starch, ethylparaben, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylparaben, red 40, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or Comments?

www.pamprin.com

IF IMPRINTED INNER SEAL ON BOTTLE IS BROKEN OR MISSING, DO NOT USE.

Easy-open bottle with child-resistant packaging. Purchase only if carton end flaps are sealed.

Distributed by:

Focus Consumer Healthcare, LLC

801 Broad Street, Chattanooga, TN 37402

Made in Canada

©2017 Focus Consumer Healthcare, LLC

www.pamprin.com

PamprinMulti-Symptom

for complete Relief of • Cramps • Headache • Backache • Irritability • Bloating • Muscle

Aches • Water-Weight Gain

Menstrual Pain Relief

Aspirin-free and Caffeine-free with Acetaminophen, Pamabrom and Pyrilamine Maleate

40 Caplets



PAMPRIN MULTI-SYMPTOM MAXIMUM STRENGTH

acetaminophen, pamabrom, pyrilamine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71687-3003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength

ETHYLPARABEN (UNII: 14255EXE39)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)
FD&C RED NO. 40 (UNII: WZB9127XOA)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)
CANDELILLA WAX (UNII: WL0328HX19)
STARCH, CORN (UNII: O8232NY3SJ)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
STEARIC ACID (UNII: 4ELV7Z65AP)
TALC (UNII: 7SEV7J4R1U)
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics

Color	purple	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	P
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71687-3003-1	1 in 1 CARTON	06/01/2016	
1		20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:71687-3003-4	1 in 1 CARTON	06/01/2016	
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2016	

Labeler - Focus Consumer Healthcare, LLC (080743737)

Revised: 4/2026

Focus Consumer Healthcare, LLC