

TOLNAFTATE- antifungal powder spray aerosol, powder
The Podiatree Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient

Tolnaftate 1%

▯ **Purpose**

Antifungal

Uses

- Cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- If used daily, can prevent recurrence of athlete's foot
- Relieves symptoms of athlete's foot, including itching, burning, and cracking

▯ **Warnings**

For external use only.

Flammable:

Do not use near heat or flame, or while smoking. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

▯ **When using this product**

- Do not get into eyes or mouth
- Use only as directed
- Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

▯ **Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch

▯ **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately. **Do not use** on children under 2 years of age unless directed by a doctor.

▯ **Directions**

- Wash affected area and dry thoroughly
- Shake can well and spray a thin layer over the affected area twice daily (morning and night)
- Supervise children in the use of this product
- For athlete's foot, pay special attention to spaces between toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- Use daily for 4 weeks for athlete's foot, ringworm; use daily for 2 weeks for jock itch
- If conditions persist, consult a doctor
- To prevent athlete's foot, apply daily (morning and night)

- This product is not effective on the scalps or nails
- In case of clogging, clear nozzle under running water

Other information

Store between 20° and 30°C (68°F and 86°F)


Inactive ingredient

BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B (14%w/w), talc

Questions or Suggestions?

1.855.763.8733 or www.thepodiatreecompany.com. Our commitment to you is 100% satisfaction. If you are not completely satisfied, please contact us directly for a full refund.

Principal Display Panel



Drug Facts	
Active Ingredient	Purpose
Tolnaftate 1%.....	Antifungal
Uses	
<ul style="list-style-type: none"> • Cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) • If used daily, can prevent recurrence of athlete's foot • Relieves symptoms of athlete's foot, including itching, burning and cracking 	
Warnings	
For external use only	
Flammable: Do not use near heat or flame, or while smoking. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.	
When using this product • do not get into eyes or mouth • use only as directed Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
Stop use and ask a doctor if • irritation occurs • no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch	
KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center immediately. Do not use on children under 2 years of age unless directed by a doctor.	
Directions	
Wash affected area and dry thoroughly • Shake can well and spray a thin layer over the affected area twice daily (morning and night) • Supervise children in the use of this product • For athlete's foot, pay special attention to spaces between toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily • Use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch. If condition persists, consult a doctor • To prevent athlete's foot, apply daily (morning and night) • This product is not effective on scalp or nails • In case of clogging, clear nozzle under running water	
Other Information	
Store between 20° and 30°C (68° and 86°F)	
Inactive Ingredients	
BHT, isobutane (propellant), PPG-12-buteth-16, SD Alcohol 40-B (14% w/w), talc	
Questions or Suggestions?	
1.855.763.8733 or www.thepodiatreecompany.com . Our commitment to you is 100% satisfaction. If you are not completely satisfied, please contact us directly for a full refund.	
Manufactured for: The Podiatree Company, Holbrook, NY 11741 Made in U.S.A. 7380913040715	

TOLNAFTATE

antifungal powder spray aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54633-913
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	
TALC (UNII: 7SEV7J4R1U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54633-913-04	130 g in 1 CANISTER; Type 0: Not a Combination Product	07/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	07/01/2013	

Labeler - The Podiatree Company (078656000)

Revised: 12/2017

The Podiatree Company