

SODIUM BICARBONATE- sodium bicarbonate tablet
Cardinal Health 107, LLC

4624 - Major

Drug Facts

Active ingredient (in each tablet)

Sodium bicarbonate 10 gr (650 mg)

Purpose

Antacid

Uses

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet.

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not use the maximum dosage for more than 2 weeks tablets may be swallowed whole or dissolved in water prior to use **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other information

□ each tablet contains: sodium 178 mg

□ store in a dry place at 15° - 30°C (59° - 86°F) □ Retain this carton for important information.

Inactive Ingredients: croscarmellose sodium, microcrystalline cellulose, silica, stearic acid and talc

Questions or comments?

(800) 616-2471

Unit Dose**Sodium Bicarbonate**

DO NOT USE IF CARTON IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN, OR SHOWS ANY SIGNS OF TAMPERING.

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

www.majorpharmaceuticals.com

Distributed By:**Cardinal Health**

Dublin, OH 43017

L58544760823

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Principal Display Panel

Sodium Bicarbonate

10 gr (650 mg)

Antacid

10 Tablets



NDC 55154-4324-0

Q124

SODIUM BICARBONATE

10 gr (650 mg)

ANTACID

10 TABLETS

Drug Facts

Active Ingredient (in each tablet)	Purpose
Sodium bicarbonate 10 gr (650 mg)	Antacid

Other information - each tablet contains: sodium 178 mg
- Retain for important information.

STORAGE: store in a dry place at 15° - 30° C (59° - 86° F)
Uses relieves: - acid indigestion - heartburn - sour stomach

- upset stomach associated with these symptoms
Inactive ingredients: croscarmellose sodium, microcrystalline cellulose, silica, stearic acid and talc

Directions: - do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours - adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Warnings

Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet.
Ask a doctor or pharmacist before use if you are taking a prescription drug.
Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than 2 weeks.

WARNINGS: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep out of reach of children.
In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). If pregnant or breast-feeding, ask a health professional before use.

DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Distributed by:
MAJOR® PHARMACEUTICALS
Indianapolis, IN 46268
www.majorpharmaceuticals.com
Questions or comments? (800) 616-2471
Distributed by Cardinal Health
Dublin, OH 43017
L58544760823

LOT #: XXXXXXXXXX EXP. DATE: XX/XX/XX

SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-4324(NDC:0904-7261)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name	Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	CPC;77
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-4324-0	10 in 1 BAG	10/26/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	10/26/2022	

Labeler - Cardinal Health 107, LLC (118546603)

Revised: 11/2023

Cardinal Health 107, LLC