CORRECT AND PROTECT SERUM BROAD SPECTRUM SPF 45- zinc oxide lotion Murad, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Correct & Protect Serum Broad Spectrum SPF 45

Drug Facts

Active ingredient

Zinc Oxide 17.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Isododecane, Water (Aqua), Dimethicone, Propanediol, Caprylic/Capric Triglyceride, Polyglyceryl-6 Polyricinoleate, Polymethylsilsesquioxane/Trimethylsiloxysilicate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate, Ethylhexyl Palmitate, Polymethylsilsesquioxane, Glycerin, Tapioca Starch, Polyglyceryl-10 Dioleate, Polyhydroxystearic Acid, Fructooligosaccharides, Simmondsia Chinensis (Jojoba) Seed Oil, Lecithin, Butyrospermum Parkii (Shea) Butter, Beta Vulgaris (Beet) Root Extract, Hedychium Coronarium Root Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Niacinamide, Squalane, Urea, Yeast Amino Acids, Trehalose, Taurine, Inositol, Betaine, Tocopheryl Acetate, Ascorbic Acid, Retinyl Palmitate, Potassium Lactate, Ethylhexylglycerin, Lactic Acid, Leuconostoc/Radish Root Ferment Filtrate, Polysilicone-11, Disteardimonium Hectorite, Caprylyl/Capryl Glucoside, Decyl Glucoside, Propylene Carbonate, Caprylyl Glycol, Hexylene Glycol, Triethoxycaprylylsilane, Chlorphenesin, Phenoxyethanol, Iron Oxides (CI 77492)

Other information

protect this product from excessive heat and direct sun

Questions or comments?

1.800.33.MURAD or Murad.com

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

STEP 3 Moisturize | Protect

Murad_®

ENVIRONMENTAL SHIELD™

Correct & Protect Serum Broad Spectrum SPF 45 | PA++++

mineral sunscreen water resistant (40 mins)

DEVELOPED BY +Murad+ EST. 1989

DOCTOR MURAD e 30 mL NET VOL 1 FL OZ

STEP 3

Moisturize | Protect

Murad.

ENVIRONMENTAL SHIELD™

Correct & Protect Serum Broad Spectrum SPF 45 | PA++++

mineral sunscreen water resistant (40 mins)



Drug Facts

Active ingredient
Zinc Oxide 17.0%.....

Purpose Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor = if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


Directions = apply liberally 15 minutes before sun exposure = reapply: = after 40 minutes of swimming or sweating = immediately after towel drying = at least every 2 hours = children under 6 months of age: ask a doctor = Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: = limit time in the sun, especially from 10 a.m. - 2 p.m. = wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Isododecane, Water (Aqua), Dimethicone, Propanediol, Caprylic/Capric Triglyceride, Polyglyceryl-6 Polyricinoleate, Polymethylsilsesquioxane/ Trimethylsiloxysilicate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate,



NON-COMEDOGENIC



CORRECT AND PROTECT SERUM BROAD SPECTRUM SPF 45

zinc oxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70381-120

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)

17 g in 100 mL

| Ingredient Name | Strength |
|--------------------------------|----------|
| ISODODECANE (UNII: A8289P68Y2) | |

WATER (UNII: 059QF0KO0R)

Inactive Ingredients

DIMETHICONE (UNII: 92RU3N3Y1O) **PROPANEDIOL** (UNII: 5965N8W85T)

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)

POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
COCOYL CAPRYLOCAPRATE (UNII: 8D9H4QU99H)

ETHYLHEXYL PALMITATE (UNII: 2865993309)

POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE (UNII: X2PZH4Y6HT)

GLYCERIN (UNII: PDC6A3C0OX)

STARCH, TAPIOCA (UNII: 24SC3U704I)

POLYGLYCERYL-10 DIOLEATE (UNII: 598RES7AXX)

POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)

BETA VULGARIS ROOT FRUCTOOLIGOSACCHARIDES (UNII: N2UDM48ZD6)

JOJOBA OIL (UNII: 724GKU717M)

LECITHIN, SOYBEAN (UNII: 1DI56QDM62)

SHEA BUTTER (UNII: K49155WL9Y)

BEET (UNII: N487KM8COK)

HEDYCHIUM CORONARIUM ROOT (UNII: 92A6N0IQN9)

TOMATO (UNII: Z4KHF2C175)
NIACINAMIDE (UNII: 25X5118RD4)
SQUALANE (UNII: GW89575KF9)

UREA (UNII: 8W8T17847W)

AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0072R8RF8A)

TREHALOSE (UNII: B8WCK70T7I) **TAURINE** (UNII: 1EQV5MLY3D)

INOSITOL (UNII: 4L6452S749)
BETAINE (UNII: 3SCV180C9W)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

ASCORBIC ACID (UNII: PQ6CK8PD0R) VITAMIN A PALMITATE (UNII: 1D1K0N0VVC) POTASSIUM LACTATE (UNII: 87V1KMK4QV) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) LACTIC ACID, DL- (UNII: 3B8D35Y7S4) LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458) DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) **DISTEARDIMONIUM HECTORITE** (UNII: X687XDK09L) CAPRYLYL/CAPRYL OLIGOGLUCOSIDE (UNII: E00JL9G9K0) **DECYL GLUCOSIDE** (UNII: Z17H97EA6Y) PROPYLENE CARBONATE (UNII: 8D08K3S51E) CAPRYLYL GLYCOL (UNII: 00YIU5438U) **HEXYLENE GLYCOL** (UNII: KEH0A3F75J) TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) CHLORPHENESIN (UNII: 1670DAL4SZ) PHENOXYETHANOL (UNII: HIE492ZZ3T) FERRIC OXIDE YELLOW (UNII: EX43802MRT) POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)

| Product Characteristics | | | |
|-------------------------|-------------------|--------------|--|
| Color | WHITE (Off-White) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

| l | Packaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| | # Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | NDC:70381-120- 02 | 1 in 1 CARTON | 01/03/2022 | |
| | NDC:70381-120- 01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH FINAL | part352 | 01/03/2022 | |
| | | | |

Labeler - Murad, LLC (781254792)

| Establishment | | | |
|--|---------|-----------|----------------------------|
| Name | Address | ID/FEI | Business Operations |
| Beauty Manufacturing Solutions Corp (BMSC) | | 783200723 | MANUFACTURE(70381-120) |

Revised: 11/2021 Murad, LLC