NARS PURE RADIANT TINTED MOISTURIZER FINLAND- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER ALASKA- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER TERRE-NEUVE- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GROENLAND- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER CUZCO- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GOTLAND- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER NORWICH- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER MYKONOS- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER SYDNEY- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER HAVANA- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY- octinoxate and titanium dioxide cream
NARS PURE RADIANT TINTED MOISTURIZER GRANADA- octinoxate and titanium dioxide cream
NARS Cosmetics

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

NARS PURE RADIANT TINTED MOISTURIZER

Drug Facts

Active ingredients	***Purpose***
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Water • Dimethicone • Butylene Glycol • Propanediol • Glycerin • Diethylhexyl Succinate • Nylon-12 • PEG-9 Polydimethylsiloxyethyl Dimethicone • PEG-10 Dimethicone • Aluminum Hydroxide • Diphenylsiloxy Phenyl Trimethicone • Sorbitan Sesquiisostearate • Disteardimonium Hectorite • Vibrio Alginolyticus Ferment Filtrate • Alteromonas Ferment Filtrate • Curcuma Longa (Turmeric) Root Extract • Stearic Acid • Dimethicone/Vinyl Dimethicone Crosspolymer • Polymethylsilsesquioxane • Trisodium EDTA • Ascorbyl Glucoside • Polysilicone-2 • Talc • Tocopherol • Sea Salt • BHT • Hydrogen Dimethicone • Fragrance • Phenoxyethanol • Sodium Metabisulfite • Potassium Sorbate • [(May Contain): Titanium Dioxide • Iron Oxides] •

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1 - FINLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 1
FINLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Distearadimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12/19994

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023111

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 2 - ALASKA

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 2
ALASKA

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

127198915

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023128

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1 - ST. MORITZ

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1
ST. MORITZ

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

127199918

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

607845023142



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 0 - TERRE-NEUVE

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 0
TERRE-NEUVE

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12T19897

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023203

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 3 - GROENLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 3
GROENLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12715668

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023326

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT, OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1.5 - CUZCO

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1.5
CUZCO

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

1271956609

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023739

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1.2 - GOTLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 1.2
GOTLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially ▶

Drug Facts (continued)

Directions
from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

1271898

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009575

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1.5 - NORWICH

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 1.5
NORWICH

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12/1621-14

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009636

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 0 - MYKONOS

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 0
MYKONOS

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially ▶

Drug Facts (continued)

Directions
from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

127182T6

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

194251009698



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1.2 - SYDNEY

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1.2
SYDNEY

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12717SP.B

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009759

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 2 - AUCKLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 2
AUCKLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

127922O

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009810

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 1 - SANTIAGO

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 1
SANTIAGO

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

1215222

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009872

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 2 - MARRAKESH

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 2
MARRAKESH

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses
- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients
Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information
Protect this product in this container from excessive heat and direct sun

Questions or comments?
Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

194251009933

1271922224



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 3 - HAVANA

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 3
HAVANA

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12719228

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

194251009995



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - DEEP 1 - GUERNSEY

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

DEEP 1
GUERNSEY

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12-19228

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251010052

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - DEEP 2 - GRANADA

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

DEEP 2
GRANADA

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiisostearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide] ·

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

12/9830

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251010113

PURE RADIANT TINTED MOISTURIZER BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE. PARABEN FREE. SYNTHETIC-FRAGRANCE FREE. NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



NARS PURE RADIANT TINTED MOISTURIZER FINLAND

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-171
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients	
Ingredient Name	**Strength**
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	

SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-171-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ALASKA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-172-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-173
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-173-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER TERRE-NEUVE

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-174
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-174-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GROENLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-175
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-175-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER CUZCO

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-176
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-176-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT			

OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GOTLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-161
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-161-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER NORWICH

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-162-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MYKONOS

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-163-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SYDNEY

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-164
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients	
Ingredient Name	**Strength**
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-164-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-165-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-166
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-166-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-167
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-167-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER HAVANA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-168
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-168-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-169
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-169-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GRANADA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:13734-170
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:13734-170-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/01/2021	

Labeler - NARS Cosmetics (837363571)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	MANUFACTURE(13734-161, 13734-162, 13734-163, 13734-164, 13734-165, 13734-166, 13734-167, 13734-168, 13734-169, 13734-170, 13734-171, 13734-172, 13734-173, 13734-174, 13734-175, 13734-176) , ANALYSIS(13734-161, 13734-162, 13734-163, 13734-164, 13734-165, 13734-166, 13734-167, 13734-168, 13734-169, 13734-170, 13734-171, 13734-172, 13734-173, 13734-174, 13734-175, 13734-176)

Revised: 3/2021 NARS Cosmetics