SENNA- sennosides tablet H E B

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6-12 hours.

Warnings

Do not use

• laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take preferably at bedtime or as directed by a doctor

adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablets once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: calcium 30 mg
- store at 25° C (77° F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, silicon dioxide, talc, triacetin

Questions or comments?

Call toll free 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Senokot® active ingredient**

Senna Laxative

Sennosides 8.6 mg

Laxative

TABLETS

**This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center If pregnant or breast-feeding, ask a health professional before use. may indicate a serious condition. Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These noticed a sudden change in bowel habits that continues over a period of 2 weeks Sugara a session a nieg docerno a segura a seg Ask a doctor before use if you have Do not use Instative products for longer than 1 week unless directed by a doctor sbujusem studi St- 8 ni themevom levvel a soubord vilistence Lelieves occasional constipation (irregular) รอรก .pm 8.8 sebisonne2 SWIEXEJ. asoding (teldet nose ni) treibergni evitoA story Pacts **H-E-B Senna Laxative**

SSK S DOCIDL SSK 9 DOCIDL children under 2 years children 2 to under 6 years l tablet twice a day 1/2 tablet once a day S tablets twice a day l radiet once a day children 6 to under 12 years adults and children 12 years of age and over 4 tablets twice a day 2 tablets once a day абезор шпшкеш abesop buguets age texts breferably at bedfime or as directed by a doctor Directions

(panutuoo) story fund

(1-800-222-1222) right away.

each tablet contains: calcium 30 mg noitemnotni retto

store at 25°C (77°P); excursions permitted between 15-30°C (59-86°F)

stearate, microcrystalline cellulose, silicon dioxide, taic, triacetin Inactive ingredients anhydrous dibasic calcium phosphate, croscarmellose sodium, hypromellose, magnesium

TISE MAG-MAG VCOMMONTS? Call toll tree: 1-877-753-3935 Monday-Friday 9AM-5PM EST

"This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot".


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KIND A COTTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

100 TABLETS













Laxative

Sennosides, 8.6 mg

H-E-B

Senna Laxative

Compare to Senokot® active ingredient"

actual

size

NDC 37808-782-10

2 M 0 5 0 N N

PLD-G732A FC007910 Lot No.: Exp. Date: 0

Product	Inform	nation						
Product Ty			HUMAN OTO	DRUG	ltem Code	(Source)	NDC:37	7808-782
Route of A	-	tration	ORAL			oource,		
Route of A	aminis	stration	URAL					
Active In	gredie	ent/Acti	ve Moiety					
Ingredient Name			e	Basis of S		trength Strength		
SENNOSIDES (UNII: 3FYP5M0)		3FYP5M0IJ	X) (SENNOSIDES	- UNII:3FYP5M0I	IJX)	SENNOSIDES		8.6 mg
Inactive I	Inarea	dients						
	3.54		Ingred	ient Name				Strength
CROSCARMI	ELLOSE	SODIUM	(UNII: M28OL1HH	48)				
ANHYDROUS	S DIBAS	IC CALCI	UM PHOSPHATE	(UNII: L11K75P	92J)			
HYPROMELL	OSES (UNII: 3NXV	V29V3WO)					
MAGNESIUM	1 STEAP	RATE (UNII	: 70097M6I30)					
CELLULOSE	, MICRO	OCRYSTAL	LLINE (UNII: OP1	R32D61U)				
SILICON DIC	DXIDE (l	JNII: ETJ7Z	(6XBU4)					
TALC (UNII: 7	7SEV7J4I	R1U)						
TALC (UNII: 7	7SEV7J4I	R1U)						
TALC (UNII: 7	7SEV7J4I	R1U)						
TALC (UNII: 7 TRIACETIN (7SEV7J4I (UNII: XH	R1U) IX3C3X673)					
TALC (UNII: 7 TRIACETIN (Product (7SEV7J4I (UNII: XH	R1U) IX3C3X673)	Score		r	no score	
TALC (UNII: 7 TRIACETIN (Product (Color	7SEV7J4I (UNII: XH	R1U) X3C3X673 cteristi) CS	Score			no score Əmm	
TALC (UNII: 7 TRIACETIN (Product (Color Shape	7SEV7J4I (UNII: XH	R1U) X3C3X673 cteristi) CS brown		ode	ç		
SILICON DIC TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains	7SEV7J4I (UNII: XH	R1U) X3C3X673 cteristi) CS brown	Size	ode	ç	9mm	
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor	7SEV7J4I (UNII: XH	R1U) X3C3X673 cteristi) CS brown	Size	ode	ç	9mm	
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains	7SEV7J4I (UNII: XH	R1U) X3C3X673 cteristi) CS brown	Size		F	9mm 2523	
FALC (UNII: 7 FRIACETIN (Product (Color Shape Flavor Contains Packagin	7SEV7J4I (UNII: XH Chara	R1U) X3C3X673 cteristi) CS brown	Size Imprint C		ç	9mm 2523	<eting end<br="">Date</eting>
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains Packagin # Item Co	7SEV7J4I (UNII: XH Chara Chara G ode	R1U) X3C3X673 cteristi) CS brown ROUND	Size Imprint C	м	F F arketing Start	9mm 2523	-
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains Packagin # Item Co 1 NDC:3780 782-10	7SEV7J4I (UNII: XH Chara G ode 8- 1 1	R1U) IX3C3X673 cteristi) CS brown ROUND Package De	Size Imprint Co	м	arketing Start Date	9mm 2523	ceting End Date
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains Packagin # Item Co 1 NDC:3780 782-10	7SEV7J4I (UNII: XH Chara G ode 8- 1 1	R1U) IX3C3X673 cteristi in 1 BOX 00 in 1 BC) CS brown ROUND Package De	Size Imprint Co	м	arketing Start Date	9mm 2523	-
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains Packagin # Item Co 1 NDC:3780 782-10	7SEV7J4I (UNII: XH Chara 6 9 0 0 0 8- 1 1 C	R1U) IX3C3X673 cteristic cteristic	CS brown ROUND Package De	Size Imprint Co	м	arketing Start Date	9mm 2523	-
TALC (UNII: 7 TRIACETIN (Product (Color Shape Flavor Contains Packagin # Item Co	7SEV7J4I (UNII: XH Chara G ode 8- 1 1 C ing I	R1U) IX3C3X673 cteristic in 1 BOX 00 in 1 BC ombinatio	CS brown ROUND Package De	Size Imprint Co scription Type 0: Not a	M 02/:	arketing Start Date	9mm PS23 Mark	-

Revised: 4/2024