FOSTER AND THRIVE FIBER LAXATIVE 188 - methylcellulose tablet Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Foster and Thrive Fiber Laxative 188

ACTIVE INGREDIENT(in each caplet)

Methylcellulose 500 mg

PURPOSE

Bulk-forming laxative

USE(S)

- relieves occasional constipation to help restore and maintain regularity
- generally produces a bowel movement in 12-72 hours

WARNINGS

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

ASK A DOCTOR BEFORE USE IF YOU HAVE

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

WHEN USING THIS PRODUCT

- do not use laxative products for a period longer than one week unless directed by a doctor
- do not use if you are on a low salt diet unless directed by a doctor

STOP USE AND ASK DOCTOR IF

- rectal bleeding occurs
- you fail to have a bowel movement after use

These could be signs of a serious condition.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away(1-800-222-1222).

DIRECTIONS

This product generally produces effect in 12-72 hours

- take this product (child or adult) dose with atleast 8 ounces (a full glass) of water or other fluid
- taking this product without enough liquid may cause choking, see choking warning.

AGE	DOSE	MAXIMUM DOSE
adults & children 12 years & over	2 caplets	up to 6 times daily
children 6 to 11 years	1 caplet	up to 6 times daily
children under 6 years	ask a doctor	ask a doctor

OTHER INFORMATION

- each caplet contains: sodium 10 mg
- store below 25°C (77°F)
- protect contents from moisture
- keep tightly closed

INACTIVE INGREDIENTS

citric acid, colloidal silicon dioxide, crospovidone, FD&C yellow no.6 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium bicarbonate, sodium chloride, sodium lauryl sulfate.

QUESTIONS OR COMMENTS?

Call 833-358-6431 Monday to Friday 9:00 am to 7:00 pm EST

PRINCIPAL DISPLAY PANEL

NDC 70677-1084-1

COMPARE TO CITRUCEL[®] CAPLETS ACTIVE INGREDIENT*

Foster and Thrive [™]

Fiber Laxative

Methylcellulose 500 mg BULK-FORMING LAXATIVE Daily Source of 100% Soluble Fiber The Fiber with No Excess Gas

Gluten Free

100 CAPLETS



GLUE	STOP PE	"This product is not manufactured or cliatributed by GlassGinit IKEne, owner of the registered trademark Clinuce!".	Questions or comments? Io Friday 9:00 am to 7:00 pm EST	Inactive ingredients do cosporter, FDK yeller n. 6 skinnum nicocoystille cellulos, solumbicaterials, solu	Other information = each caplet contains: sofum 10 ng = size below 25°C(77°F) = protect contents from maisture = lease tighty closed	children under 6 years	children 6 to 11 years	adults & children 12 years & over	AGE	This product generally produces effect in 12-72 hours bee this product (child or solid) doe with at least 8 cunces (a ful gless) of walk or other that I taking this product without enough liquid may cause choking see choking warning.	Drug Facts (or Directions
AREA	PEELING H	od ordistribu ogistorod	ents? Call n EST	ents dic 6 Ilinirun tenala, sodun	/7 ■each • ^C (77*F) ■p	ask a doctor	1 caplet	2 caplets	DOSE	ss effect in 1 dult) dose wi er fluid enough liquid	(continued)
	HERE	hed by	Cell 813-358-6431 Monday	r chic sol, celodal alleon dioida, ninun Iala, magnesiun staarala, solumchanida, solumlauryi sulfaa,	■each caplet contains: (77°F) ■ protect contents from	ask a dodor	up to 6 times daily	up to 6 times dally	MAXIMUM DOSE	2-72 hours th at least 8 ounces I may cause choking,	1)

FOSTER AND THRIVE FIBER LAXATIVE 188

methylcellulose tablet

Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (Sou	NDC:70677	NDC:70677-1084		
Route of Administration	ORAL					
Active Ingredient/Active	Majaty					
Active ingredient/Active	Molety					
Ingre	Basis of S	Strength				
METHYLCELLULOSE (4000 MPA. (4000 MPA.S) - UNII:MRJ667KA5E)	S) (UNII: MRJ667KA5E) (ME ⁻	THYLCELLULOSE	METHYLCELLU (4000 MPA.S)		500 mg	
Inactive Ingredients						
	Ingredient Name			Str	ength	
ANHYDROUS CITRIC ACID (UNII: >	KF417D3PSL)					

CROCRO! "ROTT	(11)	J7Z6XBU4)					
CROSPOVIDONE							
FD&C YELLOW N	-	-					
MAGNESIUM STE							
CELLULOSE, MIC							
SODIUM BICARB							
SODIUM LAURYL			1J)				
SODIUM CHLORI	DE (UNII:	451W47IQ8X)					
		-					
Product Chai	racteris	stics					
Color		ORANGE	Score	Score			
Shape		OVAL	Size	Size		18mm	
Flavor			Imprint Code		G188		
Contains							
Packaging							
		Package De	escription	Marketing Star Date	t Mar	keting End Date	
# Item Code	100 in Produc	1 BOTTLE; Type 0:	escription Not a Combination	-	t Mar		
1 NDC:70677-		1 BOTTLE; Type 0:	-	Date	t Mar		
# Item Code 1 NDC:70677-		1 BOTTLE; Type 0:	-	Date	t Mar		
# Item Code 1 NDC:70677-	Produc	1 BOTTLE; Type 0: t	-	Date	t Mar		
# Item Code 1 NDC:70677- 1084-1	Product Infor	1 BOTTLE; Type 0: t mation Application Nu	-	Date 06/13/2023			

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 6/2023

Strategic Sourcing Services LLC