

**NITROGEN- nitrogen gas**  
**Inland Welding Supply dba A-L Compressed Gases**

-----  
**nitrogen**

REFRIGERATED LIQUID

NITROGEN, REFRIGERATED LIQUID NF

UN1977

Rx only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood.

Use and store only outdoors or in a well-ventilated place.

Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping.

Do NOT change or force fit connections.

Close valve after each use and when empty.

Always keep container in upright position.

Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9


DO NOT REMOVE THIS PRODUCT LABEL.

A-L COMPRESSED GASES, INC.

4230 E. TRENT AVE.

SPOKANE, WA 99202

1-800-852-4979



## NITROGEN, COMPRESSED NF

UN1066

Rx only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPD SUFFOCATION.** Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9

**DO NOT REMOVE THIS PRODUCT LABEL.**

**A-L COMPRESSED GASES, INC.**

**4230 E. TRENT AVE.**

**SPOKANE, WA 99202**

**1-800-852-4979**

**NITROGEN,  
COMPRESSED  
NF  
UN1066**



By only **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, contraindications, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.** Do not handle until a safety precautions have been read and understood. Use and store only with equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9. **DO NOT REMOVE THIS PRODUCT LABEL.**

**A-L COMPRESSED GASES, INC.**  
4230 E. TRENT AVE. • SPOKANE, WA 99202  
1-800-852-4979

**NITROGEN**

nitrogen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:18482-020
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>NITROGEN</b> (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	991 mL in 1 L

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:18482-020-01	651 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
2	NDC:18482-020-02	3256 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
3	NDC:18482-020-03	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
4	NDC:18482-020-04	7220 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
5	NDC:18482-020-05	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
6	NDC:18482-020-06	103215 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	

<b>7</b>	NDC:18482-020-07	115249 L in 1 CYLINDER; Type 0: Not a Combination Product	07/01/2005	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA206024		07/01/2005	

**Labeler** - Inland Welding Supply dba A-L Compressed Gases (620529529)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Inland Welding Supply dba A-L Compressed Gases		620529529	manufacture(18482-020)

Revised: 10/2021

Inland Welding Supply dba A-L Compressed Gases