

OXYGEN- oxygen gas
Cornerstone Medical Services - Midwest, LLC

Oxygen

OXYGEN, REFRIGERATED LIQUID USP

UN1073

Produced by Air Liquefaction

CAS 7782-44-7

FOR CHEMICAL EMERGENCY

CALL CHEM-TREC 1-800-424-9300

Manufactured by:

CornerStone Medical Services

Your Foundation for Health at Home

CornerStone Medical

Services-Midwest LLC

4460 Lake Forest Dr., Ste 232

Blue Ash, OH 45242

888-574-0202

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER:

KEEP OUT OF REACH OF CHILDREN.

MAY CAUSE OR INTENSIFY FIRE: OXIDIZER

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS)

before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

<p>OXYGEN, REFRIGERATED LIQUID USP UN1073</p> <p>Produced by Air Liquefaction CAS 7782-44-7</p> <p>FOR CHEMICAL EMERGENCY CALL CHEM-TREC 1-800-424-9300</p>		<p>↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑</p> <p>WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.</p> <p>Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.</p> <p>Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug And Cosmetic Act.</p> <p>DANGER: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.</p> <p>Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.</p> <p>FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.</p>	<p>DO NOT REMOVE THIS PRODUCT LABEL</p>														
<p>Manufactured by:</p> <p>CornerStone Medical Services Your Foundation for Health at Home</p>	<p>CornerStone Medical Services-Midwest LLC 4460 Lake Forest Dr., Ste 232 Blue Ash, OH 45242 888-574-0202</p>																
<p>CONTENTS:</p> <table border="1"><thead><tr><th>Container Type</th><th>46</th><th>41</th><th>36</th><th>31</th><th>21</th><th></th></tr></thead><tbody><tr><td>Gaseous Liters</td><td>37619</td><td>33756</td><td>29069</td><td>25523</td><td>17290</td><td></td></tr></tbody></table>	Container Type	46	41	36	31	21		Gaseous Liters	37619	33756	29069	25523	17290				
Container Type	46	41	36	31	21												
Gaseous Liters	37619	33756	29069	25523	17290												

OXYGEN, REFRIGERATED LIQUID USP

UN1073

Produced by Air Liquefaction

CAS 7782-44-7

FOR CHEMICAL EMERGENCY

CALL CHEM-TREC 1-800-424-9300

Manufactured by:

CornerStone Medical Services

Your Foundation for Health at Home

CornerStone Medical

Services-Midwest LLC

451 South High Street

Akron, OH 44311

888-367-0202

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped

breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER:

KEEP OUT OF REACH OF CHILDREN.

MAY CAUSE OR INTENSIFY FIRE: OXIDIZER

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

OXYGEN, REFRIGERATED LIQUID USP UN1073			↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑	
Produced by Air Liquefaction CAS 7782-44-7			WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug And Cosmetic Act.	
FOR CHEMICAL EMERGENCY CALL CHEM-TREC 1-800-424-9300		DANGER: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.		
Manufactured by: CornerStone Medical Services Your Foundation for Health at Home		Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.		
CornerStone Medical Services-Midwest LLC 451 South High Street Akron, OH 44311 888-367-0202		FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.		DO NOT REMOVE THIS PRODUCT LABEL
CONTENTS: Container Type  46  41  36  31  21  _____ Gaseous Liters 37619 33756 29069 25523 17290		211-103 4/15		

OXYGEN, REFRIGERATED LIQUID USP

UN1073

Produced by Air Liquefaction

CAS 7782-44-7

FOR CHEMICAL EMERGENCY

CALL CHEM-TREC 1-800-424-9300

Manufactured by:

CornerStone Medical Services

Your Foundation for Health at Home

CornerStone Medical

Services-Midwest LLC

489 West Exchange St.

Akron, OH 44302

330-535-4481

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

DANGER:

KEEP OUT OF REACH OF CHILDREN.

MAY CAUSE OR INTENSIFY FIRE: OXIDIZER

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

<p>OXYGEN, REFRIGERATED LIQUID USP UN1073</p> <p>Produced by Air Liquefaction CAS 7782-44-7</p> <p>FOR CHEMICAL EMERGENCY CALL CHEM-TREC 1-800-424-9300</p>		<p style="text-align: center;">↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑</p> <p>WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.</p> <p>Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.</p> <p>Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug And Cosmetic Act.</p> <p>DANGER: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.</p> <p>Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.</p> <p>FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.</p>								
<p>Manufactured by:</p> <p>CornerStone Medical Services Your Foundation for Health at Home</p> <p>CornerStone Medical Services-Midwest LLC 489 West Exchange St. Akron, OH 44302 330-535-4481</p>		 <p style="writing-mode: vertical-rl; transform: rotate(180deg);">DO NOT REMOVE THIS PRODUCT LABEL</p>								
<p>CONTENTS: Container Type Gaseous Liters</p> <table border="0"> <tr> <td> LG180 141959</td> <td> LG160 128276</td> <td> 46 37619</td> <td> 41 33756</td> <td> 36 29069</td> <td> 31 25523</td> <td> 21 17290</td> <td> _____</td> </tr> </table> <p style="text-align: right;">213-103 4/15</p>			 LG180 141959	 LG160 128276	 46 37619	 41 33756	 36 29069	 31 25523	 21 17290	 _____
 LG180 141959	 LG160 128276	 46 37619	 41 33756	 36 29069	 31 25523	 21 17290	 _____			

OXYGEN, COMPRESSED USP
UN1072

Produced by Air Liquefaction
CAS 7782-44-7

FOR CHEMICAL EMERGENCY
CALL CHEM-TREC 1-800-424-9300

Manufactured by:
CornerStone Medical Service-Midwest LLC
489 W Exchange St., Akron, OH 44302
330-535-4481

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug And Cosmetic Act.


DANGER: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER

CONTAINS GAS UNDER PRESSURE: MAY EXPLODE.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction

and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL



OXYGEN, COMPRESSED USP

UN1072

Produced by Air Liquefaction

CAS 7782-44-7

FOR CHEMICAL EMERGENCY

CALL CHEM-TREC 1-800-424-9300

Manufactured by:

CornerStone Medical Service-Midwest LLC

489 W Exchange St., Akron, OH 44302

330-535-4481

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug And Cosmetic Act.

DANGER: KEEP OUT OF REACH OF CHILDREN. MAY CAUSE OR INTENSIFY FIRE: OXIDIZER

CONTAINS GAS UNDER PRESSURE: MAY EXPLODE.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:52557-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52557-001-15	37619 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	
2	NDC:52557-001-16	33756 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	

3	NDC:52557-001-17	29069 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	
4	NDC:52557-001-18	255223 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	
5	NDC:52557-001-19	17290 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	
6	NDC:52557-001-20	1 L in 1 DEWAR; Type 0: Not a Combination Product	06/25/2010	
7	NDC:52557-001-02	113 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
8	NDC:52557-001-03	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
9	NDC:52557-001-04	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
10	NDC:52557-001-06	425 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
11	NDC:52557-001-07	622 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
12	NDC:52557-001-08	680 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
13	NDC:52557-001-09	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
14	NDC:52557-001-10	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
15	NDC:52557-001-11	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
16	NDC:52557-001-13	1 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
17	NDC:52557-001-21	42 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
18	NDC:52557-001-22	225 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	
19	NDC:52557-001-23	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	06/25/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	06/25/2010	

Labeler - Cornerstone Mecial Services - Midwest, LLC (623726010)

Establishment

Name	Address	ID/FEI	Business Operations
Cornerstone Medical Services dba Cornerstone Medical Services-Midwest LLC		172858180	manufacture(52557-001)

Establishment

Name	Address	ID/FEI	Business Operations
Cornerstone Medical Services-midwest		962760190	manufacture(52557-001)

Establishment

Name	Address	ID/FEI	Business Operations
CORNERSTONE MEDICAL SERVICES - MIDWEST, LLC		963018986	manufacture(52557-001)