

CHILDRENS ALLERGY RELIEF- loratadine solution
Rite Aid Corporation

Children's Allergy Relief

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney	ask a doctor

disease |

Other information

- **safety sealed: do not use if imprinted safety seal is torn or missing**
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY:

Rite Aid

30 Hunter Lane, Camp Hill, PA 17011

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 11822-2092-8

RITE

AID®

PHARMACY

***Compare to the
active ingredient in
Children's Claritin®**

ORIGINAL
PRESCRIPTION
STRENGTH

**children's
allergy
relief**

loratadine oral solution
5 mg/5 mL antihistamine

INDOOR & OUTDOOR ALLERGIES

NON-DROWSY†

SUGAR FREE

ALCOHOL FREE

DYE FREE

grape
flavored
syrup

24 hour relief of:

sneezing

runny nose

itchy, watery eyes
itchy throat or nose

2 years & older

dosage cup
included

4 FL OZ (120 mL)

† When taken as directed. See Drug Facts Panel.



NO VARNISH
ON THIS FLAP

NDC 11822-2092-8



*Compare to the active ingredient in Children's Claritin®

ORIGINAL
PRESCRIPTION
STRENGTH

children's
allergy relief

loratadine oral solution
5 mg/5 mL antihistamine

INDOOR & OUTDOOR ALLERGIES

NON-DROWSY!
SUGAR FREE
ALCOHOL FREE
DYE FREE

24 hour relief of:

sneezing
runny nose
itchy, watery eyes
itchy throat or nose



grape
flavored
syrup

2 years & older

4 FL OZ (120 mL)

† When taken as directed. See Drug Facts Panel.

NO VARNISH
ON THIS FLAP

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient
(in each 5 mL teaspoonful) **Purpose**
loratadine 5 mg Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
• runny nose • itchy, watery eyes
• sneezing • itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

* Use only with enclosed dosing cup
adults and children 16 years and over 2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours

children 2 to under 16 years of age 1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours

children under 2 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

Other information • safety sealed: do not use if imprinted safety seal is torn or missing
• store between 20° and 25°C (68° and 77°F)

Inactive ingredients glycerin, grape flavor, maltitol solution, masking agent, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium phosphate monobasic dihydrate, sucralose powder.

Questions? Call 1-866-923-4914

PPK-7097-1
0913-1
M173



ORIGINAL
PRESCRIPTION
STRENGTH

children's
allergy relief

loratadine oral solution
5 mg/5 mL antihistamine

NDC 11822-2092-8



*Compare to the active ingredient in Children's Claritin®

ORIGINAL
PRESCRIPTION
STRENGTH

children's
allergy relief

loratadine oral solution
5 mg/5 mL antihistamine

INDOOR & OUTDOOR ALLERGIES

NON-DROWSY!
SUGAR FREE
ALCOHOL FREE
DYE FREE

24 hour relief of:

sneezing
runny nose
itchy, watery eyes
itchy throat or nose



grape
flavored
syrup

2 years & older

4 FL OZ (120 mL)

† When taken as directed. See Drug Facts Panel.

NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT



NDC 11822-2092-8



*Compare to the active ingredient in Children's Claritin®

ORIGINAL
PRESCRIPTION
STRENGTH

children's
allergy relief

loratadine oral solution
5 mg/5 mL antihistamine

INDOOR & OUTDOOR ALLERGIES



IF YOU'RE NOT SATISFIED,
WE'LL HAPPLY REFUND
YOUR MONEY.

DISTRIBUTED BY:
Rite Aid

30 Hunter Lane, Comp Hill, PA 17011

Made in Canada.

* This product is not manufactured or distributed by MSD Consumer Care Inc., a subsidiary of Merck & Co., Inc.

4 FL OZ (120 mL)

T181C

CHILDRENS ALLERGY RELIEF

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2092
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
glycerin (UNII: PDC6A3C0OX)	
sorbitol (UNII: 506T60A25R)	
phosphoric acid (UNII: E4GA8884NN)	
polyethylene glycols (UNII: 3WJQ0SDW1A)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium metabisulfite (UNII: 4VON5FNS3C)	
sodium phosphate, monobasic, dihydrate (UNII: 5QWK665956)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2092-8	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	02/27/2010	

Labeler - Rite Aid Corporation (014578892)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(11822-2092)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(11822-2092)

Revised: 3/2014

Rite Aid Corporation