

GEA OXYCIDE- peroxide sanitizing teat dip liquid
GEA Farm Technologies, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OxyCide

CONTENTS:

Active Ingredient: 1% Hydrogen peroxide

Net Content: 15 U.S. GAL (56.7L)

KEEP OUT OF REACH OF CHILDREN

WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child / 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

FOR ASSISTANCE WITH MEDICAL EMERGENCY

CALL 1-877-741-1032

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE

OxyCide is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

INDICATIONS: This topical liquid product, when used undiluted as a pre milking teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE: Use at full strength. Do not dilute.

PRE DIPPING: Before milking, dip, spray, or foam each teat with OxyCide. After 15 to 30 seconds, dry each teat thoroughly with a single service towel. If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of OxyCide.

STORAGE INSTRUCTIONS:

If frozen, separation may occur. Thaw completely and mix thoroughly before use. Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

7751-0092-181 (Rev. 04-17)

GEA Farm Technologies, Inc. • 1880 Country Farm Drive • Naperville, IL 60563 U.S.A
• www.gea-farmtechnologies.com

7751-0041-183

GEA Farm Technologies, Inc.

1880 Country Farm Dr.

Naperville, IL 60563 U.S.A.

www.gea.com

630-548-8832

7751-0592-181 (Rev. 12-15)

OxyCide®

Peroxide Sanitizing Teat Dip

OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido



GEA Farm Technologies
WestfaliaSurge

GEA Farm Technologies, Inc. | 1880 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea-farmtechnologies.com

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE
OxyCide is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

CONTENTS:

Active Ingredient:1% Hydrogen peroxide

INDICATIONS: This topical liquid product, when used undiluted as a pre milking teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE:

Use at full strength. Do not dilute.

PRE DIPPING:

Before milking, dip, spray, or foam each teat with OxyCide.
After 15 to 30 seconds, dry each teat thoroughly with a single service towel.
If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of OxyCide.

STORAGE INSTRUCTIONS:

If frozen, separation may occur. Thaw completely and mix thoroughly before use. Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 15 U.S. GAL (56.7L)

7751-0092-181 (Rev. 04-17)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

OxiCide es una marca de propiedad de GEA Farm Technologies, Inc. Fabricado en EE.UU

CONTENIDO:

Ingrediente activo:.....Peróxido de hidrógeno 1%

INDICACIONES: Este producto tópico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se use concentrado como sellador de pezones antes del ordeño.

INSTRUCCIONES PARA EL USO:

Úselo concentrado. No lo diluya.

PRE SELLADO:

Previo al ordeño, sumerja, rocíe, o cubra cada pezón con el sellador espumante OxyCide.
Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubre y los pezones están muy sucios, lave con una solución sanitaria y seque antes de la aplicación de OxyCide.

INSTRUCCIONES PARA EL ALMACENAJE:

Si se congela puede ocurrir separación. Descongele totalmente y mezcle completamente antes de usarlo. Almacene este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar su degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento.

LIBRE DE NPE

Lea la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios.

7751-0041-183

Lot# 2453106R00 Exp. 06-25



OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido



GEA Farm Technologies
WestfaliaSurge

GEA Farm Technologies, Inc. | 1880 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea-farmtechnologies.com

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE
OxyCide is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

CONTENTS:

Active Ingredient:1% Hydrogen peroxide

INDICATIONS: This topical liquid product, when used undiluted as a pre milking teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE:

Use at full strength. Do not dilute.

PRE DIPPING:

Before milking, dip, spray, or foam each teat with OxyCide.
After 15 to 30 seconds, dry each teat thoroughly with a single service towel.
If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of OxyCide.

STORAGE INSTRUCTIONS:

If frozen, separation may occur. Thaw completely and mix thoroughly before use. Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 15 U.S. GAL (56.7L)

7751-0092-181 (Rev. 04-17)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

OxiCide es una marca de propiedad de GEA Farm Technologies, Inc. Fabricado en EE.UU

CONTENIDO:

Ingrediente activo:.....Peróxido de hidrógeno 1%

INDICACIONES: Este producto tópico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se use concentrado como sellador de pezones antes del ordeño.

INSTRUCCIONES PARA EL USO:

Úselo concentrado. No lo diluya.

PRE SELLADO:

Previo al ordeño, sumerja, rocíe, o cubra cada pezón con el sellador espumante OxyCide.
Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubre y los pezones están muy sucios, lave con una solución sanitaria y seque antes de la aplicación de OxyCide.

INSTRUCCIONES PARA EL ALMACENAJE:

Si se congela puede ocurrir separación. Descongele totalmente y mezcle completamente antes de usarlo. Almacene este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar su degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento.

LIBRE DE NPE

Lea la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios.

7751-0041-183

Lot# 2453106R00 Exp. 06-25



OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

**FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032**

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Utilice ropa protectora. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retirese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

**PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032**

GEA Farm Technologies, Inc.
1880 Country Farm Drive
Naperville, IL 60563 U.S.A.
www.gea.com
630-548-8632

7751-0592-181 (Rev. 12-15)

OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido



GEA Farm Technologies
WestfaliaSurge

GEA Farm Technologies, Inc. | 1880 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea-farmtechnologies.com

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE
OxyCide is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

CONTENTS:

Active Ingredient:1% Hydrogen peroxide

INDICATIONS: This topical liquid product, when used undiluted as a pre milking teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE:

Use at full strength. Do not dilute.

PRE DIPPING:

Before milking, dip, spray, or foam each teat with OxyCide.
After 15 to 30 seconds, dry each teat thoroughly with a single service towel.
If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of OxyCide.

STORAGE INSTRUCTIONS:

If frozen, separation may occur. Thaw completely and mix thoroughly before use. Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 15 U.S. GAL (56.7L)

7751-0092-181 (Rev. 04-17)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

OxiCide es una marca de propiedad de GEA Farm Technologies, Inc. Fabricado en EE.UU

CONTENIDO:

Ingrediente activo:.....Peróxido de hidrógeno 1%

INDICACIONES: Este producto tópico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se use concentrado como sellador de pezones antes del ordeño.

INSTRUCCIONES PARA EL USO:

Úselo concentrado. No lo diluya.

PRE SELLADO:

Previo al ordeño, sumerja, rocíe, o cubra cada pezón con el sellador espumante OxyCide.
Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubre y los pezones están muy sucios, lave con una solución sanitaria y seque antes de la aplicación de OxyCide.

INSTRUCCIONES PARA EL ALMACENAJE:

Si se congela puede ocurrir separación. Descongele totalmente y mezcle completamente antes de usarlo. Almacene este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar su degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento.

LIBRE DE NPE

Lea la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios.

7751-0041-183

Lot# 2453106R00 Exp. 06-25



OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

**FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032**

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Utilice ropa protectora. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retirese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

**PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032**

GEA Farm Technologies, Inc.
1880 Country Farm Drive
Naperville, IL 60563 U.S.A.
www.gea.com
630-548-8632

7751-0592-181 (Rev. 12-15)

OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido



GEA Farm Technologies
WestfaliaSurge

GEA Farm Technologies, Inc. | 1880 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea-farmtechnologies.com

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY- NOT FOR HUMAN USE
OxyCide is a Trademark of GEA Farm Technologies, Inc. Made in U.S.A.

CONTENTS:

Active Ingredient:1% Hydrogen peroxide

INDICATIONS: This topical liquid product, when used undiluted as a pre milking teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE:

Use at full strength. Do not dilute.

PRE DIPPING:

Before milking, dip, spray, or foam each teat with OxyCide.

After 15 to 30 seconds, dry each teat thoroughly with a single service towel.

If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of OxyCide.

STORAGE INSTRUCTIONS:

If frozen, separation may occur. Thaw completely and mix thoroughly before use. Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 15 U.S. GAL (56.7L)

7751-0092-181 (Rev. 04-17)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

OxiCide es una marca de propiedad de GEA Farm Technologies, Inc. Fabricado en EE.UU

CONTENIDO:

Ingrediente activo:.....Peróxido de hidrógeno 1%

INDICACIONES: Este producto tópico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se use concentrado como sellador de pezones antes del ordeño.

INSTRUCCIONES PARA EL USO:

Úselo concentrado. No lo diluya.

PRE SELLADO:

Previo al ordeño, sumerja, rocíe, o cubra cada pezón con el sellador espumante OxyCide.

Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubre y los pezones están muy sucios, lave con una solución sanitaria

y seque antes de la aplicación de OxyCide.

INSTRUCCIONES PARA EL ALMACENAJE:

Si se congela puede ocurrir separación. Descongele totalmente y mezcle completamente antes de usarlo. Almacene este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar su degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento.

LIBRE DE NPE

Lea la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios.

7751-0041-183

Lot# 2453106R00 Exp. 06-25



OxyCide®

Peroxide Sanitizing Teat Dip

Sellador sanitario de pezones a base de peróxido

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

**FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032**

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Utilice ropa protectora. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retirese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

**PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032**

GEA Farm Technologies, Inc.
1880 Country Farm Drive
Naperville, IL 60563 U.S.A.
www.gea.com
630-548-8632

7751-0592-181 (Rev. 12-15)

OxyCide®

Peroxide Sanitizing Teat Dip
Sellador sanitario de pezones a base de peróxido

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

GEA Farm Technologies, Inc.
1880 Country Farm Drive
Naperville, IL 60563 U.S.A.
www.gea.com
630-548-8832

**FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032**

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Utilice ropa protectora. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retirese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

**PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032**

7751-0592-181 (Rev. 12-15)

GEA OXYCIDE

peroxide sanitizing teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51070-7006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

C12-16 ALCOHOLS (UNII: S4827SZE3L)	
UREA (UNII: 8W8T17847W)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Product Characteristics

Color	yellow (clear yellow liquid)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51070-7006-3	56700 g in 1 DRUM		
2	NDC:51070-7006-2	18900 g in 1 JUG		
3	NDC:51070-7006-5	208000 g in 1 DRUM		
4	NDC:51070-7006-6	945000 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/01/2010	

Labeler - GEA Farm Technologies, Inc. (018037309)

Registrant - GEA Farm Technologies, Inc (018037309)

Establishment

Name	Address	ID/FEI	Business Operations
GEA Farm Technologies, Inc.		018037309	api manufacture, manufacture

Revised: 6/2024

GEA Farm Technologies, Inc.