

**REGULAR STRENGTH PAIN RELIEF- acetaminophen tablet**  
**Geri-Care Pharmaceutical Corp**

-----

**gc 102**

**Active Ingredients**

Acetaminophen 325 mg

**Purpose**

Pain Reliever/Fever Reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 4,000 mg (12 tablets) of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use** if you have liver disease

**Ask a doctor or pharmacist before use if you** are taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than directed
- adults and children 12 years and over: take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

### **Other Information**

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.
- store at 20°C-25°C (68°F-77°F)

### **Inactive Ingredients**

povidone, sodium starch glycolate, starch stearic acid.

### **Questions or comments?**

**1-800-540-3765**

### **Package Label**

NDC 57896-102-01

## REGULAR STRENGTH

# ACETAMINOPHEN

## 325 mg

**PAIN RELIEVER/ FEVER REDUCER**

Compare to the active ingredient  
in Regular Strength **TYLENOL**® \*

**100 Tablets 325 mg each**

**TAMPER EVIDENT:** Do not use if imprinted seal under cap is missing or broken.

## Drug Facts

Active ingredient (in each tablet)	Purposes
1. <i>Chlorpheniramine maleate</i>	Antihistamine
2. <i>Phenylephrine hydrochloride</i>	Decongestant
3. <i>Acetaminophen</i>	Analgesic
4. <i>Pseudoephedrine hydrochloride</i>	Decongestant
5. <i>Diphenhydramine hydrochloride</i>	Sedative
6. <i>Ascorbic acid</i>	Vitamin C
7. <i>Calcium carbonate</i>	Antacid
8. <i>Hydroxyzine hydrochloride</i>	Sedative
9. <i>Chlorbutol</i>	Sedative
10. <i>Chlorpheniramine maleate</i>	Antihistamine
11. <i>Phenylephrine hydrochloride</i>	Decongestant
12. <i>Acetaminophen</i>	Analgesic
13. <i>Pseudoephedrine hydrochloride</i>	Decongestant
14. <i>Diphenhydramine hydrochloride</i>	Sedative
15. <i>Ascorbic acid</i>	Vitamin C
16. <i>Calcium carbonate</i>	Antacid
17. <i>Hydroxyzine hydrochloride</i>	Sedative
18. <i>Chlorbutol</i>	Sedative

Acetaminophen 325 mg ..... Pain Reliever /  
Fever Reducer

**Uses** • temporarily relieves minor aches and pains  
• temporarily reduces fever

## Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:


- more than 4,000 mg (12 tablets) of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash  
If a skin reaction occurs, stop use and seek  
medical help right away.

**Do not use • with any other drug containing acetaminophen (prescription or nonprescription).**

**If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.**

- if you are allergic to acetaminophen or any of the inactive ingredients in this product 

\* This product is not manufactured or distributed by the owner of the registered trademark **TYLENOL®**.

**DIST. BY: GERI-CARE PHARMACEUTICALS CORP.**  
1295 Towbin Ave, Lakewood, NJ 08701

REV 0722AI



3 57896 10101 5

**PEEL HERE FOR MORE DRUG FACTS**

## Drug Facts (continued)

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed
- adults and children 12 years and over: take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

**Inactive ingredients:** povidone, sodium starch glycolate, starch, stearic acid.

**Questions or comments? 1-800-540-3765**

## STOP PEELING

## REGULAR STRENGTH PAIN RELIEF

acetaminophen tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-102
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

**STEARIC ACID** (UNII: 4ELV7Z 65AP)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	GC101
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-102-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2011	
2	NDC:57896-102-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2012	
3	NDC:57896-102-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2011	
4	NDC:57896-102-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/1989	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceutical Corp