

SENNA PLUS- sennosides and docusate sodium tablet
Geri-Care Pharmaceutical Corp

gc 455t (458)

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use for more than 1 week unless directed by a doctor

Ask a doctor before use if you

- have abdominal pain, nausea or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have

- no bowel movement within 12 hours
- rectal bleeding
- these could signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and	2 tablets once a day preferably at bedtime; increase as needed, or as	4 tablets in the morning and 4 tablets

older	directed by a doctor	at bedtime
children under 12 years	ask a doctor	

Other information

- **each tablet contains:** calcium 20 mg, sodium 6 mg
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.
- store at room temperature

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6, hypromellose, magnesium stearate, PEG, sodium benzoate, stearic acid, titanium dioxide. May also contain D&C yellow #10, FD&C yellow #5 (tartrazine), magnesium silicate, mineral oil, silica, sodium lauryl sulfate, starch, triacetin, wax.

Package Label

Drug Facts

Active ingredients (in each tablet)	Purpose
Docusate Sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Laxative

Uses • relieves occasional constipation (irregularity)
• this product generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use for more than one week unless directed by a doctor.


Ask a doctor before use if you • have abdominal pain, nausea or vomiting • are taking mineral oil • have noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have • no bowel movement within 12 hours after use • rectal bleeding • these could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ▶

NDC 57896-458-01

GERI CARE®



SENNAPLUS
STANDARDIZED SENNA CONCENTRATE
DOCUSATE SODIUM
NATURAL VEGETABLE LAXATIVE
WITH STOOL SOFTENER

Compare to active ingredients in **SENOKOT-S®***

100 Tablets


Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information • each tablet contains: calcium 20 mg, sodium 6 mg • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken. • store at room temperature

Inactive ingredients: cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6, hypromellose, magnesium stearate, PEG, sodium benzoate, stearic acid, titanium dioxide. May also contain D&C yellow #10, FD&C yellow #5 (tartrazine), magnesium silicate, mineral oil, silica, sodium lauryl sulfate, starch, triacetin, wax.

*This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®. REV 1218T
Dist. By: Geri-Care Pharmaceuticals Corp., 1650 63rd St., Brooklyn, NY 11204



3 57896 45501 9

SENNAPLUS

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-458
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL081
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-458-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	09/30/2025
2	NDC:57896-458-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	09/30/2025
3	NDC:57896-458-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	10/31/2025
4	NDC:57896-458-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2019	10/01/2022

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/01/2000	10/31/2025

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 3/2025

Geri-Care Pharmaceutical Corp