

**HELIUM OXYGEN NITROGEN MIXTURE- helium oxygen nitrogen mixture gas
Linde Gas & Equipment Inc.**

Helium Oxygen Nitrogen Mixture

Oxygen, Helium, Nitrogen Mix

UN1956

GASES,

N.O.S.

(OXYGEN,

HELIUM, NITROGEN)

% OXYGEN USP CAS: 7782-44-7

% HELIUM USP CAS: 7740-59-7

% NITROGEN NF CAS: 7727-37-9

NET CONTENTS

LOT NUMBER

CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION MAY CAUSE DIZZINESS AND DROWSINESS.

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and

frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

Copyright @ 1997-1998, 2003, 2006, Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-7 (07/06)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



**UN1956
COMPRESSED
GASES,
N.O.S.
(OXYGEN,
HELIUM, NITROGEN)**



_____ % OXYGEN USP CAS: 7782-44-7

_____ % HELIUM USP CAS: 7440-59-7

_____ % NITROGEN NF CAS: 7727-37-9

LOT NUMBER _____

NET CONTENTS _____

CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION. MAY CAUSE DIZZINESS AND DROWSINESS.

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleared for oxygen service. Use a backflow prevention device in any

pressure and created for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

Rx ONLY.

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

Copyright © 1997-1998, 2003, 2006, Praxair Technology, Inc.
All rights reserved.

Praxair, the Flowing Airstream design, and Medipure
are trademarks of Praxair Technology, Inc.



DO NOT REMOVE THIS LABEL

DISTRIBUTED BY
PRAXAIR, INC.
DANBURY, CT 06810-5113
MMG-7 (07/06)

MADE IN USA

UN3156

COMPRESSED GAS,

OXIDIZING N.O.S.

(OXYGEN, HELIUM, NITROGEN)

% OXYGEN USP CAS: 7782-44-7

% HELIUM USP CAS: 7740-59-7

% NITROGEN NF CAS: 7727-37-9

NET CONTENTS

LOT NUMBER

WARNING! HIGH-PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION

Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and


frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633



Copyright © 1997-1998, 2003, 2005, Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-7-0 (10/05)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



**UN3156
COMPRESSED GAS,
OXIDIZING, N.O.S.
(OXYGEN, HELIUM, NITROGEN)**



Components:
_____ % OXYGEN USP CAS: 7782-44-7
_____ % HELIUM USP CAS: 7440-59-7
_____ % NITROGEN NF CAS: 7727-37-9

LOT NUMBER _____
NET CONTENTS _____


IN CASE OF EMERGENCY: CALL 1-800-645-4633

WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.
Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and Praxair safety booklets P-3499 and P-14-153. Obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

Rx ONLY.
WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

DO NOT REMOVE THIS LABEL



MMG-7-0 (10/05) Copyright © 1997-1998, 2003, 2005, Praxair Technology, Inc. All rights reserved. **PRAXAIR, INC.**
MADE IN USA Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc. DANBURY, CT 06810-5113

HELIUM OXYGEN NITROGEN MIXTURE

helium oxygen nitrogen mixture gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	200 mL in 1 L
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	500 mL in 1 L
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	300 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-010-01	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
2	NDC:59579-010-02	5975 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
3	NDC:59579-010-03	2010 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
4	NDC:59579-010-04	963 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
5	NDC:59579-010-05	595 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
6	NDC:59579-010-06	368 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA authorized generic	NDA205851	10/01/2005	

Labeler - Linde Gas & Equipment Inc. (042845636)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		161317490	manufacture(59579-010)

Revised: 6/2024

Linde Gas & Equipment Inc.