

ACETAMINOPHEN 325MG RS- acetaminophen 325mg tablet
Allegiant Health

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen 325mg

Purpose

Pain reliever/fever reducer

Uses

temporary relief of minor aches and pains associated with:

- headache
- backache
- muscular aches
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours

for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if user has

liver disease.

Ask a doctor or pharmacist before use if

- the user is taking the blood thinning drug warfarin
- is a child with pain of arthritis

Stop use and ask a doctor if

- Adult's pain gets worse or lasts more than 10 days
- Child's pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

Adults and children 12 years and over:

- Take 2 tablets every 4 to 6 hours while symptoms last
- Do not take more than 10 tablets in 24 hours, unless directed by a doctor
- Do not use for more than 10 days unless directed by a doctor

Children 6-11 years of age:

- Take 1 tablet every 4 to 6 hours while symptoms last
- Do not take more than 5 tablets in 24 hours.
- Do not use for more than 5 days unless directed by a doctor

Children under 6 years: ask a doctor

Other information

- store at room temperature 20°– 25°C (68°– 77°F)
- do not use if imprinted safety seal under cap is broken or missing

Inactive ingredients

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or Comments

Call 1-888-952-0050 Monday through Friday 9AM - 5PM

Principal Display Panel

HealthA2Z®
Regular Strength
PAIN RELIEF
Acetaminophen 325 mg
Pain Reliever-Fever Reducer - CONTAINS NO ASPIRIN
30 Tablets

SEE CARTON FOR COMPLETE INFORMATION

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 10 tablets in 24 hours for adults or 5 tablets in 24 hours for children.

Allergy alert: Acetaminophen may cause severe skin reactions.

Do not use with any other drug containing acetaminophen (or prescription or non-prescription). Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older: take 2 tablets every 4 to 6 hours while symptoms last. Do not take more than 10 tablets in 24 hours, unless directed by a doctor. Do not use for more than 10 days unless directed by a doctor.

Children 6 years to under 12 years: take 1 tablet every 4 to 6 hours while symptoms last. Do not take more than 5 tablets in 24 hours. Do not use for more than 5 days unless directed by a doctor.


Children under 6 years of age: ask a doctor.

Manufactured by:
AH Allegiant Health
Deer Park, NY 11729

LB1970
R0621

Lot:
Exp:

Pain Relief



Pain Relief

ACETAMINOPHEN 325MG RS

acetaminophen 325mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69168-010
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (Round Circle)	Size	11mm
Flavor		Imprint Code	AZ;010
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-010-60	1 in 1 CARTON	04/15/2016	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69168-010-50	1 in 1 CARTON	04/15/2016	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69168-010-30	1 in 1 CARTON	12/15/2021	
3		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/15/2016	

Labeler - Allegiant Health (079501930)

