

LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet
Cardinal Health (Leader) 70000

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement occur after use of a laxative.

These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, calcium phosphate dihydrate*, calcium sulfate anhydrous*, carnauba wax, colloidal silicon dioxide, corn starch*, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide*, iron oxide black, iron oxide yellow*, kaolin*, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone*, shellac, stearic acid*, sugar, talc, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO EX-LAX® MAXIMUM STRENGTH active ingredient*

Maximum Strength

Laxative

Sennosides USP, 25 mg

Stimulant Laxative

Gentle

Overnight

TABLETS

†This product is not manufactured or distributed by GlaxoSmithKline pic, distributor of ex-lax®.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOW ANY SIGN OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT

INFORMATION.

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com 1-800-200-6313

Product Label

NDC 70000-0386-1

Maximum Strength

Laxative

Sennosides USP, 25 mg
Stimulant Laxative

Gentle
Overnight Relief

24 TABLETS



Actual Size

COMPARE TO
EX-LAX® MAXIMUM
STRENGTH
active ingredient*

100% Money Back Guarantee

LEADER²™

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

Drug Facts
Active ingredient
(in each tablet)
Sennosides USP, 25 mg.....Stimulant laxative
Purpose
■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Uses

Drug Facts (continued)
Warnings
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
Ask a doctor before use if you have
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

Drug Facts

 (continued)

Ask a doctor or pharmacist before use if you
■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.
When using this product
■ do not use for a period longer than 1 week
Stop use and ask a doctor if
■ rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ swallow tablet(s) with a glass of water
■ swallow tablet(s) whole, do not crush, break, or chew
adults and children 12 years of age and older
take 2 tablets once or twice daily

Drug Facts

 (continued)

children 6 to under 12	years of age	take 1 tablet once or twice daily
children under 6	years of age	ask a doctor

Other information

■ each tablet contains: calcium 40 mg
■ very low sodium
■ store between 20-25°C (68-77°F)

Inactive ingredients

acacia, calcium phosphate dihydrate, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of ex-lax®.

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313
Essential to Care™ since 1979

 All LEADER™ Brand Products Have A
100% Money Back Guarantee
Return to place of purchase if not satisfied.

THE CARDINAL HEALTH
LOGO, LEADER, and
the Leader LOGO
are trademarks or
registered trademarks
of Cardinal Health.
All other marks are
the property of their
respective owners.



LEADER Maximum Strength Laxative

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0386
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)		SENNOSIDES	25 mg
Inactive Ingredients			
Ingredient Name			Strength
ACACIA (UNII: 5C5403N26O)			
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 07TSZ97GEP)			
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)			
CARNAUBA WAX (UNII: R12CBM0EIZ)			
STARCH, CORN (UNII: O8232NY3SJ)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSOFERRIC OXIDE (UNII: XM0M87F357)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
KAOLIN (UNII: 24H4NWX5CO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ989GH94E)			
SHELLAC (UNII: 46N107B71O)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SUCROSE (UNII: C151H8M554)			
TALC (UNII: 7SEV7J4R1U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0386-1	24 in 1 CARTON	11/09/2018	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	11/09/2018	

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 3/2024

Cardinal Health (Leader) 70000