

BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene spray
Edgewell Personal Care Brands, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

AVOBENZONE 3%, HOMOSALATE 9%, OCTISALATE 4.5%, OCTOCRYLENE 7%

Purpose

Sunscreen

Uses

Helps prevent sunburn

Warnings

For external use only

Sun Protection Measures • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Keep away from face to avoid breathing it. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics

Directions

•Hold container 4 to 6 inches from the skin to apply •Spray liberally and spread evenly by hand 15 minutes before sun exposure • **Do not spray directly into face.** Spray on hands and then apply to face. •Do not apply in windy conditions •Use in a well-ventilated area •Reapply: •after 80 minutes of swimming or sweating •immediately after towel drying •at least every 2 hours •Children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.

Other Information

Protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-SAFESUN, Mon-Fri

Principal Display Panel

55%

MORE

FAMILY SIZE!

9.5 OZ VS 6 OZ

BANANA

BOAT®

NEW

LOOK!

simply

protect™

SPORT

CLEAR SUNSCREEN SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50+

25% FEWER INGREDIENTS*

MADE WITHOUT OXYBENZONE & PARABENS

HIGH ENDURANCE

VS. SWEAT

No Added Oils & Fragrances

Water Resistant

(80 Minutes)

NET WT 9.5 OZ. (269 g)

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ



25% FEWER INGREDIENTS*
MADE WITHOUT OXYBENZONE & PARABENS

**HIGH ENDURANCE
VS. SWEAT**

No Added Oils & Fragrances

Water Resistant
(80 Minutes)

NET WT 9.5 OZ. (269 g)

SUN SAFETY DIRECTIONS



About 4 applications per 170g can

*By number vs
Banana Boat
Ultra Sport
Sunscreen Spray
SPF 50+

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 8.0%	Sunscreen
Octisalate 4.5%, Octocrylene 7.0%	

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ **Shake well** ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ **Do not spray directly into face.** Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ **Reapply:** • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaabout.com
© 2018 Edgewell.



Recommended as an
effective broad-spectrum
sunscreen



DOT 2Q M5655



BANANA
BOAT®
NEW
LOOK!

simply

protect™

SPORT

CLEAR SUNSCREEN SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50+

25% FEWER INGREDIENTS*

MADE WITHOUT OXYBENZONE & PARABENS

HIGH ENDURANCE

VS. SWEAT

No Added Oils & Fragrances

Water Resistant

(80 Minutes)

NET WT 6 OZ. (170 g)



50+

25% FEWER INGREDIENTS*
MADE WITHOUT OXYBENZONE & PARABENS

**HIGH ENDURANCE
VS. SWEAT**

No Added Oils & Fragrances

Water Resistant
(80 Minutes)

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS

Apply Liberally	Wait 15 min.	Reapply	Cover Up!

About 4 applications per 170g can

*By numbers vs
Banana Boat
Ultra Sport
Sunscreen Spray
SPF 50+

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0% Octisalate 4.5%, Octocrylene 7.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions
■ **Shake well** ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ **Do not spray directly into face.** Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.

Other Information
■ protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2018 Edgewell.

93025681 DOT 2Q M5655

0 79656 02435 7

water &
sweat resistant
(80 minutes)

**Banana
Boat**
simply
protect
Sport

sunscreen spray

50+

25% fewer ingredients*

made without oxybenzone & parabens

no added oils & fragrances

broad spectrum SPF 50+

NEW!

**water & sweat resistant
(80 MINUTES)**



simply protect™

SPORT

SUNSCREEN SPRAY



25% fewer ingredients*

MADE WITHOUT OXYBENZONE & PARABENS
NO ADDED OILS & FRAGRANCES

BROAD SPECTRUM SPF 50+

NET WT 1.8 OZ. (51g)

*by number vs. Banana Boat Sport Spray Sunscreen SPF 50+

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%	Sunscreen
Octisalate 4.5%, Octocrylene 7.0%	
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only. Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use on damaged or broken skin. When using this product keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.	
Directions ■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor	
Inactive Ingredients Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.	
Other information ■ Protect this product from excessive heat and direct sun	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484
www.bananaboat.com




© 2017 Edgewell. DOT 20 N6655 93022869



7965602478 4

NEW!

water &
sweat resistant
(80 MINUTES)



simply
protect™

SPORT

SUNSCREEN SPRAY



25% fewer ingredients*

MADE WITHOUT OXYBENZONE & PARABENS
NO ADDED OILS & FRAGRANCES

BROAD SPECTRUM SPF 50+

NET WT 6 OZ. (170g)

Introducing new **Banana Boat® Simply Protect™ Sport Sunscreen SPF 50+**. It gives you the broad spectrum UVA/UVB sun protection you expect with 25% fewer ingredients* in a lightweight formula that goes on quickly and easily, so you can get straight to worry-free time in the sun. •

*by number vs. Banana Boat Sport Spray Sunscreen SPF 50+

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%	Sunscreen
Octisalate 4.5%, Octocrylene 7.0%	

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- Shake well
- Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly into face. Spray on hands and then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply: • after 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.

Other information

■ Protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484

www.bananaboat.com




© 2017 Edgewell.

DOT 20 M5655



Recommended as an effective broad spectrum sunscreen



0 79656 02435 7

OVER 55% MORE
**FAMILY
SIZE**

OVER 55% MORE
**FAMILY
SIZE**

water &
sweat resistant
(80 MINUTES)



simply
protect™
SPORT
SUNSCREEN SPRAY



25% fewer ingredients*
MADE WITHOUT OXYBENZONE & PARABENS
NO ADDED OILS & FRAGRANCES

BROAD SPECTRUM SPF 50+

NET WT 9.5 OZ. (269g)

Introducing new Banana Boat® Simply Protect™ Sport Sunscreen SPF 50+. It gives you the broad spectrum UVA/UVB sun protection you expect with 25% fewer ingredients* in a lightweight formula that goes on quickly and easily, so you can get straight to worry-free time in the sun.

*by number vs. Banana Boat Sport Spray Sunscreen SPF 50+

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%	Sunscreen
Octisalate 4.5%, Octocrylene 7.0%	
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings	
For external use only.	
Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking.	
Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
Do not use on damaged or broken skin.	
When using this product keep away from face to avoid breathing it* keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
Directions	
■ Shake well	
■ Hold container 4 to 6 inches from the skin to apply	
■ Spray liberally and spread evenly by hand 15 minutes before sun exposure	
■ Do not spray directly into face. Spray on hands and then apply to face	
■ Do not apply in windy conditions	
■ Use in a well-ventilated area	
■ Reapply* after 80 minutes of swimming or sweating	
■ Immediately after towel drying	
■ At least every 2 hours	
■ Children under 6 months: Ask a doctor	
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor	
Inactive Ingredients	Alcohol Denat., Isobutane, C12-15 Alkyl Benzoate, Isododecane, Acrylates/Octylacrylamide Copolymer, Caprylyl Glycol.
Other information	
■ Protect this product from excessive heat and direct sun	
Questions or comments?	
Call 1-800-SafeSun, Mon-Fri	



Recommended as an effective broad spectrum sunscreen

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484
www.bananaboat.com



© 2017 Edgewell. DOT 2Q N6655



BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-918
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
ISODODECANE (UNII: A8289P68Y2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-918-31	51 g in 1 CAN; Type 0: Not a Combination Product	01/02/2018	
2	NDC:63354-918-34	170 g in 1 CAN; Type 0: Not a Combination Product	01/02/2018	
3	NDC:63354-918-37	269 g in 1 CAN; Type 0: Not a Combination Product	01/02/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/02/2018	

Labeler - Edgewell Personal Care Brands, LLC (151179769)