# ALLERGY RELIEF- fexofenadine hcl capsule, coated Allegiant Health

-----

#### **FEXOFENADINE 180MG**

### Active ingredient (in each tablet)

Fexofenadine HCl 180mg

### **Purpose**

**Antihistamine** 

#### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

### **Warnings**

#### Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if

you have kidney disease. Your doctor should determine if you need a different dose.

### When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

### Stop use and ask a doctor if

if an allergic reaction to this product occurs. Seek medical help right away.

### **Pregnancy/Breastfeeding**

ask a health professional before use.

### Keep out of reach of children

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away.

#### **Directions**

	take one 180 mg tablet with
Adults and children 12 years of	water, once a
age and over	day; do not take more than 1
_	tablet in 24 hours
Children under 12 years of age	do not use
Adults 65 years of age and older	ask a doctor
Consumers with kidney disease	ask a doctor

### Other information

- store at room temperature 20° 25°C (68° 77°F)
- protect from excessive moisture
- do not use if imprinted seal under safety cap is broken or missing

### **Inactive ingredients**

anhydrous lactose, colloidal silicon dioxide, corn starch, croscarmellose sodium, hypromellose, lactose monohydrate, polyethylene glycol, pregelatinized starch (maize), red iron oxide, stearic acid, titanium dioxide, yellow iron oxide

### Questions

Call 1-888-952-0050 Monday through Friday 9AM - 5PM

### **Principal Display Panel**







HealthA2Z Fexofenadine H... 30 Count Coated Caplets

Stop use and ask a doctor if an allergic as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions)

eaction to this product occurs. Seek medical

ıelp right away

rofessional before use

pregnant or breast-feeding, ask a health

When using this product ■ do not take more than directed ■ do not take at the same time

**Drug Facts** (continued)

**Questions or comments?** Call 1-888-952-0050 Monday through Friday

anhydrous lactose, colloidal silicon dioxide Inactive ingredients

mprinted seal under safety cap is broken or

polyethylene glycol, pregelatinized starch maize), red iron oxide, stearic acid, titanium corn starch, croscarmellose sodium, ıypromellose, lactose monohydrate, yellow iron oxide

**Directions**Adults and children |
12 years of age Children under 12 years of age Consumers with kidney disease Other information ■ store at room temperature 20°-25°C (68°-77°F) ■ protect Adults 65 years of from excessive moisture ■ do not use if age and older take one 180 mg caplet with water, once a day; ask a doctor ask a doctor do not use do not take more than caplet in 24 hours

accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away. (eep out of reach of children. In case of

### Allergy Relief

### ALLERGY RELIEF

fexofenadine hcl capsule, coated

<b>D</b>			
Uroa	IIICT I	INTORM STIAN	
PIUU		Information	

**HUMAN OTC DRUG** NDC:69168-416 **Product Type** Item Code (Source)

**ORAL Route of Administration** 

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength

FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE -UNII:E6582LOH6V)

**FEXOFENADINE HYDROCHLORIDE** 

180 mg

**Inactive Ingredients** 

Ingredient Name	Strength

ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

Product Characteristics			
Color	pink	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	SG;202
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69168- 416-06	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/14/2020		
2	NDC:69168- 416-03	3 in 1 CARTON; Type 0: Not a Combination Product	08/14/2020		
3	NDC:69168- 416-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	08/14/2020		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA204507	12/26/2014		

## Labeler - Allegiant Health (079501930)

Revised: 7/2020 Allegiant Health