SWEAT- sweat liniment JACKS MFG INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sweat

INSTRUCTIONS:

SHAKE WELL BEFORE USING.

Clip hair on the area to be treated.

Apply freely.

Rub in thoroughly for at least 10 to 15 minutes.

Bandage by using a layer of cotton, then cover the cotton using oil of corn silk or corn oil, and then wrap with bandage.

A SWEAT is to be used and is always indicated where you find fever, soreness and swelling.

A tightener should be used as a follow-up treatment.

For shoulder or back soreness, massage SWEAT in well for 15 to 20 minutes, cover with a folded or heavy blanket to keep as warm as possible.

The above treatments may be repeated twice a day, as needed. This SWEAT will not blister.

Warnings

Application for several days in a row under wraps may cause blistering of the skin.

If excessive irritation develops, discontinue the treatment and consult a veterinarian.

Not for use on horses intended for food. Not for human use.

Package Label



SWEAT

INSTRUCTIONS:

SHAKE WELL BEFORE USING. Clip hair on the area to be treated. Apply seely. Rub in throroughly for at least 10 to 15 minutes. Banage by using a layer of cotton, then cover the cotton using oil of com silk or com oil, and then warp with bandage. A SWEAT is to be used and is always indicated where you find fever, soreness and swelling. A tightener should be used as a follow-up treatment.

20 minutes, cover with a folded or heavy blanket to keep as warm as possible.

ACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:

Deionized Water, Isopropy/Acohol 125 by volume. Potassium loidide 2.0%, Povidone lodine 2.0%, Also contains Grycerine, Propylene Glyco, Merthol, Thymol, Methyl Salicylate, Turpentine Oil, Cedarwood Oil, Phenol, Juniper Oil, Pine Oil and Mussard Oil.

WARNING:

Application for several days in a row under wraps may cause vistering or the skin. If excessive initiation develops, discontinue the treatment and consult a veterinarian. Not for use on horses intended for food. Not for human use.

FOR EXTERNAL EQUINE USE ONLY KEEP OUT OF REACH OF CHILDREN

INSTRUCCIONES:

Agite bien antes de usar. Con el cabello en el rieca a tratar. Aplique libremente. Próteio completamente por lo menos 10 a 15 minutos. Aplique un vendaje utilizando una capa de algodón. A continuación cubra el algodón con acete de seda de maiz o acete de maiz, y envuelvalo con un vendaje.

Para doiores en los hombros o la espalda, masajee bien con el SUDAR de 15 a 20 minutos y luego cubra con una manta doblada o pesada para mantener lo más caliente posible...

Los tratamientos anteriores se pueden repetir dos veces al día, según sea necesario. Este SUDAR no se ampoita.

INGREDIENTES ACTIVOS:

INGREDIENTES INACTIVOS:

Deionized Water, Isopropii Alcohol 12% by volume. Potassium lodide 2.0%, Povidone Iodine 2.0%, Also contains Glycerine, Propylene Glyco, Menthol, Throng, Methy Saliyotte, Turpentine Oil, Cedarwood Oil, Phenol, Juniper Oil, Pine Oil and Mustard Oil.

ADVERTENCIA:

Aplicación para varios días consecutivos en envolturas pueden causar ampoltas en la piel. Si se desamola una imitación excesiva, discontinua el tratamiento e consulte a un veterinario. No lo utilico en animales productores de alimentos o los caballos destinados a la alimentación.



MANUFACTURED IN USA FOR JACKS INC. WASHINGTON C.H. OHIO 43160

SWEAT

sweat liniment

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:61156-107

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.02 g in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	0.01 g in 1 mL		
WATER (UNII: 059QF0KO0R)	0.09 mL in 1 mL		
ISOPROPYL ALCOHOL (UNII: ND2M416302)	0.11 mL in 1 mL		
MENTHOL (UNII: L7T10EIP3A)	0.01 g in 1 mL		
THYMOL (UNII: 3J50XA376E)	0.000147 mL in 1 mL		
GLYCERIN (UNII: PDC6A3C0OX)	0.54 mL in 1 mL		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	0.19 mL in 1 mL		
METHYL SALICYLATE (UNII: LAV5U5022Y)	0.000147 mL in 1 mL		
TURPENTINE OIL (UNII: C5H0QJ6V7F)	0.000147 mL in 1 mL		
JUNIPER BERRY OIL (UNII: SZH16H44UY)	0.000147 mL in 1 mL		
CEDAR LEAF OIL (UNII: BJ169U4NLG)	0.000147 mL in 1 mL		

PINE NUT OIL (UNII: 770AK567AO)	0.01 mL in 1 mL
PHENOL (UNII: 339NCG44TV)	0.01 mL in 1 mL
MUSTARD OIL (UNII: TYY1MA9BSY)	0.000147 mL in 1 mL
POVIDONE-IODINE (UNII: 85H0HZU99M)	0.01 g in 1 mL

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61156-107-02	473 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/01/1994	

Labeler - JACKS MFG INC (056741838)

Registrant - JACKS MFG INC (056741838)

Establishment			
Name	Address	ID/FEI	Business Operations
TENDA HORSE PRODUCTS, LLC		137337247	manufacture, api manufacture

Revised: 12/2021 JACKS MFG INC