

**CURASEB CHLORHEXIDINE 4%- chlorhexidine gluconate shampoo**  
**Bexley Labs**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Curaseb® Chlorhexidine 4% Medicated Shampoo**

**Drug Facts**

**Active Ingredients:**

Chlorhexidine Gluconate 4%

**Purpose:**

Anti-microbial

Curaseb® Chlorhexidine 4% is a broad spectrum veterinary strength shampoo that is anti-microbial. Chlorhexidine Gluconate 4% is combined with other penetrating agents and emollients to create an antiseptic shampoo that treats stubborn skin related problems in both dogs and cats. Curaseb® Chlorhexidine 4% gently cleanses and deodorizes your pet's skin, leaving behind a pleasant blueberry scent.

**Inactive Ingredients:**

Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Polysorbate 20, Disodium Oleamido MIPA-Sulfosuccinate, Glycolic Acid, Fragrance, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone, Yellow 6, Sodium Hydroxide.

**Precautions:**

For external use only on dogs and cats. Not for otic use. Avoid contact with eyes or mucous membranes. If eye contact occurs, rinse thoroughly with water and consult a veterinarian. Avoid use on open wounds, cuts, or raw areas. To prevent ingestion, do not allow pet to lick while bathing. Wash hands after use.

**Cautions:**

**If irritation develops or increases, discontinue use and consult your veterinarian.**

KEEP OUT OF THE REACH OF CHILDREN

## Directions for Use:

Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

## Storage:

Store at controlled room temperature.

Medicated Shampoo

*for dogs, cats, & horses*

*Maximum Strength*

**Antiseptic**

**Cleansing**

**Deodorizing**

**Broad Spectrum**

**Veterinary Strength**

**Anti-Microbial Treatment**

Manufactured for:

Bexley Labs

Los Angeles, CA

Tel: 888.935.4512

www.curaseb.com

Made in **USA**

## Packaging

**PACKAGE - 237 mL**

**Curaseb<sup>®</sup>**

**Chlorhexidine 4%**

Medicated Shampoo

*for dogs, cats, & horses*

**Maximum Strength**



Curaseb<sup>®</sup>Chlorhexidine 4% is a broad spectrum veterinary strength shampoo that is anti-microbial. Chlorhexidine Gluconate 4% is combined with other penetrating agents and emollients to create an antiseptic shampoo that treats stubborn skin related problems in both dogs and cats. Curaseb<sup>®</sup> Chlorhexidine 4% gently cleanses and deodorizes your pet's skin, leaving behind a pleasant blueberry scent.

### Drug Facts

#### Active Ingredients:

Chlorhexidine Gluconate 4%

#### Purpose:

Anti-microbial

#### Inactive Ingredients:

Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Polysorbate 20, Disodium Oleamido MIPA-Sulfosuccinate, Glycolic Acid, Fragrance, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone, Yellow 6, Sodium Hydroxide.



**Antiseptic  
Cleansing  
Deodorizing**



**Active Ingredient:**  
Chlorhexidine Gluconate 4%

**Anti-Microbial Treatment**

Net Contents: 8.0 fl oz (237mL)

**Precautions:**  
For external use only on dogs and cats. Not for otic use. Avoid contact with eyes or mucous membranes. If eye contact occurs, rinse thoroughly with water and consult a veterinarian. Avoid use on open wounds, cuts, or raw areas. To prevent ingestion, do not allow pet to lick while bathing. Wash hands after use.

**Cautions:**  
If irritation develops or increases, discontinue use and consult your veterinarian.  
KEEP OUT OF THE REACH OF CHILDREN

**Directions for Use:**  
Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

**Storage:**  
Store at controlled room temperature.



X0033QWCOF

Curaseb Chlorhexidine...inary Strength Formula  
New



Manufactured for:  
Bexley Labs  
Los Angeles, CA  
Tel: 888.935.4512  
www.curaseb.com

VER 02-1222

**PACKAGE - 355 mL**

**Curaseb®**

**Chlorhexidine 4%**  
Medicated Shampoo  
for dogs, cats, & horses

**Maximum Strength**



**Antiseptic  
Cleansing  
Deodorizing**



**Active Ingredient:**  
Chlorhexidine Gluconate 4%

**Anti-Microbial Treatment**

Net Contents: 355 mL (12.0 fl oz)

Curaseb Chlorhexidine 4% is a broad spectrum veterinary strength shampoo that is anti-microbial. Chlorhexidine Gluconate 4% is combined with other penetrating agents and emollients to create an antiseptic shampoo that treats stubborn skin related problems in both dogs and cats. Curaseb Chlorhexidine 4% gently cleanses and deodorizes your pet's skin, leaving behind a pleasant blueberry scent.

**Drug Facts**

**Active Ingredients:** Chlorhexidine Gluconate 4%  
**Purpose:** Anti-microbial

**Inactive Ingredients:**  
Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Polysorbate 20, Disodium Oleamido MPA-Sulfosuccinate, Glycolic Acid, Fragrance, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone, Yellow 6, Sodium Hydroxide.

**Precautions:**  
For external use only on dogs and cats. Not for otic use. Avoid contact with eyes or mucous membranes. If eye contact occurs, rinse thoroughly with water and consult a veterinarian. Avoid use on open wounds, cuts, or raw areas. To prevent ingestion, do not allow pet to lick while bathing. Wash hands after use.

**Cautions:**  
If irritation develops or increases, discontinue use and consult your veterinarian.  
KEEP OUT OF THE REACH OF CHILDREN

**Directions for Use:**  
Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

**Storage:**  
Store at controlled room temperature.



X0033QWBVP

Curaseb Chlorhexidine...inary Strength Formula  
New



Manufactured for: Bexley Labs  
Los Angeles, CA  
Tel: 888.935.4512  
www.curaseb.com

VER 08-1222

**PACKAGE - 472 mL**

**Curaseb®**

**Chlorhexidine 4%**  
Medicated Shampoo  
for dogs, cats, & horses  
**Maximum Strength**



**Antiseptic  
Cleansing  
Deodorizing**



**Active Ingredient:**  
Chlorhexidine Gluconate 4%

**Anti-Microbial Treatment**

Net Contents: 472 mL (16.0 fl oz)

Curaseb Chlorhexidine 4% is a broad spectrum veterinary strength shampoo that is anti-microbial. Chlorhexidine Gluconate 4% is combined with other penetrating agents and emollients to create an antiseptic shampoo that treats stubborn skin related problems in both dogs and cats. Curaseb Chlorhexidine 4% gently cleanses and deodorizes your pet's skin, leaving behind a pleasant blueberry scent.

**Drug Facts**

**Active Ingredients:** Chlorhexidine Gluconate 4%  
**Purpose:** Anti-microbial

**Inactive Ingredients:** Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Polysorbate 20, Disodium Oleamido MIPA-Sulfosuccinate, Glycolic Acid, Fragrance, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone, Yellow 6, Sodium Hydroxide.

**Precautions:** For external use only on dogs and cats. Not for otic use. Avoid contact with eyes or mucous membranes. If eye contact occurs, rinse thoroughly with water and consult a veterinarian. Avoid use on open wounds, cuts, or raw areas. To prevent ingestion, do not allow pet to lick while bathing. Wash hands after use.

**Cautions:** If irritation develops or increases, discontinue use and consult your veterinarian.  
KEEP OUT OF THE REACH OF CHILDREN

**Directions for Use:** Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

**Storage:** Store at controlled room temperature.



Manufactured for: Bexley Labs  
Los Angeles, CA Tel: 888.935.4512  
www.curaseb.com



VER 01-1222

**CURASEB CHLORHEXIDINE 4%**

chlorhexidine gluconate shampoo

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86133-100
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	

<b>POLYACRYLATE-1 CROSSPOLYMER</b> (UNII: R5P9Z5WD6D)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>DISODIUM OLEAMIDO MIPA-SULFOSUCCINATE</b> (UNII: 0MBZ20845F)	
<b>GLYCOLIC ACID</b> (UNII: 0WT12SX38S)	
<b>EDETATE SODIUM</b> (UNII: MP1J8420LU)	
<b>METHYLCHLOROISOTHIAZOLINONE</b> (UNII: DEL7T5QRPN)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86133-100-08	237 mL in 1 BOTTLE		
2	NDC:86133-100-12	355 mL in 1 BOTTLE		
3	NDC:86133-100-16	472 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/13/2016	

**Labeler** - Bexley Labs (080529650)