EQUATE SUNSCREEN SPF 50 SPORT BROAD SPECTRUM- avobenzone, homosalate, octisalate, octocrylene. lotion Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate Sunscreen SPF 50 SPORT Broad Spectrum Lotion

Active Ingredients

Avobenzone 3.0% Homosalate 10.0% Octisalate 4.5% Octocrylene 8.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive Ingredients

water, polyester-7, neopentyl glycol diheptanoate, glycerin, styrene/acrylates copolymer, aluminum starch octenylsuccinate, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol (vitamin E), arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance.

Label





HINGE AREA

Drug Facts (continued)

A sur Protection Massures, Sporting time in the sun increase your risk of with cancer are sale sitn aging. To decrease the sit, regularly are a numerous with a transl-operation SFF of 55 or bighter and other our protection resource including. Further than in the sun, expectably from 0,4,4–2,4,4,4.

* were [ang-showe others, parts, hall, and sunglesses

Other information

protect from excessive heat and direct sun
may stain or damage some fabrics, materials or surfaces

inactive ingressionis: water, solventiered, gloorin, spiralised, glooring, gloor

Drug Facts

Active ingredia Accessors 3,0% Homestate 10,0% Octostate 4,5% Octosylene 8,0%

Purpose Sunscreen

Uses

• holys growent surbum

• holys growent surbum

• fulled as directed with other sun protection measures
place Directions, decreases the risk of sixth centers and
early skin aging coused by the sun

Warnings For external use only

Do not use • or damaged or broken skin, When using this product keep out of eyes. Rinse with water to remove.

rease war water to remove Stop use and ask a doctor if + nath course. Keep out of reach of children, if availabled, get medical help or contact a Poton Control Center right away.

- of comman or reasons

 Differentians

 angle Boardly 15 minutes before our exposure
 insight

 and 60 minutes of extremiting or sweating
 in medicality offer lowel dying
 at least every 2 focus

 of 46 minutes of 6 months of ager ask a doctor

HINGE AREA





Drug Facts

Active ingredients Avobenzone 3.0% Homosalate 10.0% Octisalate 4.5% Octocrylene 8.0%

Purpose

Sunscreen

 helps prevent sunburn
 if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use • on damaged or broken skin.

When using this product . keep out of eyes. Rinse with water to remove Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 after 80 minutes of swimming or sweating
 immediately after towel drying
- at least every 2 hours
- children under 6 months of agec ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
- Imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeve shirts, pants, hats, and sunglasses

Other information

protect this product from excessive heat and direct sun
 may stain or damage some fabrics/materials or surfaces

Inactive ingredients
water, polyester-7, neopentyl glycol diheptancete, glycerin,
styrene/acrylates copolymer, aluminum starch octenylauccinate,
silica, phenoxyethanol, isododecane, arachidyl alcohol, besewax,
ethylhexylycerin, acrylates/C10-30 alkyl acrylate crosspolymer,
behenyl alcohol, bocopherol (vitamin E), arachidyl glucoside,
glyceryl stearate, PEG-100 stearate, potassium hydroxide,
disodium EDTA, sodium ascorbyl phosphate, fragrance

Satisfaction guaranteed -For questions or comments please cal 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients





*No parabens separately added to preserve this product

VALUE SIZE

NDC 49035-797-44



Sunscreen

Broad Spectrum **SPF 50**

SPF

· Water resistant (80 minutes)



32 FL OZ (946 mL)



Drug Facts

Active ingredients

Purpose

Avobenzone 3.0% Homosalate 10,0% Octisarate 4.5% Octocrytene 8.0%

Sunscreen

- helps prevent sunburn
 if used as directed with other sun protection measures (see *Directions*). decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

Do not use . on damaged or broken skin,

When using this product . keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if * rash occurs,

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- · apply liberally 15 minutes before sun exposure
- reapply:
 after 80 minutes of swimming or sweating
- · immediately after towel drying
- at Jeast every 2 hours
 children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-gleeve shirts, pants, hats, and sunglasses

- Other information
 protect this product from excessive heat and direct sun
- · may stain or damage some fabrics/materials or surfaces

Inactive ingredients water, polyester-7, neopentyl glycol diheptanoate, glycerin, styrene/acrystaec opolymer, aluminum starch octenylsuccinate, sfice, phenocyethanol, slooddecane, arachidyl alondo, besswax, ethylhexylsglycerin, acrystates/C10-30 alkyl acrystae crosspolymer, behenyl alondo, tooopherel (vitamin b), arachidyl glucoside, glyceryl stearate, PEC-100 stearate, polassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragranoa



Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

Blended and Filled in the U.S.A. with Imported and Domestic Ingredients



*No parabens separately added to preserve this product





Sunscreen

Broad Spectrum **SPF 50**

 Water resistant (80 minutes)





8 FL OZ (237 mL)



Drug Facts

Active ingredients Avoberzone 3,0% Homosaliste 10,0% Sunscreen Octionate 4.5% Octobrylene 8,0%

Uses

- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use + on damaged or broken skin.

When using this product + keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if + rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- apply liberally 15 minutes before sun exposure
- after 80 minutes of swimming or sweating.
- . immediately after towel drying
- + at least every 2 hours
- children under 6 months of age: ask a doctor
 Sun Protection Measures. Spending time in the sun increases. your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
- . limit time in the sun, especially from 10 a.m. 2 p.m.
- + wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
 may stain or damage some fabrics/materials or surfaces

Inactive ingredients
water, polyester-7, neopentyl glycol diheptanoste, glycerin,
styrenefacrylates copolymer, aluminum starch octenylsuccinate,
silica, phenoxyethanol, isododecane, arachiyl alcohol, beeswax,
ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer,
behenyl alcohol, tocopherol (vitamin E), arachidyl glycoside,
glyceryl stearate, PEG-100 stearate, potassium hydroxide,
disodium EDTA, sodium ascorbyl phosphate, fragrance

Satisfaction guaranteed -For questions or comments please cal 1-888-287-1915.

DISTRIBUTED BY: Wal-Mart Stores, Inc.,


Blended and Filled in the U.S.A. with Imported and Domestic Ingredients



No parabens separately added to preserve this product



S



EQUATE SUNSCREEN SPF 50 SPORT BROAD SPECTRUM

avobenzone, homosalate, octisalate, octocrylene. lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-797
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
GLYCERIN (UNII: PDC6A3C0OX)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ006294)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ISODODECANE (UNII: A8289P68Y2)	
ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
(C10-C30)ALKYL METHACRYLATE ESTER (UNII: XH2FQZ38D8)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
PEG-100 STEARATE (UNII: YD01N1999R)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
DOCOSANOL (UNII: 9G10E216XY)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:49035- 797-11	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2017		
2	NDC:49035- 797-44	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2017		
3	NDC:49035- 797-49	44.4 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2017		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/10/2017	
mai			

Labeler - Wal-Mart Stores Inc (051957769)

Revised: 10/2022 Wal-Mart Stores Inc