

**DERMAWOUND WOUND CARE VENOUS STASIS- benzocaine  
hydrochloride ointment  
Progressive Doctors, LLC**

-----  
**DermaWound Professional Care Wound Care Topical Ointment Venous Stasis  
Formula<sup>®</sup>**

**Active ingredient**

Benzocaine Hydrochloride (1.27%)

**Purpose**

Local Anesthetic

**Uses**

topical pain relief of minor

- cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- if you have methemoglobinemia
- if pregnant or lactating

**Ask a doctor before use**

in case of deep or puncture wounds, animal bites, or serious burns.

**Stop use and ask a doctor if**

- the condition persists or gets worse
- irritation or rash appears
- you need to use the product for more than 1 week

**Keep Out of Reach of Children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Gently clean around the affected area
- Prior to application of DermaWound , evaluate the wound or ulcer to insure no excessive bleeding is present. . ® **Never wipe out the ulcer**
- Apply a moderate amount of DermaWound directly to affected area. ®
- Deeper or "tunneling" wounds may require packing and/or sides coated with additional DermaWound and sterile gauze. ®
- Apply additional sterile gauze to absorb exudates, if needed.
- Change Dressing 2 or 3 times daily or as directed by a physician.
- May require supervision of a health care professional in the management of chronic & acute wound care, pressure sores, diabetic ulcers, surgical wounds & indwelling catheters.

## **Cautions**

- Persons allergic or sensitive to iodine and/or benzocaine should avoid contact with this product.
- Do not restrict circulation when applying DermaWound with sterile gauze. ®
- Apply additional sterile gauze to absorb exudates, if needed.
- Change Dressing 2 or 3 times daily or as directed by a physician.

## **Other Information**

- Store at 59°-86°F (15-30°C)
- Avoid Heat and Direct Sunlight

## **Inactive ingredients**

Sucrose (Poly-saccharide Blend), Calcium Carbonate (Poly-mineral Blend, vegan), Glycerin, Xanthan Gum, PVP-Iodine, Methylparaben, and Deionized Water.

## **Questions or Comments?**

**[www.DermaWound.com](http://www.DermaWound.com) or 1-866-727-0462**

**Non-irritating, Clinically tested, and Allergy tested.**

**Certified Green Manufacturing Contents Biodegradable Eco-Friendly**

Manufactured for and Distributed by Wound Care USA, LLC Tucson, Arizona 85712

©2014 U.S. & International Patents Pending



Made With Solar Power

**Made in U.S.A. NDC# 57554-120-06**

**Stir if Separated**

**Package/Label Principal Display Panel**  
**DermaWound Professional Care<sup>®</sup>**  
**Wound Care Local Anesthetic Ointment**  
**Venous Stasis Formula**  
**Net Wt. 6 oz. (179 g)**

Carton Label

<p><b>Drug Facts</b></p> <p><b>Active Ingredient</b> Benzocaine Hydrochloride (1.27%)</p> <p><b>Purpose:</b> Local Anesthetic</p> <p><b>Uses:</b> topical pain relief of minor ■ cuts ■ scrapes ■ burns</p> <p><b>Warnings. For external use only</b>          ■ Do not use ■ in the eyes ■ if you have methemoglobinemia ■ pregnant or lactating</p> <p><b>Ask a doctor before use</b> in case of deep or puncture wounds, animal bites, or serious burns.</p> <p><b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse ■ irritation or rash appears ■ you need to use the product for more than 1 week.</p> <p><b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b></p> <p><b>Directions</b>          ■ Gently clean around the affected area. ■ Prior to application of DermaWound, evaluate the wound or skin to insure no serious injury exists. ■ Do not use on deep or severe wounds. ■ Apply a thin layer of DermaWound directly to affected area. ■ Deeper or tunneling wounds may require occlusive or silk gauze coated with additional DermaWound<sup>®</sup> and sterile gauze. ■ Apply additional sterile gauze to absorb exudate, if needed. ■ Change Dressing 2 or 3 times daily or as directed by a physician. ■ May require supervision of a health care professional in the management of chronic &amp; acute wound care, pressure sores, diabetic ulcers, surgical wounds and lacerating lacerations.</p> <p><b>Cautions</b>          ■ Persons allergic or sensitive to odors and/or benzocaine should avoid contact with this product.          ■ Do not use on children. ■ Avoid use on children's hands.          ■ Avoid use on children when applying DermaWound<sup>®</sup> with sterile gauze.          ■ Change Dressing 2 or 3 times daily or as directed by a physician.</p> <p><b>Other Information</b>          ■ Store at 99°-98°F (35-30°C). ■ Avoid Heat and Direct Sunlight.</p> <p><b>Inactive Ingredients</b>          Sucrose (Poly-saccharide Blend), Calcium Carbonate (Poly-mineral Blend, vegan), Glycerin, Xanthan Gum, PVP-Iodine, Methylparaben, and Deionized Water.</p> <p>Questions or Comments? <a href="http://www.DermaWound.com">www.DermaWound.com</a> or 1-866-771-0482</p>	 <p><b>DermaWound<sup>®</sup></b>  <b>Professional Care</b>          Wound Care Local Anesthetic Ointment</p> <hr/> <p><b>Venous Stasis Formula</b></p> <p>Net Wt. 6 oz. (179 g)</p> <p><b>Non-Irritating, Clinically tested, &amp; Allergy tested.</b>          Certified Green Manufacturing          Contains Biodegradable          Components</p> <p>Manufactured for and Distributed by Wound Care USA, LLC          Tucson, Arizona 85712          © 2014 • U.S. &amp; International Patents Pending</p>  <p>MADE WITH SOLAR POWER</p> <p>Made in U.S.A.          NDC# 57554-120-06          Stir if Separated</p>
---	--

**DERMAWOUND WOUND CARE VENOUS STASIS**

benzocaine hydrochloride ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57554-120
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	1.27 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57554-120-06	1 in 1 CARTON	02/02/2014	

1	179 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	02/01/2014	

**Labeler** - Progressive Doctors, LLC (623841355)

Revised: 12/2023

Progressive Doctors, LLC