

CHILDRENS LORATADINE SUGAR FREE- loratadine solution
Kroger Company

Children's Loratadine Oral Solution Sugar Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing**

- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions?

Call 1-800-632-6900

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

**COMPARE TO the active ingredient in
CHILDREN'S CLARITIN® **See side panel**

NDC 30142-017-08

Kroger®

AGES 2 YEARS & OLDER

NON-DROWSY*

Children's

Allergy

LORATADINE ORAL SOLUTION USP, 5 mg/5 mL

Antihistamine

Allergy

DYE FREE

24

HOUR

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Our Pharmacists

Recommend

Sugar Free

Indoor & Outdoor

Allergies

***When taken as
directed. See
Drug Facts Panel.**

Grape

Flavor

Dosage Cup

Enclosed

4 FL OZ
(120 mL)



NON-DROWSY*

Children's Allergy

LORATADINE ORAL SOLUTION USP, 5 mg/5 mL
Antihistamine Allergy

*When taken as directed. See Drug Facts Panel.

COMPARE TO the active ingredient in
CHILDREN'S CLARTIN® **See side panel

NDC 30142-017-08



AGES 2 YEARS & OLDER
NON-DROWSY*

Children's Allergy

LORATADINE ORAL SOLUTION USP, 5 mg/5 mL
Antihistamine Allergy

DYE FREE

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Sugar Free

Indoor & Outdoor Allergies

*When taken as directed. See Drug Facts Panel.



Grape Flavor



Dosage Cup

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Loratadine 5 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified

4 FL OZ
(120 mL)



Enclosed

water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions? Call 1-800-632-6900

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

**NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT**

T181C
B98.2
ENG19.59



**NO VARNISH
ON THIS FLAP**

COMPARE TO the active ingredient in
CHILDREN'S CLARITIN® **See side panel

COMPARE TO the active ingredient in
CHILDREN'S CLARITIN® **See side panel

NDC 30142-017-08

NDC 30142-017-08



**AGES 2 YEARS & OLDER
NON-DROWSY***

**AGES 2 YEARS & OLDER
NON-DROWSY***

Childrens Allergy

LORATADINE ORAL SOLUTION USP
5 mg/5 mL

Antihistamine Allergy

DYE FREE

- Alcohol Free
- Dosage Cup Enclosed
- Sugar Free

Indoor & Outdoor Allergies

*When taken as directed. See Drug Facts Panel.

**Claritin® is a registered trademark of Bayer. Bayer is not affiliated with The Kroger Co. or this product.

Made in Canada
QUALITY GUARANTEE
www.kroger.com



Childrens Allergy

LORATADINE ORAL SOLUTION USP, 5 mg/5 mL
Antihistamine Allergy

DYE FREE

24 Hour Relief of:

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Sugar Free


Indoor & Outdoor Allergies

*When taken as directed.
See Drug Facts Panel.



Grape Flavor

Dosage Cup Enclosed



4 FL OZ
(120 mL)

PPK-7087-2
1017-2
12

**NO VARNISH
ON THIS FLAP**

CHILDRENS LORATADINE SUGAR FREE

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
butylated hydroxyanisole (UNII: REK4960K2U)	
glycerin (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
phosphoric acid (UNII: E4GA8884NN)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0K00R)	
sodium benzoate (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE, MONOBASIC, DIHYDRATE (UNII: 5QWK665956)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-017-08	1 in 1 CARTON	10/06/2017	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

Labeler - Kroger Company (006999528)

Revised: 12/2017

Kroger Company