ALLERGY CHILDRENS- diphenhydramine hydrochloride solution Meijer Distribution Inc

Meijer Distribution, Inc. Children's Allergy Liquid Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- · itchy, watery eyes

Warnings

Do not use

- · with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- · sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

meijer_®

CHILDREN'S | 6 years & older

allergy liquid

Antihistamine | Diphenhydramine

HCl 12.5 mg/5 mL Oral Solution

COMPARE TO CHILDREN'S BENADRYL® ACTIVE INGREDIENT.

4-6 HOUR RELIEF

RELIEF FOR SNEEZING; RUNNY NOSE; ITCHY THROAT; ITCHY, WATERY EYES CHERRY FLAVOR

Multi-Symptom

Alcohol Free

4 FL OZ (118 mL)



ALLERGY CHILDRENS

diphenhydramine hydrochloride solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-379
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
POLOXAMER 407 (UNII: TUF2IVW3M2)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL SOLUTION (UNII: 8KW3E207O2)		
GLYCERIN (UNII: PDC6A3C0OX)		

Product Characteristics			
Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-379- 26	1 in 1 CARTON	11/15/1987	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41250-379- 34	1 in 1 CARTON	12/12/1995	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/15/1987	

Labeler - Meijer Distribution Inc (006959555)

Revised: 7/2024 Meijer Distribution Inc