

**NIGHTTIME SLEEP AID- diphenhydramine hcl capsule
MEIJER, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

For relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and older: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the active ingredient in Unisom® SleepGels®*

MAXIMUM STRENGTH

Sleep Aid

Diphenhydramine HCl | 50 mg

Nighttime Sleep-Aid

Safe, non-habit forming

SOFTGELS

ONE SOFTGELS PER DOSE

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Product Label

VALUE SIZE

meijer

NDC 41250-260-96
†Compare to the active ingredient in Unisom® SleepGels®


MAXIMUM STRENGTH
sleep-aid

Diphenhydramine HCl | 50 mg
Nighttime Sleep-Aid

Safe, Non Habit-Forming

ONE
SOFTGEL
PER DOSE

96
Softgels



Actual Size

TAMPER EVIDENT: DO NOT USE IF PRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

**Active ingredient
(in each softgel)**

Diphenhydramine HCl 50 mg..... Nighttime sleep-aid

Use For relief of occasional sleeplessness.


Warnings
Do not use
■ for children under 12 years of age
■ with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ glaucoma
■ trouble urinating due to an enlarged prostate gland

Drug Facts (continued under label)


*This product is not manufactured or distributed by Chatterm, Inc., distributor of Unisom® SleepGels®.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

OUR QUALITY
IS OUR PRIORITY



PID 2609279



7 19283 10304 8

PLD-E633A
LB007301

Lot No.:

Exp. Date:

PEEL HERE →

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product, avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information
■ store between 15-30°C (59-86°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

MEIJER Maximum Strength Sleep-Aid

NIGHTTIME SLEEP AID

diphenhydramine hcl capsule

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-260
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients				
Ingredient Name				Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
SORBITAN (UNII: 6O92ICV9RU)				
Product Characteristics				
Color	blue	Score	no score	
Shape	CAPSULE	Size	13mm	
Flavor		Imprint Code	P50	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-260-64	1 in 1 BOX	11/29/2019	01/31/2025
1		64 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:41250-260-32	1 in 1 BOX	11/29/2019	01/31/2025
2		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:41250-260-96	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2019	01/31/2025
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final		part338	11/29/2019	01/31/2025

Labeler - MEIJER, INC. (006959555)

Revised: 1/2023

MEIJER, INC.