

SHEER FLUID SUN SHIELD BROAD SPECTRUM SPF 30- octinoxate and zinc oxide liquid
Lancer Skincare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sheer Fluid Sun Shield
Broad Spectrum SPF 30

Drug Facts

Active Ingredients	Purpose
Octinoxate 7.5%	Sunscreen
Zinc Oxide 17.1%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken Skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children. If Product is swallowed, get medical help Or contact a poison control center right Away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

Other Information

- Protect this product from excessive heat or direct sun.

Inactive Ingredients

Cyclopentasiloxane, Water (Aqua), Alcohol Denat., Glycerin, Methyl Methacrylate Crosspolymer, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, PEG/PPG-18/18 Dimethicone, Vitis Vinifera (Grape) Fruit Cell Extract, Zingiber Officinale (Ginger) Root Extract, Tropaeolum Majus Extract, Helianthus Annuus (Sunflower) Sprout Extract, Bisabolol, Tocopherol, Lecithin, PEG-9 Polydimethylsiloxyethyl Dimethicone, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Benzylidene Dimethoxydimethylindanone, Isomalt, Hexylene Glycol, Caprylyl Glycol, Ethylhexylglycerin, Phenoxyethanol

Dist. by
LANCER SKINCARE LLC
440 N. Rodeo Dr., 3F
Beverly Hills, CA 90210

PRINCIPAL DISPLAY PANEL - 60 mL Bottle Carton

LANCER®


- UTMOST LUXURY
- LANCER SKINCARE
- FIRST-CLASS DERMATOLOGY
- TRUE EFFICACY

RESEARCHED
AND DEVELOPED

AT
LANCER_X™
dermatology
BEVERLY HILLS

SHEER FLUID SUN SHIELD
Broad Spectrum SPF 30
Sunscreen

2.0 FL.OZ. | 60 mL



This weightless fluid sunscreen helps protect skin from UV rays while delivering a complex of anti-aging ingredients that help skin look younger. Ideal as a makeup primer, it leaves a smooth, even finish with no greasy or heavy after feel.

DIRECTIONS: After completing The Lancer Method[®], apply to face, neck and décolleté before and during exposure to sun. Reapply every 2 hours. Refer to the product packaging for full directions for use and Drug Fact Labelling.

Cet écran solaire liquide et tout en légèreté aide à protéger votre peau des rayons UV tout en offrant un complexe d'ingrédients anti-âge qui donne à la peau un aspect plus jeune. Cette base de maquillage idéale donne un rendu lisse et unifié, sans effet gras après l'application.

MODE D'EMPLOI : Après avoir suivi la Méthode Lancer, appliquer sur le visage, le cou et le décolleté avant et pendant l'exposition au soleil. Appliquer toutes les 2 heures. Consulter le mode d'emploi complet et les informations sur les agents actifs sur l'emballage du produit.

Drug Facts

Active ingredients Purpose
 Octinoxate 7,5% Sunscreen
 Zinc Oxide 17,1% Sunscreen

Uses ■ Helps prevent sunburn
 ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only
Do not use ■ on damaged or broken skin.
When using this product ■ keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if ■ rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure
 ■ Reapply at least every 2 hours
 ■ Use a water resistant sunscreen if swimming or sweating
 ■ **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ Limit time in the sun, especially from 10 a.m. - 2 p.m.
 ■ Wear long-sleeved shirts/pants, hats and sunglasses
 ■ Children under 6 months of age: Ask a doctor

Other information ■ Protect this product from excessive heat or direct sun.



LANCER

SHEER FLUID SUN SHIELD
Broad Spectrum SPF 30
Sunscreen

LIQUIDE DIAPHANE
FPS 30 à Large Spectre
Écran Solaire

2.0 FL.OZ. | 60 mL

Drug Facts (continued)

Inactive Ingredients
 Cyclopentasiloxane, Water (Aqua), Alcohol Denat., Glycerin, Methyl Methacrylate Crosspolymer, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, PEG/PPG-18/18 Dimethicone, Vitis Vinifera (Grape) Fruit Cell Extract, Zingiber Officinale (Ginger) Root Extract, Tropaeolum Majus Extract, Helianthus Annuus (Sunflower) Sprout Extract, Bisabolol, Tocopherol, Lecithin, PEG-9 Polydimethylsiloxyethyl Dimethicone, Triethoxysilyl Ethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Benzylidene Dimethoxydimethylindanone, Isomalt, Hexylene Glycol, Caprylyl Glycol, Ethylhexylglycerin, Phenoxyethanol

Dist. by/par
 LANCER SKINCARE LLC
 440 N. Rodeo Dr., 3F
 Beverly Hills, CA 90210
 Lancerskincare.com
 Manufactured in the USA with domestic and imported components.
 Fabriqué aux États-Unis avec des composants intérieurs et importés.
 T108-C002A



SHEER FLUID SUN SHIELD BROAD SPECTRUM SPF 30

octinoxate and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72704-108
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	7.5 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	17.1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Water (UNII: 059QF0KO0R)	
Alcohol (UNII: 3K9958V90M)	
Glycerin (UNII: PDC6A3C0OX)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)	
PEG/PPG-18/18 Dimethicone (UNII: 9H0AO7T794)	
Grape (UNII: 6X543N684K)	
Ginger (UNII: C5529G5JPQ)	
Tropaeolum Majus Whole (UNII: 9G6ZOS4L87)	
Helianthus Annuus Sprout (UNII: 4P26HG1S5W)	
Levomenol (UNII: 24WE03BX2T)	
Tocopherol (UNII: R0ZB2556P8)	
PEG-9 Polydimethylsiloxylethyl Dimethicone (UNII: TYP81E471F)	
Triethoxysilylethyl Polydimethylsiloxylethyl Hexyl Dimethicone (UNII: X75PL53TZJ)	
Benzylidene Dimethoxydimethylindanone (UNII: 75HIF3C97L)	
Isomalt (UNII: S870P55O2W)	
Hexylene Glycol (UNII: KEH0A3F75J)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Lecithin, soybean (UNII: 1DI56QDM62)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72704-108-01	1 in 1 CARTON	11/01/2016	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/01/2016	

Labeler - Lancer Skincare LLC. (079089155)

Establishment

Name	Address	ID/FEI	Business Operations
Vege-Labs		117878620	MANUFACTURE(72704-108)

Revised: 1/2023

Lancer Skincare LLC.